

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Alafia River** Mile: 0 PWD: 15
Name: **Cargill Crop Nutrition, Riverview Liquid Products Wharf.**
Location: Right bank, Alafia River, near entrance to Hillsborough Bay, Riverview. Datum: MLW
Operator: Cargill Crop Nutrition.
Owner: Cargill Crop Nutrition.
Address: 8813 U.S. Highway 41 South. Phone: 813-671-6284
Town: Riverview State: FL County: Hillsborough
Railway Connection: Plant trackage in rear; connects with CSX Transportation, Inc.
Purpose: Receipt of liquid sulphur.
Depth Alongside (feet): 34 | - | Latitude (decimal): 27.856111
Total Berthing Space (feet): 900 | - | Longitude (decimal): -82.393333
Remarks: One 10-inch steam-traced pipeline extends from wharf to three liquid sulphur storage tanks located in rear, total capacity 5,550,000 gallons.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 083 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Alafia River** Mile: 0 PWD: 14
Name: **Cargill Crop Nutrition, Riverview Wharf and Slip.**
Location: Right bank, Alafia River, near entrance to Hillsborough Bay, Riverview. Datum: MLW
Operator: Cargill Crop Nutrition.
Owner: Cargill Crop Nutrition.
Address: 8813 U.S. Highway 41 South. Phone: 813-671-6284
Town: Riverview State: FL County: Hillsborough
Railway Connection: Two surface tracks serve hopper-car-receiving pit at rear of face, rate three cars per hour, and continue along east side of slip joining three surface tracks along west side of slip, with additional plant trackage in rear; connect with CSX Transport
Purpose: Shipment of phosphate rock, bulk phosphate products, and animal feed.
Depth Alongside (feet): 34 | 25 | 25 Latitude (decimal): 27.858333
Total Berthing Space (feet): 900 | 196 | 448, Longitude (decimal): -82.390833
Remarks: A 36-inch, electric, belt-conveyor system extends to wharf from four steel-frame storage buildings with asbestos-cement siding; total storage capacity of the storage buildings is 180,000 tons. Face of wharf is in line with face of Liquid Products Wharf (P.W.D. Ref. No. 15) and dolphins, which provide for a total of 900 feet of berthing space.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 083 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Alafia River** Mile: 0 PWD: 13
Name: **Inter Bay Mooring, Gibsonton Dock.**
Location: Left bank, Alafia River, above U.S. Highway 41 (Tamiami Trail) Bridge, Gibsonton. Datum: MLW
Operator: Inter Bay Mooring, Inc.
Owner: Inter Bay Mooring, Inc.
Address: Phone: 813/677-2739
Town: Gibsonton State: FL County: Hillsborough
Railway Connection: None.
Purpose: Mooring small vessels for repair; and fueling small vessels.
Depth Alongside (feet): 4 | | Latitude (decimal): 27.8575
Total Berthing Space (feet): 55 | | Longitude (decimal): -82.380556
Remarks: Vessels are fueled through 1-inch hose connections extending from two steel storage tanks located at rear, total capacity 3,000 gallons. Berthing space for approximately 72 vessels is available at a series of timber floats on lower side. In addition, approximately 200 feet of berthing space is available for tugs and barges along a steel-sheet-pile bulkhead with solid fill. Repair and storage facilities are located in rear.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 079 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Crystal River Intake Canal** Mile: 0 PWD: 109
Name: **Progress Energy Florida, Crystal River Power Plant Wharf.**
Location: South side of Crystal River Intake Canal, Crystal River. Datum: MLW
Operator: Progress Energy Florida, Inc.
Owner: Progress Energy Florida, Inc.
Address: Phone: 904/563-4400
Town: Crystal River State: FL County: Citrus
Railway Connection: One 90-car-capacity surface track serves power plant in rear; connects with CSX Transportation, Inc.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 15 | | Latitude (decimal): 28.955556
Total Berthing Space (feet): 516 | | Longitude (decimal): -82.7125
Remarks: Two open storage areas located at rear have capacity for approximately 1,250,000 tons of coal.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14872 Dock Code: 499

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **East Bay** Mile: 0 PWD: 42
Name: **CF Industries, Tampa Terminal, Berth 204.**
Location: Westerly shore of East Bay, approximately 2,000 feet below 22nd Street Causeway, Datum: MLW
Tampa.
Operator: CF Industries, Inc.
Owner: Tampa Port Authority.
Address: 2520 Guy N. Verger Boulevard. Phone: 813/247-5531
Town: Tampa State: FL County: Hillsborough
Railway Connection: One surface track serving hopper-car pit joins two additional surface tracks, maximum capacity twenty 100-ton cars; connects with CSX Transportation, Inc.
Purpose: Shipment of phosphate fertilizer.
Depth Alongside (feet): 34 | | Latitude (decimal): 27.927222
Total Berthing Space (feet): 920 | | Longitude (decimal): -82.43
Remarks: One 644- by 190-foot steel-frame building with corrugated-asbestos siding located in rear has capacity for 75,000 tons of material. Six electric winches - two on each end, one on each side of tower, and one on each adjacent platform - are available as required.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 138 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **East Bay** Mile: 0 PWD: 34
Name: **CSX Transportation, Rockport Terminal Dock.**
Location: Easterly shore of East Bay, approximately 0.8 mile below Causeway Boulevard, Datum: MLW
Tampa.
Operator: CSX Transportation, Inc.
Owner: CSX Transportation, Inc.
Address: 3701 Causeway Boulevard. Phone: 813/664-6481
Town: Tampa State: FL County: Hillsborough
Railway Connection: CSX Transportation Inc.: Two surface tracks extend through two rotary-car dumpers (for unit trains); rate 30 cars (3,000 tons) per hour each, and connect with additional terminal trackage.
Purpose: Shipment of phosphate products.
Depth Alongside (feet): 39 | | Latitude (decimal): 27.914722
Total Berthing Space (feet): 1,460 | | Longitude (decimal): -82.423889
Remarks: Timber storage building located in rear has capacity for 110,000 tons of phosphate products and is served by two stacker-reclaimers.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 110 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **East Bay** Mile: 0 PWD: 38
Name: **Diversified Marine Tech Dock.**
Location: Northerly shore of East Bay, off southerly side of Causeway Boulevard, Tampa. Datum: MLW
Operator: Diversified Marine Tech, Inc.
Owner: Tampa Port Authority.
Address: 2531 Causeway Boulevard. Phone: 813/248-3610
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 12-15 | 12-15 | Latitude (decimal): 27.929722
Total Berthing Space (feet): 180 | 90 | Longitude (decimal): -82.426667
Remarks: One 200-ton vertical boat lift is located between piers. Marine repair plant is located at rear.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 117 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **East Bay** Mile: 0 PWD: 35
Name: **Eastern Associated Terminals Co., Tampa Wharf.**
Location: Easterly shore of East Bay, approximately 1,100 feet below Causeway Boulevard, Tampa. Datum: MLW
Operator: Eastern Associated Terminals Co., LLC.
Owner: Eastern Associated Terminals Co., LLC.
Address: 3701 Causeway Boulevard. Phone: 813/248-5038
Town: Tampa State: FL County: Hillsborough
Railway Connection: CSX Transportation, Inc.: One surface track extends through a rotary-car dumper (for unit trains), rate 20 cars per hour, and connects with additional terminal trackage.
Purpose: Shipment of phosphate products.
Depth Alongside (feet): 38 | | Latitude (decimal): 27.919722
Total Berthing Space (feet): 850 | | Longitude (decimal): -82.420833
Remarks: Open storage area located in rear, with capacity for 135,000 tons of phosphate products, was not in use at time of survey. One timber storage building located at rear has storage capacity for 110,000 tons of phosphate products; each is served by a beltless-drag conveyor stacker-reclaimer.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 112 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **East Bay** Mile: 0 PWD: 36
Name: **Seabreeze by the Bay Pier.**
Location: Easterly shore of East Bay, below Causeway Boulevard, Tampa. Datum: MLW
Operator: Seabreeze by the Bay, Inc.
Owner: Seabreeze by the Bay, Inc.
Address: 3409 Causeway Boulevard. Phone: 813/248-9533/24
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of seafood; and mooring shrimp boats.
Depth Alongside (feet): 34 | 10-34 | Latitude (decimal): 27.924167
Total Berthing Space (feet): - | 100, | Longitude (decimal): -82.421111
Remarks: Retail-and-wholesale seafood sales facilities are located in rear.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 114 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **East Bay** Mile: 0 PWD: 39
Name: **Tampa Port Authority, Berth 200.**
Location: Westerly shore of East Bay, below 22nd Street Causeway, Tampa. Datum: MLW
Operator: International Ship Repair & Marine Services, Inc.; and Marine Towing of Tampa, LLC.
Owner: Tampa Port Authority.
Address: Phone: 813-242-6500
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned floating equipment.
Depth Alongside (feet): 15-28 | | Latitude (decimal): 27.934444
Total Berthing Space (feet): 700 | | Longitude (decimal): -82.433056
Remarks: Vessels up to 700 feet can be berthed off face using ships' anchor. International Ship Repair & Marine Services, Inc.: Floating Drydock No. 5, with capacity of 1,200 tons, is moored perpendicular to north side of slip. Marine Towing of Tampa, LLC: Dispatch office is located at rear.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 119 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **East Bay** Mile: 0 PWD: 40
Name: **Tampa Port Authority, Berth 201.**
Location: Westerly shore of East Bay, approximately 1,300 feet below 22nd Street Causeway, Datum: MLW
Tampa.
Operator: SSA Gulf, Division of SSA Marine; and Thompson Line.
Owner: Tampa Port Authority.
Address: Phone: 813/248-6966
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt and shipment of conventional, containerized, and roll-on/roll-off general cargo in foreign and domestic trades.
Depth Alongside (feet): 31-34 | | Latitude (decimal): 27.931944
Total Berthing Space (feet): 903 | | Longitude (decimal): -82.433889
Remarks: One 86,000-square-foot, steel frame, metal-covered building (Building 320) is located at rear. SSA Gulf, Division of SSA Marine: Approximately 7.5 acres of open storage area are located at rear. Thompson Line: Approximately 3 acres of open storage area are located at rear.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 120 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **East Bay** Mile: 0 PWD: 41
Name: **Tampa Port Authority, Berth 202.**
Location: Westerly shore of East Bay, approximately 1,600 feet below 22nd Street Causeway, Datum: MLW
Tampa.
Operator: SSA Gulf, Division of SSA Marine; and Thompson Line.
Owner: Tampa Port Authority.
Address: Phone: 813/248-6966
Town: Tampa State: FL County: Hillsborough
Railway Connection: One surface track at rear of Warehouse 310 connects with CSX Transportation, Inc.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 34 | | Latitude (decimal): 27.929722
Total Berthing Space (feet): 750 | | Longitude (decimal): -82.433333
Remarks: One 100,000-square-foot, steel frame, metal-covered building (Warehouse 310) is located at rear. Southerly section of transit shed formerly was used as a passenger terminal for cruise vessels (Cruise Terminal 7). Paved parking lot is located at rear. SSA Gulf, Division of SSA Marine: Approximately 15.5 acres of open storage area are located at rear.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 121 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **East Bay** Mile: 0 PWD: 44
Name: **Tampa Port Authority, Berth 206.**
Location: Westerly shore of East Bay, approximately 1,800 feet below 22nd Street Causeway, Datum: MLW
Tampa.
Operator: International Ship Repair & Marine Services, Inc.
Owner: Tampa Port Authority.
Address: Phone: 813/247-1118
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 17-20 | | Latitude (decimal): 27.923611
Total Berthing Space (feet): 850 | | Longitude (decimal): -82.428889
Remarks: Steel barge moored to breasting dolphins is used for mooring vessels.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 123 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **East Bay** Mile: 0 PWD: 45
Name: **Tampa Port Authority, Berth 208.**
Location: Westerly shore of East Bay, approximately 0.6 mile below 22nd Street Causeway, Datum: MLW
Tampa.
Operator: SSA Gulf, Division of SSA Marine.
Owner: Tampa Port Authority.
Address: Phone: 813/248-6996
Town: Tampa State: FL County: Hillsborough
Railway Connection: One 900-foot surface track at rear of wharf connects with CSX Transportation, Inc.
Purpose: Receipt and shipment of conventional, containerized, and roll-on/ roll-off general cargo and heavy-lift
items in foreign and domestic trades.
Depth Alongside (feet): 34 | | Latitude (decimal): 27.920833
Total Berthing Space (feet): 900 | | Longitude (decimal): -82.428611
Remarks: Wharf is in line and contiguous with Berths Nos. 209, 210, 211, and 212. Approximately 20 acres of
open storage area are located at rear.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 124 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **East Bay** Mile: 0 PWD: 46
Name: **Tampa Port Authority, Berth 209.**
Location: Westerly shore of East Bay, approximately 0.7 mile below 22nd Street Causeway, Datum: MLW
Tampa.
Operator: SSA Gulf, Division of SSA Marine.
Owner: Tampa Port Authority.
Address: Phone: 813/248-6996
Town: Tampa State: FL County: Hillsborough
Railway Connection: One platform-level track, along full length at rear of transit shed, and connecting with CSX
Transportation, Inc., was not in use at time of survey.
Purpose: Receipt and shipment of conventional, containerized, and roll-on/ roll-off general cargo and heavy-lift
items in foreign and domestic trades.
Depth Alongside (feet): 34 | | Latitude (decimal): 27.918333
Total Berthing Space (feet): 600 | | Longitude (decimal): -82.428611
Remarks: Wharf is in line and contiguous with Berths Nos. 208, 210, 211, and 212. Approximately 50,000 square
feet of transit shed is operated by SSA Gulf for cooler storage.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 125 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **East Bay** Mile: 0 PWD: 48
Name: **Tampa Port Authority, Berth 212.**
Location: Westerly shore of East Bay, approximately 1 mile below 22nd Street Causeway, Datum: MLW
Tampa.
Operator: SSA Gulf, Division of SSA Marine.
Owner: Tampa Port Authority.
Address: Phone: 813-248-6996
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trades;
receipt of automobiles and steel products.
Depth Alongside (feet): 40 | | Latitude (decimal): 27.913056
Total Berthing Space (feet): 750 | - | Longitude (decimal): -82.428611
Remarks: Wharf is in line and contiguous with Berths Nos. 208, 209, 210, and 211. Approximately 17 acres of
paved, open storage area are located at rear.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 126 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **East Bay** Mile: 0 PWD: 49
Name: **Tampa Port Authority, Berth 213.**
Location: Westerly shore of East Bay, approximately 1.2 miles below 22nd Street Causeway, Datum: MLW
Tampa.
Operator: SSA Gulf, Division of SSA Marine.
Owner: Tampa Port Authority.
Address: Phone: 813-248-6996
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 43 | | Latitude (decimal): 27.910833
Total Berthing Space (feet): 1,000 | - | Longitude (decimal): -82.43
Remarks: Approximately 7 acres of paved, open storage area are located at rear. Long-term plans call for the wharf to be extended to include Berths Nos. 214 and 215, with a total length of 2,050 feet, and the terminal to be expanded to include 54 acres of paved storage.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 126 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **East Bay** Mile: 0 PWD: 47
Name: **Tampa Port Authority, Berths 210 and 211.**
Location: Westerly shore of East Bay, approximately 0.8 mile below 22nd Street Causeway, Datum: MLW
Tampa.
Operator: SSA Gulf, Division of SSA Marine.
Owner: Tampa Port Authority.
Address: Phone: 813-248-6996
Town: Tampa State: FL County: Hillsborough
Railway Connection: One 480-foot platform-level track along rear of transit shed, and connecting with CSX Transportation, Inc., was not in use at time of survey.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trades; receipt of tropical fruit.
Depth Alongside (feet): 36 - 38 | | Latitude (decimal): 27.915833
Total Berthing Space (feet): 1,200 | - | Longitude (decimal): -82.428611
Remarks: Wharf is in line and contiguous with Berths Nos. 208, 209, and 212. SSA Gulf operates transit shed as a cold storage warehouse.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 126 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **East Bay** Mile: 0 PWD: 43
Name: **Tampa Port Authority, Holland Terminal, Berth 205.**
Location: Westerly shore of East Bay, approximately 0.5 mile below 22nd Street Causeway, Tampa. Datum: MLW
Operator: Tampa Port Authority and Tampa Juice Service, Inc.
Owner: Tampa Port Authority.
Address: 2202 Barker Road. Phone: 813/248-5190
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of juice concentrate.
Depth Alongside (feet): 34 | | Latitude (decimal): 27.925
Total Berthing Space (feet): 580 | - | Longitude (decimal): -82.429167
Remarks: Tampa Juice Service, Inc.: Four 8-inch stainless-steel pipelines extend from wharf to 18 juice-concentrate storage tanks, total capacity 3,000,000 gallons.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 122 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **East Bay** Mile: 0 PWD: 37
Name: **Tampa Port Authority, Shrimp Docks, Berths 160-168.**
Location: Northerly shore of East Bay, off southerly side of Causeway Boulevard, Tampa. Datum: MLW
Operator: Superior Seafoods, Inc.; Versaggi Shrimp Corp.; and Port Seafood.
Owner: Tampa Port Authority.
Address: 2633 Causeway Boulevard. Phone: 813/248-5089
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of seafood.
Depth Alongside (feet): 12-15 | 12 | Latitude (decimal): 27.928889
Total Berthing Space (feet): 2,400 | 260 | Longitude (decimal): -82.425833
Remarks: A 40- by 20-foot concrete platform fronts a 100- by 50-foot seafood-processing building located at inner end of each pier. Piers and bulkhead are fronted by timber-pile and rubber fender systems.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 116 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Garrison Channel** Mile: 0 PWD: 81
Name: **Tampa Port Authority, Garrison Seaport Center Cruise Terminal 2, Berths 271, 272 and 273.**
Location: North side of Garrison Channel, east of Harbour Island East Access Bridge, Tampa. Datum: MLW
Operator: Tampa Port Authority.
Owner: Tampa Port Authority.
Address: 651 Channelside Drive. Phone: 813-905-5040
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Mooring cruise vessels and excursion vessels; mooring vessel American Victory on exhibition; and boarding passengers.
Depth Alongside (feet): 33 - 34 | 31 - 33 | Latitude (decimal): 27.9425
Total Berthing Space (feet): 1,221 | 600 | Longitude (decimal): -82.446667
Remarks: One concrete- and steel-frame, metal-covered building located at rear serves as a passenger terminal. One 2,200-space parking garage is located on opposite side of Channelside Drive. Excursion vessel StarShip is moored alongside an 80- by 20-foot steel barge located adjacent to (west of) Berth No. 273. An aquarium is located at rear of Berth No. 271. American Victory is berthed at Berth No. 271.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 200 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 22
Name: **Gulf Sulphur Services, Tampa Terminal, Berth 22.**
Location: South side of Port Sutton Slip, approximately 900 feet from inner end, Tampa. Datum: MLW
Operator: Gulf Sulphur Services Ltd., LLP; and Yara North America, Inc.
Owner: Tampa Port Authority.
Address: Phone: 813-248-6150
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of liquid sulphur and liquid fertilizer.
Depth Alongside (feet): 34 | | Latitude (decimal): 27.903611
Total Berthing Space (feet): 700 | | Longitude (decimal): -82.410556
Remarks: Gulf Sulphur Services Ltd., LLP: One 14-inch pipeline extends from wharf to six liquid sulphur storage tanks in rear, total capacity 90,000 tons. Yara North America, Inc.: One 8-inch pipeline extends from wharf to one 1,900,000-gallon, liquid fertilizer storage tank located on U.S. Highway 41 in rear.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 086 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 30
Name: **Holcim, Tampa Terminal, Berth 3.**
Location: East side of turning basin at entrance to Port Sutton Slip, Tampa. Datum: MLW
Operator: Holnam, Inc.
Owner: Tampa Port Authority.
Address: 3417 Port Sutton Road Phone: 813/248-3129
Town: Tampa State: FL County: Hillsborough
Railway Connection: Three surface tracks extending along rear of storage silos serve undertrack-receiving pit; connect with CSX Transportation, Inc.
Purpose: Receipt of bulk cement by vessel.
Depth Alongside (feet): 31 | | Latitude (decimal): 27.904722
Total Berthing Space (feet): 553 | | Longitude (decimal): -82.426944
Remarks: Four 12-inch pneumatic pipelines extend from wharf to eight storage silos with three interstices, total capacity 38,000 tons.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 101 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 29
Name: **Holcim, Tampa Terminal, Berth 4.**
Location: North side of Port Sutton Slip, approximately 230 feet above entrance, Tampa. Datum: MLW
Operator: Not operated.
Owner: Tampa Port Authority.
Address: 3417 Port Sutton Road Phone: 813/248-3129
Town: Tampa State: FL County: Hillsborough
Railway Connection: Three surface tracks extending along rear of storage silos serve undertrack receiving pit; connect with CSX Transportation, Inc.
Purpose: Not used.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 27.904444
Total Berthing Space (feet): 550 | - | Longitude (decimal): -82.425833
Remarks: Wharves were in poor condition at time of survey. One 8-inch pneumatic pipeline extending from wharf to storage silos described under P.W.D. Ref. No. 30 was not in use at time of survey. Cement is received at P.W.D. Ref. No. 30.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 101 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 26
Name: **Kinder Morgan Bulk Terminals, Blackpoint Facility Wharf.**
Location: North side of Port Sutton Slip, approximately 1,270 feet above entrance, Tampa. Datum: MLW
Operator: Not operated.
Owner: Kinder Morgan Bulk Terminals, Inc.
Address: 3423 Port Sutton Road. Phone: 813/248-1971
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 14 | | Latitude (decimal): 27.905278
Total Berthing Space (feet): 600 | | Longitude (decimal): -82.4225
Remarks: One 100- by 180-foot, timber frame, concrete-block storage building located at rear is used for storage of bulk materials. Face of wharf is located along lower side of a 175-foot-wide slip; a water-discharge line from the Tampa Electric Co.'s, Bayside Power Station empties into the head of the slip.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 095 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 21
Name: **Kinder Morgan Bulk Terminals, Port Sutton Terminal Dock.**
Location: South side of Port Sutton Slip, approximately 1,700 feet from inner end, Tampa. Datum: MLW
Operator: Kinder Morgan Bulk Terminals, Inc.
Owner: Kinder Morgan Bulk Terminals, Inc.
Address: 4310 Pendola Point Road. Phone: 813/248-1146
Town: Tampa State: FL County: Hillsborough
Railway Connection: Four surface tracks at plant in rear, total capacity 35 cars; connect with CSX Transportation, Inc.
Purpose: Receipt and occasional shipment of fertilizer materials and other miscellaneous dry bulk commodities; receipt of caustic soda.
Depth Alongside (feet): 32 | | Latitude (decimal): 27.903333
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -82.4125
Remarks: Four timber-, and concrete-bulk storage buildings located in rear have total capacity for 170,000 tons of material. One 8-inch pipeline extends from wharf to one 1,000,000-gallon, caustic soda storage tank located at rear.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 084 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 24
Name: **Kinder Morgan Bulk Terminals, Tampaplex Terminal, Ammonia Wharf.**
Location: North side of Port Sutton Slip, approximately 2,500 feet above entrance, Tampa. Datum: MLW
Operator: Kinder Morgan Bulk Terminals, Inc.
Owner: Kinder Morgan Bulk Terminals, Inc.
Address: 4942 Port Sutton Road Phone: 813/248-1971
Town: Tampa State: FL County: Hillsborough
Railway Connection: Plant trackage connects with CSX Transportation, Inc.
Purpose: Receipt of anhydrous ammonia; and mooring vessels.
Depth Alongside (feet): 33 | - | Latitude (decimal): 27.904444
Total Berthing Space (feet): 800 | - | Longitude (decimal): -82.4175
Remarks: One 12-inch pipeline extends from wharf to one 17,550,000-gallon (50,000-ton), insulated, anhydrous ammonia storage tank located in rear.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 090 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 25
Name: **Kinder Morgan Bulk Terminals, Tampaplex Terminal, Phosphate Wharf.**
Location: North side of Port Sutton Slip, approximately 1,800 feet above entrance, Tampa. Datum: MLW
Operator: Kinder Morgan Bulk Terminals, Inc.
Owner: Kinder Morgan Bulk Terminals, Inc.
Address: 4942 Port Sutton Road Phone: 813/248-1971
Town: Tampa State: FL County: Hillsborough
Railway Connection: Surface tracks serve three hopper-car-receiving pits (wet phosphate, dry phosphate, and diammonium phosphate) at plant in rear; join with 500-car-capacity storage yard connecting with CSX Transportation Inc.
Purpose: Shipment of phosphate rock, triple superphosphate diammonium phosphate, and animal feed (defluorinated phosphate).
Depth Alongside (feet): 34 | | Latitude (decimal): 27.904167
Total Berthing Space (feet): 700 | | Longitude (decimal): -82.420278
Remarks: Sixteen phosphate rock storage silos with seven interstices, total capacity 60,000 tons, and three diammonium phosphate storage buildings, total capacity 76,000 tons, are located at rear. Dry and wet phosphate rock is received by rail at two car-unloading sheds; dry rock is transferred from hopper under track at a 3-car-capacity shed via a conveyor to storage silos or directly to loading tower; wet rock is transferred from hopper under track at a 1-car-capacity shed via a 30-inch conveyor. A 200,000-ton-capacity open storage area located at rear is served by a stacker.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 090 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 18
Name: **Lehigh Cement Co., Tampa Terminal, Berth 24.**
Location: South side of Port Sutton Slip, approximately 2,750 feet from inner end, Tampa. Datum: MLW
Operator: Lehigh Cement Co.
Owner: Tampa Port Authority.
Address: 4020 Pendola Point Road. Phone: 813/248-6633
Town: Tampa State: FL County: Hillsborough
Railway Connection: One 2-car-capacity surface track serving loading rack; connects with CSX Transportation, Inc.
Purpose: Receipt of cement.
Depth Alongside (feet): 34 | . | Latitude (decimal): 27.902778
Total Berthing Space (feet): 715 | . | Longitude (decimal): -82.4175
Remarks: Two 10-inch pneumatic pipelines extend from wharf to three storage silos located at rear, total capacity 12,500 tons.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 078

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 23
Name: **Marathon Ashland Petroleum, Tampa Terminal, Berth 21.**
Location: South side of Port Sutton Slip, approximately 250 feet from inner end, Tampa. Datum: MLW
Operator: Not operated.
Owner: Tampa Port Authority.
Address: 4611 U.S. Highway 41. Phone: 813/248-2876
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 18-19 | | Latitude (decimal): 27.903333
Total Berthing Space (feet): 450 | | Longitude (decimal): -82.408889
Remarks: Marathon Ashland Petroleum, LLC: One 10-inch pipeline extending from wharf to 12 steel, asphalt storage tanks located approximately 1,700 feet southeast of wharf, total capacity 122,900 barrels, was not in use at time of survey.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 088 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 19
Name: **Martin Gas Sales, Tampa Terminal, Berth 24.**
Location: South side of Port Sutton Slip, approximately 2,700 feet from inner end, Tampa. Datum: MLW
Operator: Martin Gas Sales, LLC.
Owner: Tampa Port Authority.
Address: 4118 Pendola Point Road. Phone: 813/247-5063
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products, sulfuric acid, and asphalt; receipt of liquid sulphur; and fueling vessels.
Depth Alongside (feet): 34 | | Latitude (decimal): 27.902778
Total Berthing Space (feet): 715 | | Longitude (decimal): -82.416111
Remarks: One 12- and one 8-inch pipelines extend from wharf to three petroleum products storage tanks in rear, total capacity 272,000 barrels. One 3-inch metered connection located off 8-inch pipeline is used for fueling vessels. One 14-inch pipeline extends from wharf to one 16,000-ton, sulfuric acid storage tank located at rear. One 12-inch pipeline extends from wharf to one 16,000-ton, liquid sulphur storage tank located at rear. One 10-inch pipeline extends from wharf to one 24,000-barrel, asphalt storage tank located at rear.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 081 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 20
Name: **Martin Gas Sales, Tampa Terminal, Berth 24B.**
Location: South side of Port Sutton Slip, approximately 2,400 feet from inner end, Tampa. Datum: MLW
Operator: Martin Gas Sales, LLC.
Owner: Tampa Port Authority.
Address: 4118 Pendola Point Road. Phone: 813/247-5063
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products; loading bunkering barges; and fueling vessels.
Depth Alongside (feet): 14 | | Latitude (decimal): 27.902778
Total Berthing Space (feet): 225 | - | Longitude (decimal): -82.415556
Remarks: One 10- and one 6-inch pipelines extend from wharf to the petroleum products storage tanks described under P.W.D. Ref. No. 19. One 2-inch metered connection is used for fueling vessels.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 081 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 12
Name: **Mosaic Phosphates Co., Big Bend Terminal Dock.**
Location: Southeast end of Hillsborough Bay; outer end, south side of slip, above foot of Datum: MLW
Pembroke Road extended, Big Bend.
Operator: Mosaic Phosphates Co.
Owner: Mosaic Phosphates Co.
Address: 12839 Wyandotte Road. Phone: 813/677-8404
Town: Big Bend State: FL County: Hillsborough
Railway Connection: One surface track extends through a rotary-car dumper, rate 30 cars per hour, and extends to a receiving pit at storage building; connects with CSX Transportation, Inc.
Purpose: Shipment of wet phosphate rock and superphosphate; occasional shipment of phosphoric acid.
Depth Alongside (feet): 35 | | Latitude (decimal): 27.806389
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -82.408333
Remarks: Timber storage building in rear is served by truck- and rail-receiving pits, and has capacity for 32,000 tons of superphosphate. A 54-inch, electric belt-conveyor extends from rail-car dumper to open storage area, which is served by a twin-boom, beltless-drag- conveyor stacker-reclaimer and has capacity for 250,000 tons of wet phosphate rock. One 12-inch pipeline with two 8-inch connections extends from six phosphoric acid storage tanks, total capacity 8,460,000gallons.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 104 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 31
Name: **Pasco Terminals, Tampa Terminal, Berth 2.**
Location: North side of turning basin, approximately 600 feet north of entrance to Port Sutton Datum: MLW
Slip, Tampa.
Operator: Pasco Terminals, Inc.
Owner: Tampa Port Authority.
Address: 3411 Port Sutton Road. Phone: 813-248-4344
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of liquid sulphur.
Depth Alongside (feet): 30 | | Latitude (decimal): 27.906389
Total Berthing Space (feet): 650 | | Longitude (decimal): -82.427778
Remarks: One 10-inch pipeline extends from wharf to four steel storage tanks located at rear; total capacity 42,000 long tons.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 102 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 32
Name: **Steel Port of Florida, Berth 1.**
Location: Easterly shore, Hillsborough Bay, Black Point, between Port Sutton Slip and Delaney Creek, Tampa. Datum: MLW
Operator: United Winner Metals, Inc. dba Steel Port of Florida.
Owner: Tampa Port Authority.
Address: 3310 Port Sutton Road. Phone: 813-247-4151
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Shipment of scrap metal by vessel and barge.
Depth Alongside (feet): 29 | | Latitude (decimal): 27.906944
Total Berthing Space (feet): 650 | | Longitude (decimal): -82.428611
Remarks: Open storage area located in rear has capacity for approximately 14,000 tons of scrap metal.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 103 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 33
Name: **Tampa Electric Co., Bayside Power Station, Coal Dock.**
Location: Easterly shore, Hillsborough Bay, Black Point, adjacent to outer portion of north side of Port Sutton, Tampa. Datum: MLW
Operator: Not operated.
Owner: Tampa Electric Co.
Address: 3602 Port Sutton Road. Phone: 813-641-5595
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 27 | | Latitude (decimal): 27.908611
Total Berthing Space (feet): 700 | | Longitude (decimal): -82.426944
Remarks: Facility formerly was used for receipt of coal for plant consumption. Open storage area located at rear has capacity for approximately 200,000 tons of coal.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 106 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 27
Name: **Tampa Electric Co., Bayside Power Station, South Oil Dock.**
Location: North side of Port Sutton Slip, approximately 1,000 feet above entrance, Tampa. Datum: MLW
Operator: Not operated.
Owner: Tampa Electric Co.
Address: 3602 Port Sutton Road. Phone: 813-641-5595
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 28 | | Latitude (decimal): 27.904444
Total Berthing Space (feet): 500 | | Longitude (decimal): -82.423056
Remarks: Vessels at berth have use of upper breasting dolphin serving adjacent P.W.D. Ref. No. 28, which is in line with face of wharf.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 097 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 10
Name: **Tampa Electric Co., Big Bend Station Coal Wharf.**
Location: Extreme southeast end of Hillsborough Bay, above foot of Big Bend Road extended, Datum: MLW
Big Bend.
Operator: Tampa Electric Co.
Owner: Tampa Electric Co.
Address: Phone: 813-228-1111x4
Town: Big Bend State: FL County: Hillsborough
Railway Connection: One surface track serves power plant in rear; connects with CSX Transportation, Inc.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 34 | - | Latitude (decimal): 27.794444
Total Berthing Space (feet): 788 | - | Longitude (decimal): -82.4125
Remarks: A steel pile, steel-decked wharf at lower end is used for mooring tugs. Open storage areas located at rear have capacity for 500,000 tons of coal.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 066 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 11
Name: **Tampa Electric Co., Big Bend Station Oil Dock.**
Location: Easterly shore of Hillsborough Bay, inner end, south side of Power Plant Intake Canal, above foot of Big Bend Road extended, Big Bend. Datum: MLW
Operator: Tampa Electric Co.
Owner: Tampa Electric Co.
Address: Phone: 813-228-1111x4
Town: Big Bend State: FL County: Hillsborough
Railway Connection: One surface track serves power plant in rear; connects with CSX Transportation, Inc.
Purpose: Occasional receipt of No. 2 fuel oil for plant consumption.
Depth Alongside (feet): 15 | - | Latitude (decimal): 27.797222
Total Berthing Space (feet): 180 | - | Longitude (decimal): -82.406944
Remarks: One 8-inch pipeline extends from pier to two steel storage tanks located at power plant in rear, total capacity 115,000 barrels.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 066 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 17
Name: **Tampa Port Authority, Berth 30.**
Location: South side of Port Sutton Slip, Tampa. Datum: MLW
Operator: RMC South Florida, Inc; Marigold Land; and Sea-3, Inc.
Owner: Tampa Port Authority.
Address: Phone: 813/248-3080
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of aggregate, petroleum coke, and LP-gas.
Depth Alongside (feet): 43 | - | - Latitude (decimal): 27.902778
Total Berthing Space (feet): 1,000 | - | - Longitude (decimal): -82.430556
Remarks: RMC South Florida, Inc.: Open storage area located at rear has capacity for approximately 100,000 tons of aggregate. Marigold Land: Approximately 18 acres of open storage area for aggregate and petroleum coke are located at rear. Sea-3, Inc.: One 14- and one 6-inch pipelines extend from wharf to one 540,000-barrel, LP-gas storage tank located at rear.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 082

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 16
Name: **Vulcan Materials Co., Tampa Yard, Berth 31.**
Location: Outer end, south side of Port Sutton Slip, Tampa. Datum: MLW
Operator: Vulcan Materials Co.
Owner: Tampa Port Authority.
Address: 3510 Pendola Point Road. Phone: 813/247-7625
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of limestone.
Depth Alongside (feet): 40-43 | - | - Latitude (decimal): 27.902778
Total Berthing Space (feet): 750 | - | - Longitude (decimal): -82.432222
Remarks: Vulcan Materials Co.: Open storage area located at rear has capacity for approximately 140,000 tons of limestone. Cemex, Inc.: Two 12-inch pneumatic pipelines extending from wharf to four concrete, cement storage silos in rear, total capacity 32,000 tons, were not in use at time of survey.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 080 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Bay** Mile: 0 PWD: 28
Name: **Yara North America, Tampa Ammonia Terminal Wharf.**
Location: North side of Port Sutton Slip, approximately 800 feet above entrance, Tampa. Datum: MLW
Operator: Yara North America, Inc.
Owner: Kinder Morgan Bulk Terminals, Inc.
Address: 3421 Port Sutton Road. Phone: 813-248-4190
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of anhydrous ammonia.
Depth Alongside (feet): 33 | - | - Latitude (decimal): 27.904444
Total Berthing Space (feet): 650 | - | - Longitude (decimal): -82.423889
Remarks: One 10-/12-inch pipeline extends from wharf to two insulated, anhydrous ammonia storage tanks in rear, total capacity 17,200,000 gallons (49,000 tons). Vessels at berth extend across face of wharf serving adjacent P.W.D. Ref. No. 27.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 099 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Channel** Mile: 0 PWD: 52
Name: **Tampa Port Authority, Berths 223 and 224.**
Location: Easterly side of Hillsborough Channel Cut "D", approximately 0.7 mile above south end of Hookers Point, foot of Studebaker Boulevard, Tampa. Datum: MLW
Operator: Kinder Morgan/Central Florida Pipeline, LLC.
Owner: Tampa Port Authority.
Address: 2101 GATX Drive. Phone: 813/241-1128
Town: Tampa State: FL County: Hillsborough
Railway Connection: One 300-foot surface track in rear at inner end, and additional trackage serving tank-car-unloading racks; connect with CSX Transportation, Inc.
Purpose: Receipt of petroleum products; and mooring vessels.
Depth Alongside (feet): 32 | 14 | Latitude (decimal): 27.918333
Total Berthing Space (feet): 900 | 220 | Longitude (decimal): -82.442778
Remarks: Five 12-inch pipelines extend from wharf to 39 petroleum products storage tanks, total capacity 1,400,000 barrels.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 129 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Channel** Mile: 0 PWD: 50
Name: **Tampa Port Authority, Berth 219.**
Location: Easterly side of Hillsborough Channel Cut "D", approximately 500 feet above south end of Hookers Point, foot of Maritime Boulevard, Tampa. Datum: MLW
Operator: Trademark Metals Recycling; Export Metals, LLC; and Titan America, LLC.
Owner: Tampa Port Authority.
Address: Phone: 813/247-6303
Town: Tampa State: FL County: Hillsborough
Railway Connection: One surface track connects with CSX Transportation, Inc.
Purpose: Receipt of cement; and shipment of scrap metal.
Depth Alongside (feet): 36 | - | Latitude (decimal): 27.91
Total Berthing Space (feet): 865 | - | Longitude (decimal): -82.438889
Remarks: Trademark Metals Recycling: Approximately 15 acres of open storage area are located at rear. Export Metals, LLC: Approximately 8 acres of open storage area are located at rear. Titan America, LLC: Two 10-inch pneumatic pipelines extend from wharf to four concrete cement silos, total capacity 57,000 tons.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 127 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Channel** Mile: 0 PWD: 51
Name: **Tampa Port Authority, Berth 220.**
Location: Easterly side of Hillsborough Channel Cut D, approximately 1,600 feet above south end of Hookers Point, foot of Studebaker Boulevard, Tampa. Datum: MLW
Operator: Martin Marietta Aggregates and Sulphuric Acid Trading Co., Inc.
Owner: Tampa Port Authority.
Address: Phone: 813/247-1005
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of sulfuric acid, sand, gravel, and aggregate.
Depth Alongside (feet): 39 | - | Latitude (decimal): 27.9125
Total Berthing Space (feet): 900 | - | Longitude (decimal): -82.441111
Remarks: Sulfuric Acid Trading Co., Inc.: One 16-inch pipeline extends from wharf to five steel storage tanks located at terminal in rear, total capacity 11,000,000 gallons. Martin Marietta Aggregates: Approximately 16 acres of open storage area, with capacity for approximately 120,000 tons of material, are located at rear; storage area is served by two radial stackers.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 128 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Channel** Mile: 0 PWD: 53
Name: **Tampa Port Authority, Berths 226 and 227.**
Location: Easterly side of Hillsborough Channel Cut "D", approximately 0.8 mile above south end of Hookers Point, foot of Studebaker Boulevard, Tampa. Datum: MLW
Operator: Murphy Oil USA, Inc.; Amalie Oil Co.; Trans Montaigne Product Services, Inc.; Kinder Morgan/Central Florida Pipeline, LLC; and CF Industries, Inc.
Owner: Tampa Port Authority.
Address: Phone: 813/248-3158
Town: Tampa State: FL County: Hillsborough
Railway Connection: Trackage serving product terminals in rear; connects with CSX Transportation, Inc.
Purpose: Receipt of petroleum products and anhydrous ammonia.
Depth Alongside (feet): 34 | 39-40 | Latitude (decimal): 27.919444
Total Berthing Space (feet): - | 880 | Longitude (decimal): -82.443333
Remarks: Murphy Oil USA, Inc.: One 12-, one 8-, and one 6-inch pipelines extend from pier to eight petroleum products storage tanks in rear, total capacity 325,000 barrels. Amalie Oil Co.: One 10-inch pipeline extends from pier to 45 petroleum products storage tanks in rear, total capacity 272,000 barrels. Trans Montaigne Product Services, Inc.: Five 10-inch pipelines extend from pier to seven petroleum products storage tanks in rear, total capacity 455,000 barrels. KinderMorgan/Central Florida Pipeline, LLC.: Five 12-inch petroleum products pipelines extend from pier to tankage described under P.W.D. Ref. No. 52. CF Industries, Inc.: One 16-inch pipeline extends from pier to one 13,500,000-gallon, anhydrous ammonia storage tank in rear.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 130 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Channel Cut "D"** Mile: 0 PWD: 57
Name: **Seabulk Towing, Tampa Piers.**
Location: Easterly side of Hillsborough Channel Cut "D", below foot of Shoreline Drive, Tampa. Datum: MLW
Operator: Seabulk Towing, Inc.
Owner: Tampa Port Authority.
Address: 1305 Shoreline Drive. Phone: 813/248-1123
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Mooring company-owned tugs.
Depth Alongside (feet): 16-18 | 12-18 | Latitude (decimal): 27.9225
Total Berthing Space (feet): 160 | 192 | Longitude (decimal): -82.446111
Remarks: Tug-dispatch office is located in rear.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 145 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Channel Cut "D"** Mile: 0 PWD: 58
Name: **Tampa Bay Shipbuilding & Repair Co., Piers D and F.**
Location: Easterly side of Hillsborough Channel Cut "D", approximately 400 feet above foot of Shoreline Drive, Tampa. Datum: MLW
Operator: Tampa Bay Shipbuilding & Repair Co.
Owner: Tampa Port Authority.
Address: 1130 McCloskey Boulevard. Phone: 813/248-7239
Town: Tampa State: FL County: Hillsborough
Railway Connection: One surface track extending into erection building joins additional trackage serving shipyard; connects with CSX Transportation, Inc.
Purpose: Mooring vessels for conversion, outfitting, and repair.
Depth Alongside (feet): 28 | 25 | 25 Latitude (decimal): 27.924167
Total Berthing Space (feet): - | 675 | 595 Longitude (decimal): -82.445833
Remarks: Entrances to upper Graving Dock No. 3 and lower Graving Dock No. 4 are located at head of slip.
Graving Docks Nos. 1 and 2 are located above upper side of slip.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 146 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Channel Cut "D"** Mile: 0 PWD: 54
Name: **Tampa Port Authority, Berth 230.**
Location: North side of slip, easterly side of Hillsborough Channel Cut "D", approximately 0.8 mile above south end of Hookers Point, Tampa. Datum: MLW
Operator: Not operated.
Owner: Tampa Port Authority.
Address: Phone: 813/905-5040
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 27.92
Total Berthing Space (feet): 580 | | Longitude (decimal): -82.443333
Remarks: -
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 131 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Channel Cut "D"** Mile: 0 PWD: 56
Name: **Tampa Port Authority, Berth 232.**
Location: Easterly side of Hillsborough Channel Cut "D", approximately 320 feet below foot of Shoreline Drive, Tampa. Datum: MLW
Operator: Seabulk Towing, Inc. and Marine Spill Response Corp.
Owner: Tampa Port Authority.
Address: Phone: 813/248-1123
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Mooring company-owned tugs and floating equipment.
Depth Alongside (feet): 21 | | Latitude (decimal): 27.921667
Total Berthing Space (feet): 245 | | Longitude (decimal): -82.445833
Remarks: Marine Spill Response Corp., Vessel No. 360 is berthed at wharf.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 142 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Hillsborough Channel Cut "D"** Mile: 0 PWD: 55
Name: **Tampa Port Authority, Marine Security Pier.**
Location: North side of slip, easterly side of Hillsborough Channel Cut "D", approximately 1 mile Datum: MLW
above south end of Hookers Point, Tampa.
Operator: Hillsborough County Sheriff's Office.
Owner: Tampa Port Authority.
Address: 1597 Lehman Street. Phone: 813/276-2623
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Mooring port-security vessels.
Depth Alongside (feet): 8-9 | - | Latitude (decimal): 27.92
Total Berthing Space (feet): 100 | - | Longitude (decimal): -82.445
Remarks: Boat ramp and service float are located at rear.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 131 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Old Tampa Bay** Mile: 0 PWD: 91
Name: **Cargill, Tampa Dock.**
Location: Easterly shore of Old Tampa Bay, approximately 1,700 feet east of outer end of point Datum: MLW
of land, below Gandy Bridge, Tampa.
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 5425 West Tyson Avenue. Phone: 813/805-0381
Town: Tampa State: FL County: Hillsborough
Railway Connection: Two 18-car-capacity surface tracks serve property in rear; connect with CSX
Transportation, Inc.
Purpose: Receipt of corn sweetener by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 27.888889
Total Berthing Space (feet): 220 | | Longitude (decimal): -82.541111
Remarks: Two 6-inch pipelines extend from wharf to two steel storage tanks located at terminal in rear, total
capacity 1,200,000 gallons.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14788 Dock Code: 012

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Old Tampa Bay** Mile: 0 PWD: 94
Name: **Dynergy Mistream Services, Tampa Terminal Wharf.**
Location: Easterly shore of Old Tampa Bay, approximately 2,500 feet from outer end of slip, Datum: MLW
below Gandy Bridge, Tampa.
Operator: Dynergy Midstream Services, LP.
Owner: Dynergy Midstream Services, LP.
Address: 5105 West Tyson Avenue. Phone: 813-831-1711
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of liquefied petroleum gas by barge.
Depth Alongside (feet): 14 | - | Latitude (decimal): 27.888056
Total Berthing Space (feet): 325 | - | Longitude (decimal): -82.5325
Remarks: Two 6-inch pipelines extend from wharf to 48 steel, horizontal storage tanks located in rear, total capacity 51,425 barrels.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14788 Dock Code: 019

Port: **Tampa/Port Manatee**
Waterway: **Old Tampa Bay** Mile: 0 PWD: 96
Name: **Hendry Corp., Tampa Basin.**
Location: Easterly shore of Old Tampa Bay, inner end of slip below Gandy Bridge, Tampa. Datum: MLW
Operator: Hendry Corp.
Owner: Hendry Corp.
Address: 5107 South West Shore Blvd. Phone: 813-837-1521 8
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Mooring and repairing company-owned floating equipment; mooring various types of small vessels for repair, conversion, and outfitting; and mooring floating drydock.
Depth Alongside (feet): 16 | 16 | Latitude (decimal): 27.889167
Total Berthing Space (feet): 297 | 1,103 | Longitude (decimal): -82.533333
Remarks: One 1,000-ton floating drydock is moored at face. Marine repair shops are located in rear of east side. After completion of survey, all dredging equipment, tugs and pushboats, barges, and crewboats were sold by the Hendry Corp.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14788 Dock Code: 021

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Old Tampa Bay** Mile: 0 PWD: 95
Name: **M. D. Moody & Sons, Old Tampa Bay Slip.**
Location: Easterly shore of Old Tampa Bay, south side at inner end of slip, below Gandy Bridge, Tampa. Datum: MLW
Operator: M. D. Moody & Sons, Inc.
Owner: M. D. Moody & Sons, Inc.
Address: 5001 West Tyson Avenue. Phone: 813-837-8050
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Mooring company-owned vessels; handling construction materials, supplies, and equipment.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 27.887222
Total Berthing Space (feet): 280 | 100 | Longitude (decimal): -82.530833
Remarks: Steel-frame storage building and contractor's storage yard are located in rear.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14788 Dock Code: 009

Port: **Tampa/Port Manatee**
Waterway: **Old Tampa Bay** Mile: 0 PWD: 89
Name: **M. D. Moody & Sons, Old Tampa Bay Wharf.**
Location: Easterly shore of Old Tampa Bay, approximately 1,500 feet east of outer end of point of land, below Gandy Bridge, Tampa. Datum: MLW
Operator: M. D. Moody & Sons, Inc.
Owner: M. D. Moody & Sons, Inc.
Address: Phone: 813-837-8050
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Mooring company-owned vessels.
Depth Alongside (feet): 10 | | Latitude (decimal): 27.868333
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.537222
Remarks: One 150- by 130-foot, concrete-block storage building is located in rear.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14788 Dock Code: 009

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Old Tampa Bay** Mile: 0 PWD: 90
Name: **Misener Marine Construction, Tampa Dock.**
Location: Easterly shore of Old Tampa Bay, approximately 1,700 feet east of outer end of point Datum: MLW
of land, below Gandy Bridge, Tampa.
Operator: Misener Marine Construction, Inc.
Owner: Misener Marine Construction, Inc.
Address: Phone: 813/839-8441
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Handling construction materials, supplies, and equipment by barge; and mooring company-owned
floating equipment.
Depth Alongside (feet): 8-10 | 4-6 | Latitude (decimal): 27.883889
Total Berthing Space (feet): 900 | 175 | Longitude (decimal): -82.538889
Remarks: Concrete seawall extends 896 feet along south side, and 345 feet along east side. Contractor's storage
yard is located in rear. Plans call for operation to move to P.W.D. Ref. No. 85.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14788 Dock Code: 013

Port: **Tampa/Port Manatee**
Waterway: **Old Tampa Bay** Mile: 0 PWD: 99
Name: **Progress Energiy Florida, Paul L. Bartow Plant, North Terminal Tanker Wharf.**
Location: Old Tampa Bay, Weedon Island, inner end, north side of slip, 0.9 mile below Gandy Datum: MLW
Bridge, Tampa.
Operator: Progress Energy Florida, Inc.
Owner: Progress Energy Florida, Inc.
Address: Phone: 727-827-6276
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 34 | | Latitude (decimal): 27.861667
Total Berthing Space (feet): 800 | | Longitude (decimal): -82.599167
Remarks: One 14- and one 12-inch pipelines extend from wharf to five steel storage tanks located at rear, total
capacity 700,000 barrels. Inland pipeline connects tankage with storage tanks at Anclote River Power
Plant approximately 33 miles northwest, total capacity 500,000 barrels.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14787 Dock Code: 030 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Old Tampa Bay** Mile: 0 PWD: 97
Name: **Progress Energy Florida, A. W. Higgins Plant, Oldsmar Wharf.**
Location: Eastern side of entrance to Safety Harbor, north shore of Old Tampa Bay, Datum: MLW
approximately 3.2 miles north of Courtney Campbell Causeway.
Operator: Not operated.
Owner: Progress Energy Florida, Inc.
Address: Phone: 727-820-5490
Town: Oldsmar State: FL County: Hillsborough
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 28.003333
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.665
Remarks: Wharf formerly was used for receipt of fuel oil for plant consumption.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14788 Dock Code: 050

Port: **Tampa/Port Manatee**
Waterway: **Old Tampa Bay** Mile: 0 PWD: 98
Name: **Progress Energy Florida, Paul L. Bartow Plant, North Terminal Barge Slip.**
Location: Old Tampa Bay, Weedon Island, outer end, north side of slip, 0.9 mile below Gandy Datum: MLW
Bridge, Tampa.
Operator: Not operated.
Owner: Progress Energy Florida, Inc.
Address: Phone: 727-827-6276
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 14 | 14 | 14 Latitude (decimal): 27.861944
Total Berthing Space (feet): - | 100 | 800 Longitude (decimal): -82.5975
Remarks: Barge slip has 100-foot clear width. Small vessels owned by Pinellas County are berthed at slip.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14787 Dock Code: 030 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Old Tampa Bay** Mile: 0 PWD: 100
Name: **Progress Energy Florida, Paul L. Bartow Plant, South Terminal Wharf.**
Location: Old Tampa Bay, Weedon Island, south side of slip, 0.9 mile below Gandy Bridge, Tampa. Datum: MLW
Operator: Progress Energy Florida, Inc.
Owner: Progress Energy Florida, Inc.
Address: Phone: 727-827-6276
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 34 | | Latitude (decimal): 27.861111
Total Berthing Space (feet): 1,060 | | Longitude (decimal): -82.598611
Remarks: One 24-inch pipeline extends from wharf to two steel storage tanks located in rear, total capacity 500,000 barrels. Tanks are also interconnected with those described under P.W.D. Ref. No. 99.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14787 Dock Code: 030 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Old Tampa Bay** Mile: 0 PWD: 92
Name: **Rattlesnake Point, Old Tampa Bay Wharf.**
Location: Easterly shore of Old Tampa Bay, near outer end of slip below Gandy Bridge, Tampa. Datum: MLW
Operator: Chemical Formulators, Inc.; Jackson Shipping, Inc.; Deep Reef Trading Corp.; and Marine Spill Response Corp.
Owner: Rattlesnake Point, Ltd.
Address: Phone: 813/831-4490
Town: Tampa State: FL County: Hillsborough
Railway Connection: Two 20-car-capacity surface tracks serve property in rear; connect with CSX Transportation, Inc.
Purpose: Receipt and shipment of conventional, containerized, and dry bulk commodities in foreign and domestic trades; receipt of liquid chemicals by barge; and mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 27.889444
Total Berthing Space (feet): 870 | | Longitude (decimal): -82.539444
Remarks: Chemical Formulators, Inc.: One 6-inch pipeline extends from outer end of a 60- by 20-foot steel ramp to two chemical storage tanks, total capacity 1,000,000 gallons. Jackson Shipping, Inc.: Approximately 3 acres and one 200- by 40-foot, steel frame, metal-covered storage building are located at rear. Deep Reef Trading Corp.: Approximately 1 acre of open storage are is located at rear. Marine Spill Response Corp.: Vessel MRC Liberty is moored at wharf.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14788 Dock Code: 015

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Old Tampa Bay** Mile: 0 PWD: 88
Name: **Standard Concrete Products, Old Tampa Bay Barge Slip.**
Location: Easterly shore of Old Tampa Bay, approximately 1,000 feet north of entrance to Port Datum: MLW
Tampa Slip, Tampa.
Operator: Standard Concrete Products, Inc.
Owner: Standard Concrete Products, Inc.
Address: Phone: 813-831-9520
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Shipment of prestressed concrete products by barge.
Depth Alongside (feet): 8 | 8-10 | Latitude (decimal): 27.863333
Total Berthing Space (feet): 200 | - | Longitude (decimal): -82.550278
Remarks: Plans call for the installation of an additional pier to be located at the inner end of the slip.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14788 Dock Code: 005

Port: **Tampa/Port Manatee**
Waterway: **Old Tampa Bay** Mile: 0 PWD: 87
Name: **Standard Concrete Products, Old Tampa Bay Wharf.**
Location: Easterly shore of Old Tampa Bay, approximately 400 feet north of entrance to Port Datum: MLW
Tampa Slip, Tampa.
Operator: Standard Concrete Products, Inc.
Owner: Standard Concrete Products, Inc.
Address: Phone: 813-831-9520
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Shipment of prestressed concrete products; and handling materials and equipment by barge.
Depth Alongside (feet): 4-12 | | Latitude (decimal): 27.862778
Total Berthing Space (feet): 280 | | Longitude (decimal): -82.550833
Remarks: Concrete batch plant and prestressed concrete-casting beds are located at rear.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14788 Dock Code: 005

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Old Tampa Bay** Mile: 0 PWD: 93
Name: **U.S. Army Reserve Center, Rattlesnake Point, Tampa Pier and Barge Slip.**
Location: Easterly shore of Old Tampa Bay, approximately 1,850 feet from outer end of slip, Datum: MLW
below Gandy Bridge, Tampa.
Operator: U.S. Army Reserve Center.
Owner: U.S. Government.
Address: 5201 West Tyson Avenue. Phone: 813-893-5710/83
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Mooring U.S. Army landing craft.
Depth Alongside (feet): 14 | 14 | 3-15 Latitude (decimal): 27.888333
Total Berthing Space (feet): 55 | 250 | 380 Longitude (decimal): -82.535
Remarks: A 370- by 90-foot, steel frame, metal-covered former vessel-fabrication building is located on upper side of slip. Concrete boat ramp is located at head of slip.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14788 Dock Code: 017

Port: **Tampa/Port Manatee**
Waterway: **Port Manatee Ship Basin** Mile: 0 PWD: 3
Name: **Manatee County Port Authority, Berth No. 10.**
Location: South side, outer end of Port Manatee Ship Basin, Palmetto. Datum: MLW
Operator: Manatee County Port Authority; Del Monte Fresh Produce Co; Citrusuco North America, Inc.; Port Manatee Forestry Terminal, Inc.; and Coastal Fuels Mark
Owner: Manatee County Port Authority.
Address: 300 Regal Cruise Way. Phone: 813-722-7727
Town: Palmetto State: FL County: Manatee
Railway Connection: None.
Purpose: Receipt and shipment of conventional and containerized general cargo, petroleum products, and juice concentrate; receipt of lumber, aluminum ingots, automobiles, fruits, and vegetables; bunkering vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 27.633333
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -82.561944
Remarks: Face of wharf is in line and contiguous with P.W.D. Ref. No. 4, providing continuous berthing space. Outlets for 89 refrigerated containers are located at rear of Berths Nos. 9, 10, and 11. Manatee County Port Authority offices are located at rear. Coastal Fuels Marketing, Inc.: One 18-/10-, one 12-/8-, two 10-/8-, and one 6-inch pipelines extend to 16 petroleum products storage tanks, total capacity 1,500,000 barrels. One 30-inch pipeline also extends to two tanks at Florida Power and Light Co.'s tank farm located approximately 1 mile in rear, total capacity 1,000,000 barrels. These tanks are connected via one 16-inch pipeline to two additional tanks at company's power plant in Parrish, Florida; total capacity 1,000,000 barrels.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14795 Dock Code: 003 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Port Manatee Ship Basin** Mile: 0 PWD: 2
Name: **Manatee County Port Authority, Berth No. 11.**
Location: South side of entrance to Port Manatee Ship Basin, Palmetto. Datum: MLW
Operator: Manatee County Port Authority; Port Manatee Forestry Terminal, Inc.; and Del Monte Fresh Produce Co.
Owner: Manatee County Port Authority.
Address: Phone: 813-722-6621
Town: Palmetto State: FL County: Manatee
Railway Connection: None.
Purpose: Receipt and shipment of conventional and containerized general cargo; receipt of fruits, vegetables, lumber, steel, and automobiles; receipt of liner board; and mooring vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 27.6325
Total Berthing Space (feet): 480 | | Longitude (decimal): -82.563889
Remarks: Del Monte Fresh Produce Co.: One 60,000-square-foot chilled warehouse and an additional 58,000-square-foot building (47,000 square feet chilled) are located at rear.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14795 Dock Code: 002 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Port Manatee Ship Basin** Mile: 0 PWD: 1
Name: **Manatee County Port Authority, Berth No. 12.**
Location: Approximately 1,000 feet south of entrance to Port Manatee Ship Basin, Palmetto. Datum: MLW
Operator: Manatee County Port Authority.
Owner: Manatee County Port Authority.
Address: Phone: 813-722-6621
Town: Palmetto State: FL County: Manatee
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo; receipt of lumber, fruits, and vegetables.
Depth Alongside (feet): 40 | | Latitude (decimal): 27.631667
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -82.563889
Remarks: At time of survey (2004), 1,000 feet of the planned 1,584-foot wharf had been completed. Approximately 80 acres of open storage area are located at rear.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14795 Dock Code: 001 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Port Manatee Ship Basin** Mile: 0 PWD: 9
Name: **Manatee County Port Authority, Berth No. 5.**
Location: North of entrance to Port Manatee Ship Basin, Palmetto. Datum: MLW
Operator: Manatee County Port Authority; WSI of the Southeast, LLC; Martin Marietta Aggregates; Vulcan Materials Co.; Citrusuco North America, Inc.; and Port Ma
Owner: Manatee County Port Authority.
Address: Phone: 813/729-2424
Town: Palmetto State: FL County: Manatee
Railway Connection: Port Manatee Terminal Railroad: Surface tracks extend perpendicular to face of wharf.
Purpose: Receipt and shipment of conventional general cargo and heavy-lift items; receipt of lumber, steel, sand, gravel, aggregate, and juice concentrate.
Depth Alongside (feet): 40 | | Latitude (decimal): 27.636667
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -82.563333
Remarks: Vulcan Materials Co.: Approximately 10 acres of open storage area are located at rear. Port Manatee Forestry Terminal, Inc. operates one 35,000-square-foot transit shed at rear.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14795 Dock Code: 009 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Port Manatee Ship Basin** Mile: 0 PWD: 8
Name: **Manatee County Port Authority, Berth No. 6.**
Location: Outer end, north side of Port Manatee Ship Basin, Palmetto. Datum: MLW
Operator: Manatee County Port Authority; Florida Rock Industries; Citrusuco North America, Inc.; and Port Manatee Forestry Terminal, Inc.
Owner: Manatee County Port Authority.
Address: Phone: 813/247-4831
Town: Palmetto State: FL County: Manatee
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo; receipt of cement, cement clinker, lumber, steel, and juice concentrate.
Depth Alongside (feet): 40 | - | Latitude (decimal): 27.635556
Total Berthing Space (feet): 668 | - | Longitude (decimal): -82.562222
Remarks: Face of wharf is in line with face of P.W.D. Ref. No. 7. Florida Rock Industries operates one 50,000-ton, steel frame, metal-covered cement-clinker storage shed located at rear. One truck-loading spout (rate six trucks per hour) serves the bulk storage warehouse. One 10-inch pneumatic pipeline extends to two cement storage silos located at rear, total capacity 7,500 tons.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14795 Dock Code: 008 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Port Manatee Ship Basin** Mile: 0 PWD: 7
Name: **Manatee County Port Authority, Berth No. 7.**
Location: Inner end, north side of Port Manatee Ship Basin, Palmetto. Datum: MLW
Operator: Manatee County Port Authority; Kinder Morgan Bulk Terminals, Inc.; and Coastal Fuels Marketing, Inc.
Owner: Manatee County Port Authority.
Address: Phone: 813/633-1441
Town: Palmetto State: FL County: Manatee
Railway Connection: Port Manatee Terminal Railroad: Four surface tracks, one serving hopper-car pit (five 80-ton cars per hour); connect with CSX Transportation, Inc.
Purpose: Receipt and shipment of miscellaneous dry bulk commodities and petroleum products; receipt of asphalt and lumber; bunkering vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 27.635556
Total Berthing Space (feet): 750 | | Longitude (decimal): -82.56
Remarks: Face of wharf is in line with face of P.W.D. Ref. No. 8. Kinder Morgan Bulk Terminals, Inc. operates one steel frame, metal-covered, and three timber storage warehouses located at rear, with total capacity for 130,000 tons of bulk materials (mostly phosphate fertilizer). Coastal Fuels Marketing, Inc.: One 16-/8-inch asphalt, and one 16-/8-, two 10-, and one 8-inch petroleum products pipelines extend to storage tanks described under P.W.D. Ref. Nos. 3 and 6.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14795 Dock Code: 007 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Port Manatee Ship Basin** Mile: 0 PWD: 6
Name: **Manatee County Port Authority, Berth No. 8.**
Location: Head of Port Manatee Ship Basin, Palmetto. Datum: MLW
Operator: Manatee County Port Authority; Eastern Portland Cement Corp.; Port Manatee Forestry Terminal, Inc; WSI of the Southeast, LLC; and Coastal Fuels Market
Owner: Manatee County Port Authority.
Address: 13250 Eastern Avenue. Phone: 813-729-7311
Town: Palmetto State: FL County: Manatee
Railway Connection: None.
Purpose: Receipt and shipment of conventional and containerized general cargo and petroleum products; receipt of lumber, steel, cement, and asphalt; bunkering vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 27.634444
Total Berthing Space (feet): 650 | | Longitude (decimal): -82.558611
Remarks: One 110,000-square-foot, steel frame, metal-covered building (Shed 2) is located at rear. Coastal Fuels Marketing, Inc.: One 16-/8-inch pipeline extends to four asphalt storage tanks located at rear, total capacity 400,000 barrels; and one 18-/10-, one 12-/10-, and one 10-inch pipelines extend to petroleum products storage tanks described under P.W.D. Ref. No. 3. Eastern Portland Cement Corp.: Four 12-inch pneumatic pipelines extend from wharf to four concrete storagesilos located at rear, total capacity 44,680 tons.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14795 Dock Code: 006 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Port Manatee Ship Basin** Mile: 0 PWD: 4
Name: **Manatee County Port Authority, Berth No. 9.**
Location: South side, inner end of Port Manatee Ship Basin, Palmetto. Datum: MLW
Operator: Manatee County Port Authority; WSI of the Southeast, LLC; Del Monte Fresh Produce Co.; Citrusuco North America, Inc; Port Manatee Forestry Terminal, I
Owner: Manatee County Port Authority.
Address: Phone: 813-729-2424
Town: Palmetto State: FL County: Manatee
Railway Connection: None.
Purpose: Receipt and shipment of conventional and containerized general cargo, petroleum products, and juice concentrate; receipt of lumber, steel, automobiles, fruits, and vegetables; mooring cruise ships; and bunkering vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 27.633333
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -82.56
Remarks: Face of wharf is in line and contiguous with P.W.D. Ref. No. 3, providing continuous berthing space. One 25,000-square-foot, cruise terminal building is located at rear. Coastal Fuels Marketing, Inc.: One 18-/10-, one 12-/8-, two 10-/8-, and one 6-inch pipelines extend to petroleum products storage tanks described under P.W.D. Ref. No. 3. Port Manatee Forestry Terminal, Inc.: Transit Shed No. 9, with capacity of 171,000 square feet, is located at rear.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14795 Dock Code: 004 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Port Manatee Ship Basin** Mile: 0 PWD: 5
Name: **Manatee County Port Authority, RO-RO Berth No. 8A.**
Location: South side, head of Port Manatee Ship Basin, Palmetto. Datum: MLW
Operator: Manatee County Port Authority.
Owner: Manatee County Port Authority.
Address: 300 Regal Cruise Way. Phone: 813-722-6621
Town: Palmetto State: FL County: Manatee
Railway Connection: None.
Purpose: Receipt and shipment of roll-on/roll-off general cargo and heavy-lift items.
Depth Alongside (feet): 40 | | Latitude (decimal): 27.633611
Total Berthing Space (feet): 1,300 | | Longitude (decimal): -82.558333
Remarks: Vessels berth stern-to ramp, and breast along Berths Nos. 9 and 10 (P.W.D. Ref. Nos. 4 and 3, respectively), as required.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14795 Dock Code: 005 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Port Tampa** Mile: 0 PWD: 86
Name: **Tampa Bulk Services, Port Tampa Wharf.**
Location: North side of Port Tampa Slip, inside entrance, Tampa. Datum: MLW
Operator: Tampa Bulk Services, Inc.
Owner: Tampa Bulk Services, Inc.
Address: 6101 Port Tampa Drive. Phone: 813-837-0192
Town: Tampa State: FL County: Hillsborough
Railway Connection: CSX Transportation, Inc.: Two surface tracks serve four covered, hopper-car-receiving pits; connect with nearby Port Tampa railroad storage yard.
Purpose: Shipment of animal feed and citrus pellets.
Depth Alongside (feet): 34 | | Latitude (decimal): 27.862222
Total Berthing Space (feet): 730 | | Longitude (decimal): -82.548333
Remarks: Citrus pulp plant, located at rear, has 10 concrete silos; and two steel storage warehouses with total capacity for 26,500 tons.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 875

Port: **Tampa/Port Manatee**
Waterway: **Port Tampa Slip** Mile: 0 PWD: 83
Name: **Chevron Products Co., Tampa Terminal Dock.**
Location: South side of Port Tampa Slip, approximately 400 feet above entrance to slip, Tampa. Datum: MLW
Operator: Chevron Products Co., Inc. and U.S. Government, Defense Fuel Supply Center.
Owner: Chevron Products Co., Inc.
Address: 5500 West Commerce Street. Phone: 813-837-1502
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 34 | - | Latitude (decimal): 27.860556
Total Berthing Space (feet): 600 | - | Longitude (decimal): -82.549722
Remarks: Chevron Products Co., Inc.: One 16-, three 12-, and one 8-inch pipelines extend from wharf to 15 steel storage tanks located at terminal in rear, total capacity 500,000 barrels. U.S. Government, Defense Fuel Supply Center: Two 8-inch pipelines extend from wharf to 13 steel storage tanks located at MacDill Air Force Base, total capacity 529,000 barrels.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 857

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Port Tampa Slip** Mile: 0 PWD: 85
Name: **Misener Marine Construction, Port Tampa Wharf.**
Location: South side of Port Tampa Slip, approximately 0.5 mile above entrance to slip, Tampa. Datum: MLW
Operator: Misener Marine Construction, Inc.
Owner: Misener Marine Construction, Inc.
Address: 5600 West Commerce Street. Phone: 813/839-8441
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Handling construction materials, supplies, and equipment by barge; mooring company-owned floating equipment.
Depth Alongside (feet): 34 | - | Latitude (decimal): 27.861667
Total Berthing Space (feet): 600 | - | Longitude (decimal): -82.544167
Remarks: Contractor's storage yard is located at rear. Plans call for operation at P.W.D. Ref. No. 90 to be moved to this location.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 860 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Port Tampa Slip** Mile: 0 PWD: 84
Name: **Motiva Enterprises, Port Tampa Terminal Wharf.**
Location: South side of Port Tampa Slip, approximately 1,000 feet above entrance to slip, Tampa. Datum: MLW
Operator: Motiva Enterprises, LLC.
Owner: Motiva Enterprises, LLC.
Address: 6500 West Commerce Street. Phone: 813/831-1121
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 34 | - | Latitude (decimal): 27.861389
Total Berthing Space (feet): 650 | - | Longitude (decimal): -82.545556
Remarks: Motiva Enterprises, LLC.: Two 16- and one 12-inch pipelines extend from wharf to seven steel storage tanks located at terminal in rear, total capacity 397,000 barrels.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 849

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Port Tampa Slip** Mile: 0 PWD: 82
Name: **National Gypsum Co., Tampa Plant Wharf.**
Location: South side of Port Tampa Slip, approximately 100 feet above entrance to slip, Tampa. Datum: MLW
Operator: National Gypsum Co.
Owner: National Gypsum Co.
Address: 6110 West Commerce Street. Phone: 813/839-2111
Town: Tampa State: FL County: Hillsborough
Railway Connection: One surface track extends to plant in rear; connects with CSX Transportation, Inc.
Purpose: Receipt of gypsum rock by self-unloading vessel.
Depth Alongside (feet): 34 | - | Latitude (decimal): 27.860278
Total Berthing Space (feet): 650 | - | Longitude (decimal): -82.550833
Remarks: Reciprocal berthing agreement between operators of P.W.D. Ref. Nos. 82, 83, and 84 provides for approximately 1,200 feet of continuous berthing space. Open storage area located at rear has capacity for approximately 120,000 tons of gypsum rock.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 842

Port: **Tampa/Port Manatee**
Waterway: **Sparkman Channel** Mile: 0 PWD: 61
Name: **BP Products North America, Tampa Terminal Wharf.**
Location: Easterly side of Sparkman Channel, approximately 0.5 mile above foot of Shoreline Drive, Tampa. Datum: MLW
Operator: BP Products North America, Inc.
Owner: BP Products North America, Inc.
Address: 848 McCloskey Boulevard. Phone: 813/248-3191
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 32 | | Latitude (decimal): 27.930833
Total Berthing Space (feet): 700 | - | Longitude (decimal): -82.445833
Remarks: One 10- and four 8-inch pipelines extend from wharf to seven steel storage tanks located in rear, total capacity 471,500 barrels.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 151 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Sparkman Channel** Mile: 0 PWD: 62
Name: **Citgo Petroleum Corp., Tampa Terminal Wharf.**
Location: Easterly side of Sparkman Channel, approximately 0.4 mile below foot of Hemlock Avenue extended, Tampa. Datum: MLW
Operator: Citgo Petroleum Corp.
Owner: Citgo Petroleum Corp.
Address: 801 McCloskey Boulevard. Phone: 813-247-3429
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 33 | - | - Latitude (decimal): 27.932778
Total Berthing Space (feet): 700 | - | - Longitude (decimal): -82.446111
Remarks: Two 10- and three 8-inch pipelines extend from wharf to 10 steel storage tanks located in rear, total capacity 835,000 barrels.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 154 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Sparkman Channel** Mile: 0 PWD: 63
Name: **Florida Rock Industries, Tampa Wharf.**
Location: Easterly side of Sparkman Channel, approximately 0.1 mile below foot of Hemlock Avenue extended, Tampa. Datum: MLW
Operator: Florida Rock Industries, Inc.
Owner: Florida Rock Industries, Inc.
Address: 2001 Maritime Boulevard. Phone: 813-247-4831 e
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of cement, slag, and gypsum.
Depth Alongside (feet): 33-34 | - | - Latitude (decimal): 27.935278
Total Berthing Space (feet): 860 | - | - Longitude (decimal): -82.445
Remarks: Three 10-inch pneumatic pipelines extend from wharf to eight silos with three interstices and 18 silos with 10 interstices located at plant in rear, total capacity approximately 89,000 tons of cement. Open storage area located at rear has capacity for approximately 100,000 tons of slag and 50,000 tons of gypsum.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 159 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Sparkman Channel** Mile: 0 PWD: 60
Name: **Gulf Sulphur Services, Tampa Wharf.**
Location: Easterly side of Sparkman Channel, approximately 0.4 mile above foot of Shoreline Datum: MLW
Drive, Tampa.
Operator: Gulf Sulphur Services Ltd., LLP.
Owner: Gulf Sulphur Services Ltd., LLP.
Address: Phone: 813/248-4949
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of liquid sulphur.
Depth Alongside (feet): 34 | | Latitude (decimal): 27.928889
Total Berthing Space (feet): 650 | | Longitude (decimal): -82.446111
Remarks: Two 10-inch pipelines extend from wharf to eight steel storage tanks located in rear, total capacity
12,500,000 gallons (90,000 tons).
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 150 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Sparkman Channel** Mile: 0 PWD: 59
Name: **Tampa Bay Shipbuilding & Repair Co., Pier A.**
Location: Easterly side of Sparkman Channel, approximately 1,100 feet above foot of Shoreline Datum: MLW
Drive, Tampa.
Operator: Not operated.
Owner: Tampa Port Authority.
Address: Phone: 813/248-7239
Town: Tampa State: FL County: Hillsborough
Railway Connection: Trackage serving shipyard; connects with CSX Transportation, Inc.
Purpose: Not used.
Depth Alongside (feet): 22-23 | | Latitude (decimal): 27.926389
Total Berthing Space (feet): 700 | | Longitude (decimal): -82.446667
Remarks: Wharf is equipped with lines for supplying air, water, acetylene gas, and oxygen; and has electrical
connections for welding equipment.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 146 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Sparkman Channel** Mile: 0 PWD: 64
Name: **Tampa Electric Co., Hookers Point Station Wharf.**
Location: Easterly side of Sparkman Channel, foot of Hemlock Avenue extended, Tampa. Datum: MLW
Operator: Not operated.
Owner: Tampa Electric Co.
Address: Phone:
Town: Tampa State: FL County: Hillsborough
Railway Connection: none.
Purpose: Not used.
Depth Alongside (feet): 26 | | Latitude (decimal): 27.937778
Total Berthing Space (feet): 570 | | Longitude (decimal): -82.444167
Remarks: Water intakes are located between sections of wharf. Wharf formerly was used for receipt of fuel oil for plant consumption.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 163 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Sparkman Channel** Mile: 0 PWD: 65
Name: **Tampa Electric Co., South Slip Wharf.**
Location: Easterly side of Sparkman Channel, south side of slip, approximately 300 feet above Datum: MLW
foot of Hemlock Avenue extended.
Operator: Not operated.
Owner: Tampa Electric Co.
Address: Phone:
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 27.938889
Total Berthing Space (feet): 830 | | Longitude (decimal): -82.4425
Remarks: Portions of bulkhead were in poor condition at time of survey.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 164 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Sparkman Channel** Mile: 0 PWD: 66
Name: **Tampa Port Authority, Berth 249.**
Location: Easterly side of Sparkman Channel, head of slip, approximately 300 feet above foot of Hemlock Avenue extended. Datum: MLW
Operator: Tampa Electric Co. and Tampa Port Authority.
Owner: Tampa Electric Co. and Tampa Port Authority.
Address: Phone: 813-272-0535
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Occasional mooring of barges and small craft.
Depth Alongside (feet): 10-15 | | Latitude (decimal): 27.939444
Total Berthing Space (feet): 320 | | Longitude (decimal): -82.440833
Remarks: Fence separates sections of bulkhead.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 165 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Tampa Bay** Mile: 0 PWD: 107
Name: **Bama Sea Products, St. Petersburg Wharf.**
Location: West shore, Tampa Bay, south side of Bayboro Harbor at east side of entrance to Salt Creek, St. Petersburg. Datum: MLW
Operator: Bama Sea Products.
Owner: Bama Sea Products.
Address: 1301 Bay Street Southeast. Phone: 727-327-3474
Town: St. Petersburg State: FL County: Pinellas
Railway Connection: None.
Purpose: Receipt of seafood; mooring and icing fishing boats.
Depth Alongside (feet): 13 | 13 | Latitude (decimal): 27.758611
Total Berthing Space (feet): 200 | 250 | Longitude (decimal): -82.632778
Remarks: One 5-inch blower pipeline extends to wharf for supplying ice to vessels. Seafood is trucked to processing plant.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14785 Dock Code: 399 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Tampa Bay** Mile: 0 PWD: 102
Name: **Port of St. Petersburg Wharf.**
Location: West shore, Tampa Bay, north side of Bayboro Harbor, St. Petersburg. Datum: MLW
Operator: City of St. Petersburg.
Owner: City of St. Petersburg.
Address: 250 8th Avenue Southeast Phone: 727-893-7820
Town: St. Petersburg State: FL County: Pinellas
Railway Connection: None.
Purpose: Mooring cruise vessels, fishing vessels, and other vessels; boarding passengers.
Depth Alongside (feet): 22 | | Latitude (decimal): 27.762222
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -82.630278
Remarks: One 13,000-square-foot (Terminal 1), and one 8,000-square-foot (Terminal 2) passenger terminals are located at rear. One 10,000-square-foot (Warehouse 2) building located at rear is used for port security. Approximately 20,000 square feet of unpaved, open storage area are available at rear.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14785 Dock Code: 317 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Tampa Bay** Mile: 0 PWD: 106
Name: **Progress Energy Florida, Bayboro Station Wharf.**
Location: West shore, Tampa Bay, south side of Bayboro Harbor at west side of entrance to Salt Creek, St. Petersburg. Datum: MLW
Operator: Progress Energy Florida, Inc.
Owner: Progress Energy Florida, Inc.
Address: Phone: 727.827.6212
Town: St. Petersburg State: FL County: Pinellas
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 32 | | Latitude (decimal): 27.758333
Total Berthing Space (feet): 210 | | Longitude (decimal): -82.634167
Remarks: One 4- to 8-inch pipeline extends from wharf to two steel storage tanks located at rear, total capacity 43,900 barrels.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14785 Dock Code: 372 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Tampa Bay** Mile: 0 PWD: 105
Name: **State of Florida, Fish and Wildlife Conservation Commission, St. Petersburg Pier.**
Location: West shore, Tampa Bay, inner end of west side of Bayboro Harbor Peninsula Datum: MLW
extension, St. Petersburg.
Operator: State of Florida, Fish and Wildlife Conservation Commission.
Owner: State of Florida.
Address: Phone: 813-896-8626
Town: St. Petersburg State: FL County: Pinellas
Railway Connection: None.
Purpose: Mooring marine-science research vessels.
Depth Alongside (feet): 12 | | Latitude (decimal): 27.760833
Total Berthing Space (feet): 240 | | Longitude (decimal): -82.633611
Remarks: State of Florida, Fish and Wildlife Research Institute is located at rear.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14785 Dock Code: 366 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Tampa Bay** Mile: 0 PWD: 101
Name: **U.S. Coast Guard, Group St. Petersburg Pier.**
Location: West shore, Tampa Bay, northeast side of entrance to Bayboro Harbor, St. Petersburg. Datum: MLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: Phone: 727-824-7534
Town: St. Petersburg State: FL County: Pinellas
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 27.762222
Total Berthing Space (feet): 735 | | Longitude (decimal): -82.6275
Remarks: Vertical boat-lift utilizes two 110- by 2-foot concrete runways spaced 18 feet apart extending from
seawall southeast of wharf. Additional mooring dolphins for small craft are located adjacent to each
runway.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14785 Dock Code: 862 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Tampa Bay** Mile: 0 PWD: 108
Name: **U.S. Coast Guard, St. Petersburg South Moorings Wharf.**
Location: West shore, Tampa Bay, south side of outer end of Bayboro Harbor, St. Petersburg. Datum: MLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 1300 Beach Drive Southeast. Phone: 727-891-6187
Town: St. Petersburg State: FL County: Pinellas
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard Vessels; and handling navigation aids.
Depth Alongside (feet): 13 | | Latitude (decimal): 27.758333
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -82.630556
Remarks: U. S. Coast Guard vessels Joshua Appleby, Resolute, Venturous, and Vise are based at wharf.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14785 Dock Code: 862 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Tampa Bay** Mile: 0 PWD: 104
Name: **University of South Florida, College of Marine Science Piers.**
Location: West shore, Tampa Bay, west side of Bayboro Harbor Peninsula extension, foot of Datum: MLW
1st Street South extended, St. Petersburg.
Operator: University of South Florida, College of Marine Science; and Florida Institute of Oceanography.
Owner: State of Florida.
Address: 140 7th Avenue South. Phone: 813-893-9130
Town: St. Petersburg State: FL County: Pinellas
Railway Connection: None.
Purpose: Mooring oceanographic and marine-science research vessels.
Depth Alongside (feet): 6-9 | 6-9 | 6-9 Latitude (decimal): 27.760556
Total Berthing Space (feet): 200 | 200 | 200 Longitude (decimal): -82.633333
Remarks: -
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14785 Dock Code: 353 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Tampa Bay** Mile: 0 PWD: 103
Name: **University of South Florida, College of Marine Science, South and East Wharves.**
Location: West shore, Tampa Bay, east side of Bayboro Harbor Peninsula extension, east of 1st Street South extended, St. Petersburg. Datum: MLW
Operator: University of South Florida, College of Marine Science.
Owner: University of South Florida.
Address: Phone: 813-893-9130
Town: St. Petersburg State: FL County: Pinellas
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 16 | | Latitude (decimal): 27.760833
Total Berthing Space (feet): 970 +3 | | Longitude (decimal): -82.631944
Remarks: University of South Florida, Knight Oceanographic Research Center is located at rear.
Year of Last Survey: 2006 Corps of Engnrs Waterway Code: 14785 Dock Code: 353 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Ybor Channel** Mile: 0 PWD: 73
Name: **Amerada Hess Corp., Tampa Terminal Wharf.**
Location: Easterly side of Ybor Channel, approximately 0.2 mile below head of Ybor Channel, Tampa. Datum: MLW
Operator: Amerada Hess Corp.
Owner: Amerada Hess Corp.
Address: 504 North 19th Street Phone: 813-248-3994
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 31 | | Latitude (decimal): 27.951111
Total Berthing Space (feet): 600 | | Longitude (decimal): -82.441667
Remarks: Two 12-, and one unused 3-inch pipelines extend from wharf to six steel storage tanks located at terminal in rear, total capacity 383,000 barrels.
Year of Last Survey: 2006 Corps of Engnrs Waterway Code: 14790 Dock Code: 177 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Ybor Channel** Mile: 0 PWD: 71
Name: **Cargill, Tampa Grain Export Elevator Wharf, Berth 256.**
Location: Easterly side of Ybor Channel, approximately 0.4 mile below head of Ybor Channel, Datum: MLW
Tampa.
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 200 North 19th Street Phone: 813-247-3602
Town: Tampa State: FL County: Hillsborough
Railway Connection: Two surface tracks serving undertrack-receiving pit and loading spout at grain elevator at rear; connect with CSX Transportation, Inc.
Purpose: Receipt and shipment of grain and citrus pellets by vessel and barge.
Depth Alongside (feet): 33 | | Latitude (decimal): 27.948056
Total Berthing Space (feet): 756 | | Longitude (decimal): -82.441944
Remarks: Grain elevator located at rear, with 18 concrete silos and eight interstices, has capacity of 1,000,000 bushels. Two steel-frame warehouses in rear have total capacity of 701,000 bushels of citrus pellets.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 176 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Ybor Channel** Mile: 0 PWD: 76
Name: **Comcar Industries Co., Tampa Wharf.**
Location: Westerly side, at head of Ybor Channel, Tampa. Datum: MLW
Operator: Not operated.
Owner: Comcar Industries Co.
Address: Phone: 863-428-2373
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 27.953611
Total Berthing Space (feet): 600 | | Longitude (decimal): -82.443333
Remarks: A 280- by 80-foot storage building located at rear, with capacity of 13,000 tons of phosphate, and eight adjacent storage silos, with capacity of 20,000 tons of phosphate, were not in use at time of survey. Property was for sale at time of survey.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 187 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Ybor Channel** Mile: 0 PWD: 72
Name: **E. A. Mariani Asphalt Co., Tampa Wharf, Berth 257.**
Location: Easterly side of Ybor Channel, approximately 0.3 mile below head of Ybor Channel, Datum: MLW
Tampa.
Operator: E. A. Mariani Asphalt Co.
Owner: E. A. Mariani Asphalt Co.
Address: 500 North 19th Street. Phone: 813/248-2189
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of asphalt by small tanker and barge.
Depth Alongside (feet): 25 | - | Latitude (decimal): 27.950278
Total Berthing Space (feet): 410 | | Longitude (decimal): -82.441667
Remarks: One 12- becoming two 8-inch pipelines extend from wharf to eight steel, asphalt storage tanks located at rear, total capacity 120,000 barrels.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 178 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Ybor Channel** Mile: 0 PWD: 75
Name: **International Ship Repair & Marine Services, Tampa Wharf.**
Location: Easterly side of Channel, at head of Ybor Channel, Tampa. Datum: MLW
Operator: International Ship Repair & Marine Services, Inc.
Owner: International Ship Repair & Marine Services, Inc.
Address: 1616 Penny Street Phone: 813/247-1118
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Mooring vessels for repair; and mooring floating drydocks.
Depth Alongside (feet): 28 | - | Latitude (decimal): 27.953889
Total Berthing Space (feet): 750 | - | Longitude (decimal): -82.441667
Remarks: Floating Drydock No. 1, capacity 5,000 long tons, is moored at head of Ybor Channel; No. 2, capacity 6,000 long tons, is moored along Causeway Boulevard; No. 3, capacity 12,000 long tons, is moored at Tampa Port Authority Metroport Terminal, Berths 263 and 264 (P.W.D. Ref. No. 77); No. 5, capacity 1,200 long tons, is moored at Berth 200; and No. 6, capacity 20,000 long tons, is moored at wharf. Drydocks Nos. 2 and 3 can be combined. Offices, warehouses, and shops are located in shipyard at rear.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 184 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Ybor Channel** Mile: 0 PWD: 70
Name: **Marathon Ashland Petroleum, Tampa Terminal Wharf.**
Location: Easterly side of Ybor Channel, above foot of Thrace Street extended, Tampa. Datum: MLW
Operator: Marathon Ashland Petroleum, LLC.
Owner: Marathon Ashland Petroleum, LLC.
Address: 425 South 20th Street. Phone: 813-247-1459
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Receipt of petroleum products and asphalt.
Depth Alongside (feet): 33 | | Latitude (decimal): 27.946389
Total Berthing Space (feet): 700 | | Longitude (decimal): -82.442222
Remarks: Seven 12-, one 10-, and two 8-inch pipelines extend from wharf to 21 steel storage tanks located at South 20th Street in rear, total capacity 1,163,000 barrels. One 12-inch pipeline extends from wharf to four asphalt storage tanks located at rear, total capacity 230,000 barrels.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 174 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Ybor Channel** Mile: 0 PWD: 74
Name: **Sahlman Seafoods, Tampa Wharf.**
Location: Easterly side of Ybor Channel, south side of slip, approximately 400 feet below head of Ybor Channel, Tampa. Datum: MLW
Operator: Not operated.
Owner: Sahlman Seafoods, Inc.
Address: 1601 Sahlman Drive Phone: 813-248-5726
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 11-14 | | Latitude (decimal): 27.952222
Total Berthing Space (feet): 360 | | Longitude (decimal): -82.441389
Remarks: Wharf formerly was used for mooring shrimp boats and handling supplies and equipment for fishing vessels.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 182 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Ybor Channel** Mile: 0 PWD: 80
Name: **Tampa Port Authority, Cruise Terminal No. 3, Berth 269.**
Location: Westerly side of Ybor Channel, approximately 200 feet below foot of York Street, Tampa. Datum: MLW
Operator: Tampa Port Authority.
Owner: Tampa Port Authority.
Address: 901 Channelside Drive. Phone: 813-905-5040
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Mooring cruise vessels; and boarding passengers.
Depth Alongside (feet): 33-34 | | Latitude (decimal): 27.946111
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -82.443611
Remarks: One 110,000-square-foot, steel-frame, metal-covered building located at rear serves as a passenger terminal. An asphalt-paved parking lot is located at rear of building.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 196 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Ybor Channel** Mile: 0 PWD: 79
Name: **Tampa Port Authority, Cruise Terminal No. 6, Berths 266, 267 and 268.**
Location: Westerly side of Ybor Channel, between foot of McKay and York Streets, Tampa. Datum: MLW
Operator: Tampa Port Authority.
Owner: Tampa Port Authority.
Address: 1333 McKay Street. Phone: 813-905-5040
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Mooring cruise vessels; and boarding passengers.
Depth Alongside (feet): 28-31 | | Latitude (decimal): 27.948333
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -82.443611
Remarks: One 400- by 80-foot, steel frame, metal-covered building located at rear serves as a passenger terminal. An asphalt-paved parking lot is located at rear of building.
Year of Last Survey: 2006 Corps of Eng'rs Waterway Code: 14790 Dock Code: 194 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Ybor Channel** Mile: 0 PWD: 78
Name: **Tampa Port Authority, Metroport Terminal, Berth 265.**
Location: Westerly side of Ybor Channel, lower side of slip, approximately 1,000 feet below head of channel, Tampa. Datum: MLW
Operator: International Ship Repair & Marine Services, Inc.
Owner: Tampa Port Authority.
Address: Phone: 813-905-5040
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 19 | | Latitude (decimal): 27.951667
Total Berthing Space (feet): 750 | | Longitude (decimal): -82.443889
Remarks: -
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 190 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Ybor Channel** Mile: 0 PWD: 77
Name: **Tampa Port Authority, Metroport Terminal, Berths 263 and 264.**
Location: Westerly side of Ybor Channel, upper side and head of slip, approximately 1,000 feet below head of channel, Tampa. Datum: MLW
Operator: International Ship Repair & Marine Services, Inc.
Owner: Tampa Port Authority.
Address: Phone: 813-905-5040
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Mooring vessels for repair; and mooring floating drydock.
Depth Alongside (feet): 19-20 | 16 | Latitude (decimal): 27.952778
Total Berthing Space (feet): 680 | 350 | Longitude (decimal): -82.444167
Remarks: Approximately 1 acre of open storage area is located in rear of upper side and at head of slip.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 189 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Ybor Turning Basin** Mile: 0 PWD: 69
Name: **Gulf Marine Repair Corp., Port Ybor at George B. Howell Maritime Center, Berth 253.**
Location: Easterly side of Ybor Turning Basin, foot of Thrace Street extended, Tampa. Datum: MLW
Operator: Gulf Marine Repair Corp.
Owner: Tampa Port Authority.
Address: 1200 Sertoma Drive. Phone: 813/247-3153
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Mooring barges and vessels for repair; mooring floating drydock and company-owned towboats and work barges.
Depth Alongside (feet): 28 | | Latitude (decimal): 27.944444
Total Berthing Space (feet): 880 | | Longitude (decimal): -82.442222
Remarks: Floating Drydock Scotia, capacity 12,000 tons, is moored at wharf. One 270- by 50-foot, steel frame, metal-covered building located in rear of upper portion of wharf contains marine repair shops. Company has use of adjacent Berth 252 for mooring when available.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 170 Jacksonville District

Port: **Tampa/Port Manatee**
Waterway: **Ybor Turning Basin** Mile: 0 PWD: 67
Name: **Tampa Port Authority, Port Ybor at George B. Howell Maritime Center, Berth 250.**
Location: Easterly side of Ybor Turning Basin, approximately 550 feet below foot of Flagler Street extended, Tampa. Datum: MLW
Operator: Tampa Port Authority and Gulf Marine Repair Corp.
Owner: Tampa Port Authority.
Address: Phone: 813-272-0535
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Mooring vessels; and mooring floating drydock.
Depth Alongside (feet): 22-34 | | Latitude (decimal): 27.94
Total Berthing Space (feet): 670 | | Longitude (decimal): -82.4425
Remarks: Gulf Marine Repair Corp.: One 1,400-ton floating drydock is moored at wharf.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 166 Jacksonville District

Port Series No. 17 Tampa and Port Manatee, FL

Port: **Tampa/Port Manatee**
Waterway: **Ybor Turning Basin** Mile: 0 PWD: 68
Name: **Tampa Port Authority, Port Ybor at George B. Howell Maritime Center, Berths 251 and 252.**
Location: Easterly side of Ybor Turning Basin, foot of Flagler Street extended, Tampa. Datum: MLW
Operator: Tampa Port Authority.
Owner: Tampa Port Authority.
Address: Phone: 813-272-0535
Town: Tampa State: FL County: Hillsborough
Railway Connection: None.
Purpose: Mooring cruise vessels; and boarding passengers. (See Remarks.)
Depth Alongside (feet): 32 | | Latitude (decimal): 27.941667
Total Berthing Space (feet): 200+95 | | Longitude (decimal): -82.443056
Remarks: A 281,600-square-foot distribution complex located at rear was under construction at time of survey. After completion of survey, building was leased to the U.S. Postal Service. A 156,000-square-foot warehouse was under construction after completion of survey. The 100-foot section, perpendicular to and between the 200- and 950-foot sections of the wharf, is a low-level ramp. Plans call for the site to be a possible cruise-and-ferry terminal.
Year of Last Survey: 2006 Corps of Engrs Waterway Code: 14790 Dock Code: 168 Jacksonville District
