

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Elk River** Mile: 0.9 PWD: 75
Name:: **Martin Marietta Materials, Charleston Dock.**
Location:: Mile 0.9, right bank, Elk River, Charleston. Datum: NPE
Operator:: Martin Marietta Materials.
Owner: Martin Marietta Materials.
Address: 1100 Pennsylvania Avenue. Phone: 304-485-5481
Town: Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.358056
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.631389
Remarks: Open storage area with capacity for approximately 75,000 tons of material is located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42358 Dock Code: 830

Waterway: **Elk River** Mile: 1.1 PWD: 73
Name:: **Pfaff & Smith Builders Supply Co. Dock.**
Location:: Mile 1.1, left bank, Elk River, Charleston. Datum: NPE
Operator:: Pfaff & Smith Builders Supply Co.
Owner: Pfaff & Smith Builders Supply Co.
Address: Spring & Bullitt Streets. Phone: 304-342-4171
Town: Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 8 | | Latitude (decimal): 38.358056
Total Berthing Space (feet): 350 | | Longitude (decimal): -81.626667
Remarks: Ready-mix concrete plant and open storage area with capacity for 30,000 tons of material are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42357 Dock Code: 833

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Elk River** Mile: 2.5 PWD: 74
Name:: **Etowah River Terminal, Etowah Dock.**
Location:: Mile 2.5, left bank, Elk River, Etowah. Datum: NPE
Operator:: Etowah River Terminal, LLC.
Owner: Freedom Industries, LLC.
Address: 1015 Barlow Drive. Phone: 304-345-0967
Town: Etowah State: WV County: Kanawha
Railway Connection: None.
Purpose:: Receipt of glycol, calcium chloride, and other chemicals by barge.
Depth Alongside (feet): 13 | | Latitude (decimal): 38.369167
Total Berthing Space (feet): 380 | | Longitude (decimal): -81.606944
Remarks: Two 6-inch pipelines extend from wharf to tank farm at rear with three steel, calcium chloride storage tanks, total capacity 1,008,000 gallons; five steel, glycol storage tanks, total capacity 1,680,000 gallons; and one steel, ammonium ligno sulfonate storage tank, total capacity 336,000 gallons.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42357 Dock Code: 843

Waterway: **Kanawha River** Mile: 1 PWD: 23
Name:: **Amherst Industries, Henderson Marine Repair Dock.**
Location:: Mile 1.0, left bank, Kanawha River, Henderson. Datum: NPE
Operator:: Amherst Industries, Inc.
Owner: Amherst Industries, Inc.
Address: Phone: 304-675-5190
Town: Henderson State: WV County: Mason
Railway Connection: None.
Purpose:: Mooring floating equipment for maintenance and repair; mooring floating drydock; and mooring barges for fleetings.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.831667
Total Berthing Space (feet): | | Longitude (decimal): -82.131667
Remarks: Company operates barge fleetings at shore moorings with capacity for one hundred sixty barges, arranged 3-wide, along both sides of the lower 4 1/2 miles of the Kanawha River. One 2,000-ton floating drydock is moored at wharf. Wharf barges are equipped with lines for supplying compressed air and welding gas. Amherst Industries, Inc. also operates barge fleetings along the Ohio River as follows: Molasses Creek Fleets (Miles 266.7-267.3): RDB, Upper Fleet is located on one anchor barge, with capacity for twenty barges arranged 5-long by 5-wide; and Lower Fleet on one anchor barge, with capacity for thirty-five barges, arranged 7-long by 5-wide. Ravenswood Fleets (Miles 267.8-268.3): RDB is located on spar barges; Upper and Lower Fleets, each with capacity for twenty barges arranged 5-long by 4-wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42301 Dock Code: 302

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 18.3 PWD: 97
Name:: **Shamblin Stone, Robertsburg Dock.**
Location:: Mile 18.3, right bank, Kanawha River, Robertsburg. Datum: NPE
Operator:: Shamblin Stone, Inc.
Owner: Joe Wittington.
Address: Phone: 304-766-7316
Town: Roberstburg State: WV County: Putnam
Railway Connection: None.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 4 | | Latitude (decimal): 38
Total Berthing Space (feet): 1800 | | Longitude (decimal): -81
Remarks: Approximately 5 acres of open storage area with capacity for approximately 30,000 tons are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42318 Dock Code: 301

Waterway: **Kanawha River** Mile: 28.1 PWD: 96
Name:: **Kanawha Manufacturing Co., Buffalo Plant Eleanor Dock.**
Location:: Mile 28.1, right bank, Kanawha River, Eleanor. Datum: NPE
Operator:: Kanawha Manufacturing Co.
Owner: Kanawha Manufacturing Co.
Address: Route 62 North. Phone: 304-342-6127
Town: Eleanor State: WV County: Putnam
Railway Connection: None.
Purpose:: Shipment of fabricated steel products.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.546667
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.956667
Remarks: Steel fabrication plant and approximately 40 acres of open storage area are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42328 Dock Code: 101

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 37.8 PWD: 94
Name:: **Ohio Valley Bank, Black Betsy Dock.**
Location:: Mile 37.85, right bank, Kanawha River, Black Betsy. Datum: NPE
Operator:: Not operated.
Owner: Ohio Valley Bank.
Address: Phone: 304-446-2631
Town: Black Betsy State: WV County: Putnam
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 8 | | Latitude (decimal): 38.4925
Total Berthing Space (feet): 185 | | Longitude (decimal): -81.835
Remarks: Outer end of a 390- by 59-foot steel frame, metal-covered fabrication building covers slips.
Approximately 4 acres of open storage area and 2 acres of covered storage are located at rear.
Facility was for sale at time of survey (2004).
Year of Last Survey: 2005 Corps of Engineers Location Code: 42337 Dock Code: 801

Waterway: **Kanawha River** Mile: 37.8 PWD: 95
Name:: **Reiss Viking, Black Betsy Dock.**
Location:: Mile 37.8, right bank, Kanawha River, Black Betsy. Datum: NPE
Operator:: Reiss Viking, Inc.
Owner: Reiss Viking, Inc., a subsidiary of C-Reiss Coal.
Address: Phone: 304-586-0958
Town: Black Betsy State: WV County: Putnam
Railway Connection: None.
Purpose:: Receipt of magnitite.
Depth Alongside (feet): 8 | | Latitude (decimal): 38.493333
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.835556
Remarks: Open storage area located at rear has capacity for 50,000 tons of material.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42337 Dock Code: 803

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 38.6 PWD: 24
Name:: **Appalachian Power Co., John E. Amos Plant, Scary Heavy-Lift Dock.**
Location:: Mile 38.6, left bank, Kanawha River, 3.9 miles below Scary. Datum: NPE
Operator:: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304-759-3156
Town: Scary State: WV County: Putnam
Railway Connection: None.
Purpose:: Receipt of heavy-lift items by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.480278
Total Berthing Space (feet): 150 | | Longitude (decimal): -81.825278
Remarks: -
Year of Last Survey: 2005 Corps of Engineers Location Code: 42339 Dock Code: 202

Waterway: **Kanawha River** Mile: 39.7 PWD: 25
Name:: **Appalachian Power Co., John E. Amos Plant, Scary Fuel Oil Dock.**
Location:: Mile 39.7, left bank, Kanawha River, 2.8 miles below Scary. Datum: NPE
Operator:: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304-759-3156
Town: Scary State: WV County: Putnam
Railway Connection: None.
Purpose:: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.475556
Total Berthing Space (feet): | | Longitude (decimal): -81.819444
Remarks: One 6-inch pipeline extends from each cell to three steel storage tanks in rear, total capacity 119,000 barrels. Boat-landing dock for company-owned towboats is located between this dock and P.W.D. Ref. No. 26.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42339 Dock Code: 202

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 39.8 PWD: 26
Name:: **Appalachian Power Co., John E. Amos Plant, Scary Coal-Unloading Dock.**
Location:: Mile 39.8, left bank, Kanawha River, 2.7 miles below Scary. Datum: NPE
Operator:: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304-759-3156
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Transportation, Inc.
Purpose:: Occasional receipt of coal for plant consumption; and mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.4675
Total Berthing Space (feet): 1710 | | Longitude (decimal): -81.818333
Remarks: Open storage area with capacity for approximately 1,800,000 tons of coal is located at rear. Wharf has capacity for mooring twenty empty barges below and twenty loaded barges above.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42339 Dock Code: 202

Waterway: **Kanawha River** Mile: 40 PWD: 27
Name:: **Appalachian Power Co., John E. Amos Plant, Scary Coal-Loading Dock.**
Location:: Mile 40.0, left bank, Kanawha River, 2.5 miles below Scary. Datum: NPE
Operator:: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304-759-3156
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Transportation, Inc.
Purpose:: Shipment of coal; and mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.464722
Total Berthing Space (feet): 3240 | | Longitude (decimal): -81.819167
Remarks: Wharf has capacity for mooring thirty empty barges above and approximately twenty loaded barges below.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42339 Dock Code: 202

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 40.1 PWD: 92
Name:: **West Virginia Paving, Poca Dock.**
Location:: Mile 40.1, right bank, Kanawha River, Poca. Datum: NPE
Operator:: West Virginia Paving, Inc.
Owner: West Virginia Steel Corp.
Address: Wright Road. Phone: 304-755-3217
Town: Poca State: WV County: Putnam
Railway Connection: None.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.460556
Total Berthing Space (feet): 1280 | | Longitude (decimal): -81.818611
Remarks: Facility is described as it will appear upon completion of construction. Asphalt plant, operated by a subsidiary company, and open storage area with capacity for 40,000 tons of material are located at rear. Wharf has capacity for mooring nine loaded barges above and nine empty barges below.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42340 Dock Code: 101

Waterway: **Kanawha River** Mile: 40.7 PWD: 91
Name:: **Kanawha Stone Co., Poca Dock.**
Location:: Mile 40.7, right bank, Kanawha River, Poca. Datum: NPE
Operator:: Not operated.
Owner: Kanawha Stone Co., Inc.
Address: 401 Jacobson Drive. Phone: 304-755-8271
Town: Nitro State: WV County: Putnam
Railway Connection: Plant trackage connects with Norfolk Southern Railway.
Purpose:: Not used.
Depth Alongside (feet): 14 | | Latitude (decimal): 38.453889
Total Berthing Space (feet): 650 | | Longitude (decimal): -81.824444
Remarks: -
Year of Last Survey: 2005 Corps of Engineers Location Code: 42340 Dock Code: 801

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 41.1 PWD: 28
Name:: **Greer Industries, Scary Creek Yard Dock.**
Location:: Mile 41.1, left bank, Kanawha River, 1.4 miles below Scary at Sulphur Creek. Datum: NPE
Operator:: Greer Industries, Inc.
Owner: Greer Industries, Inc.
Address: Scary Creek Industrial Center, 9 Orders Drive. Phone: 304-755-2809
Town: Scary State: WV County: Putnam
Railway Connection: None.
Purpose:: Receipt of limestone; and mooring barges for fleetng.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.453333
Total Berthing Space (feet): 900 | | Longitude (decimal): -81.829167
Remarks: Approximately 2 acres of open storage area are located at rear, with capacity for 80,000 tons of limestone. Barge fleetng is available for nine loaded barges above ramp and ten empty barges below ramp.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42341 Dock Code: 602

Waterway: **Kanawha River** Mile: 41.2 PWD: 29
Name:: **Rumble Ready Mix, Scary Creek Dock.**
Location:: Mile 41.2, left bank, Kanawha River, 1.3 miles below Scary at Sulphur Creek. Datum: NPE
Operator:: Rumble Ready Mix.
Owner: Foster Supply, Inc.
Address: Scary Creek Industrial Center, 7 Orders Drive. Phone: 304-755-2595
Town: Scary State: WV County: Putnam
Railway Connection: None.
Purpose:: Receipt of sand and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.451944
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.830833
Remarks: Storage area with capacity for approximately 4,800 tons of gravel and 3,200 tons of sand is located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42341 Dock Code: 201

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 41.4 PWD: 30
Name:: **Arrow Concrete, Scary Creek Yard Dock.**
Location:: Mile 41.4, left bank, Kanawha River, 1.31 miles below Scary. Datum: NPE
Operator:: Arrow Concrete.
Owner: Arrow Industries.
Address: Scary Creek Industrial Center, 3 Orders Drive. Phone: 304-755-5300
Town: Scary State: WV County: Putnam
Railway Connection: None.
Purpose:: Receipt of sand and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.450833
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.832222
Remarks: Approximately 5 acres of open storage area are located at rear, with capacity for 15,000 tons of gravel and 15,000 tons of sand.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42341 Dock Code: 401

Waterway: **Kanawha River** Mile: 41.8 PWD: 31
Name:: **Amherst Industries, Scary Dock.**
Location:: Mile 41.7, left bank, Kanawha River, 0.9 mile below Scary. Datum: NPE
Operator:: Not operated.
Owner: Amherst Industries, Inc.
Address: 962 Winfield Road. Phone: 304-926-1117
Town: Scary State: WV County: Putnam
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.4475
Total Berthing Space (feet): 225 | | Longitude (decimal): -81.838889
Remarks: Approximately 5 acres of open storage area are located at rear, with capacity for 20,000 tons of material. Wharf has capacity for mooring approximately six barges. Facility was not in operation at time of survey (2004).
Year of Last Survey: 2005 Corps of Engineers Location Code: 42341 Dock Code: 701

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 42.5 PWD: 90
Name:: **Solutia, Nitro Plant Dock.**
Location:: Mile 42.5, right bank, Kanawha River, Nitro. Datum: NPE
Operator:: Not operated.
Owner: Solutia, Inc.
Address: 1 Monsanto Road. Phone: 304-759-4235
Town: Nitro State: WV County: Putnam
Railway Connection: Plant trackage connects with Norfolk Southern Railway.
Purpose:: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.438333
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.847778
Remarks: At time of survey (2004), chemical plant in rear was being dismantled. There were no plans for using the dock in the future; however, the structure was in excellent condition.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42342 Dock Code: 401

Waterway: **Kanawha River** Mile: 42.9 PWD: 89
Name:: **Campbell Transportation Co., Nitro Fleet Mooring.**
Location:: Mile 42.9, right bank, Kanawha River, Nitro. Datum: NPE
Operator:: Campbell Transportation Co., Inc.
Owner: Campbell Transportation Co., Inc.
Address: Phone: 304-675-1850
Town: Nitro State: WV County: Putnam
Railway Connection: None.
Purpose:: Mooring barges for fleetings.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.418333
Total Berthing Space (feet): 2400 | | Longitude (decimal): -81.85
Remarks: Fleetings area consists of two blocks of fifteen standard barges each, arranged in 3 tiers, each 5 barges wide. Bulkhead, cells, and other structures associated with former commercial sites provide breasting for barge fleetings.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42342 Dock Code: 902

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 43.1 PWD: 88
Name:: **Brenntag Mid-South, Nitro Chemport Dock.**
Location:: Mile 43.1, right bank, Kanawha River, Nitro. Datum: NPE
Operator:: Brenntag Mid-South, Inc.
Owner: Brenntag Mid-South, Inc.
Address: 319 First Street, North. Phone: 304-755-8622
Town: Nitro State: WV County: Putnam
Railway Connection: One surface track serves five-car-capacity loading rack; connects with Norfolk Southern Railway.
Purpose:: Receipt of caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.429167
Total Berthing Space (feet): 500 | | Longitude (decimal): -81.850556
Remarks: One 6-inch pipeline extends from wharf to five steel storage tanks at rear, total capacity 1,250,000 gallons; with one 2-inch steam pipeline serving wharf.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42343 Dock Code: 201

Waterway: **Kanawha River** Mile: 43.1 PWD: 32
Name:: **Shamblin Stone, St. Albans Dock.**
Location:: Mile 43.2, left bank, Kanawha River, Scary. Datum: NPE
Operator:: Shamblin Stone, Inc.
Owner: Shamblin Stone, Inc.
Address: Phone: 304-766-7318
Town: St. Albans State: WV County: Putnam
Railway Connection: None.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.428056
Total Berthing Space (feet): 300 | | Longitude (decimal): -81.853333
Remarks: Open storage area with capacity for 60,000 tons of material is located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42343 Dock Code: 502

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 44.8 PWD: 33
Name:: **Peerless Block & Brick Co., St. Albans Dock.**
Location:: Mile 44.8, left bank, Kanawha River, 1.2 miles below St. Albans. Datum: NPE
Operator:: Peerless Block & Brick Co.
Owner: Peerless Block & Brick Co.
Address: 400 Oliver Street. Phone: 304-727-4301
Town: St. Albans State: WV County: Kanawha
Railway Connection: One surface track in rear connects with CSX Transportation, Inc.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.402778
Total Berthing Space (feet): 420 | | Longitude (decimal): -81.847778
Remarks: Approximately 40 acres of open storage area are located at rear, with capacity for 11,000 tons of sand, 7,500 tons of limestone, and 3,000 tons of gravel.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42344 Dock Code: 802

Waterway: **Kanawha River** Mile: 45.2 PWD: 34
Name:: **Go Mart, Amandaville River Terminal, St. Albans Dock.**
Location:: Mile 45.2, left bank, Kanawha River, 0.8 mile below St. Albans. Datum: NPE
Operator:: Go Mart, Inc.
Owner: Go Mart, Inc.
Address: Oliver Street. Phone: 304-727-5423
Town: St. Albans State: WV County: Kanawha
Railway Connection: None.
Purpose:: Receipt of petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.398889
Total Berthing Space (feet): 385 | | Longitude (decimal): -81.845278
Remarks: Three 8-inch pipelines extend from wharf to seven steel storage tanks at rear, total capacity 153,250 barrels.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42345 Dock Code: 202

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 46.7 PWD: 87
Name:: **RJ Recycling, Sattes Yard Dock.**
Location:: Mile 46.7, right bank, Kanawha River, Sattes. Datum: NPE
Operator:: Not operated.
Owner: RJ Recycling.
Address: Route 25 and Michigan Avenue. Phone: 304-727-8251
Town: Sattes State: WV County: Kanawha
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.390556
Total Berthing Space (feet): 287 | | Longitude (decimal): -81.8225
Remarks: Approximately 14 acres of open storage area are located at rear. At time of survey (2004), owner was applying for permit to reopen the facility.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42346 Dock Code: 601

Waterway: **Kanawha River** Mile: 47.8 PWD: 86
Name:: **Kirby Inland Marine, Institute Fleet Mooring.**
Location:: Mile 47.8, right bank, Kanawha River, Institute. Datum: NPE
Operator:: Kirby Inland Marine, LP.
Owner: Union Carbide Corp./Dow Chemical Co.
Address: Phone: 304-727-1091
Town: Institute State: WV County: Kanawha
Railway Connection: None.
Purpose:: Mooring barges for fleeting.
Depth Alongside (feet): 17 | | Latitude (decimal): 38.386667
Total Berthing Space (feet): 1845 | | Longitude (decimal): -81.801667
Remarks: Fleeting area has capacity for approximately twenty-four 195- by 35-foot barges.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42347 Dock Code: 801

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 48.4 PWD: 85
Name:: **Martin Marietta Materials, Institute Dock.**
Location:: Mile 48.4, right bank, Kanawha River, Institute. Datum: NPE
Operator:: Martin Marietta Materials.
Owner: Martin Marietta Materials.
Address: Phone: 304-485-5481
Town: Institute State: WV County: Kanawha
Railway Connection: None.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.383333
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.7925
Remarks: Approximately 8 acres of open storage area with capacity for 60,000 tons of material are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42348 Dock Code: 501

Waterway: **Kanawha River** Mile: 48.9 PWD: 84
Name:: **Union Carbide Corp./Dow Chemical Co., Institute Plant Dock No. 2.**
Location:: Mile 48.9, right bank, Kanawha River, Institute. Datum: NPE
Operator:: Not operated
Owner: Union Carbide Corp./Dow Chemical Co.
Address: Phone: 304-747-2899
Town: Institute State: WV County: Kanawha
Railway Connection: Five surface tracks serve plant in rear; connect with Norfolk Southern Railway.
Purpose:: Not used.
Depth Alongside (feet): 17 | | Latitude (decimal): 38.379444
Total Berthing Space (feet): 436 | | Longitude (decimal): -81.781389
Remarks: Five 6-, two 4-, and one 3-inch pipelines extending from wharf to storage tanks described under P.W.D. Ref. No. 83 were not in use at time of survey (2004).
Year of Last Survey: 2005 Corps of Engineers Location Code: 42349 Dock Code: 101

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 49.1 PWD: 83
Name:: **Union Carbide Corp./Dow Chemical Co., Institute Plant Dock No. 1.**
Location:: Mile 49.1, right bank, Kanawha River, Institute. Datum: NPE
Operator:: Union Carbide Corp./Dow Chemical Co.
Owner: Union Carbide Corp./Dow Chemical Co.
Address: Phone: 304-747-2899
Town: Institute State: WV County: Kanawha
Railway Connection: Five surface tracks serve plant in rear; connect with Norfolk Southern Railway.
Purpose:: Receipt and shipment of liquid chemicals.
Depth Alongside (feet): 17 | | Latitude (decimal): 38.378611
Total Berthing Space (feet): 300 | | Longitude (decimal): -81.780556
Remarks: Two 6- and four 4-inch pipelines extend from wharf to approximately two hundred steel storage tanks at rear, total capacity 60,000,000 gallons.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42349 Dock Code: 101

Waterway: **Kanawha River** Mile: 49.3 PWD: 82
Name:: **Bayer CropScience, Institute Plant, Dock No. 3.**
Location:: Mile 49.3, right bank, Kanawha River, Institute. Datum: NPE
Operator:: Bayer CropScience.
Owner: Bayer CropScience.
Address: Phone: 304-767-6362
Town: Institute State: WV County: Kanawha
Railway Connection: Five surface tracks serve plant in rear; connect with Norfolk Southern Railway.
Purpose:: Receipt of caustic soda.
Depth Alongside (feet): 17 | | Latitude (decimal): 38.377778
Total Berthing Space (feet): 900 | | Longitude (decimal): -81.777222
Remarks: One 6-inch, caustic soda pipeline extends from wharf to one steel storage tank, capacity 750,000 gallons. □□□
Year of Last Survey: 2005 Corps of Engineers Location Code: 42349 Dock Code: 301

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 50.4 PWD: 81
Name:: **West Virginia Paving, West Dunbar Dock.**
Location:: Mile 50.4, right bank, Kanawha River, Dunbar. Datum: NPE
Operator:: West Virginia Paving, Inc.
Owner: West Virginia Paving, Inc.
Address: 2902 Charles Avenue. Phone: 304-755-3217
Town: West Dunbar State: WV County: Kanawha
Railway Connection: None.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.369167
Total Berthing Space (feet): 875 | | Longitude (decimal): -81.761389
Remarks: Approximately 7 acres of open storage area with capacity for 30,000 tons of material are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42350 Dock Code: 301

Waterway: **Kanawha River** Mile: 53.1 PWD: 80
Name:: **Shamblin Stone, Wilson Island Dock.**
Location:: Mile 53.1, right bank, Kanawha River, Wilson Island. Datum: NPE
Operator:: Shamblin Stone, Inc.
Owner: Shamblin Stone, Inc.
Address: Phone: 304-766-7316
Town: Wilson Island State: WV County: Kanawha
Railway Connection: None.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 38.361389
Total Berthing Space (feet): 195 | 195 | 195 Longitude (decimal): -81.72
Remarks: Approximately 15 acres of open storage area are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42353 Dock Code: 315

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 53.8 PWD: 35
Name:: **Park Corp., South Charleston Industrial Park Dock.**
Location:: Mile 53.8, left bank, Kanawha River, South Charleston. Datum: NPE
Operator:: Park Corp.
Owner: Park Corp.
Address: 3100 MacCorkle Ave. SW Phone: 304-744-4941
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose:: Occasional receipt and shipment of machinery and heavy equipment.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.366111
Total Berthing Space (feet): 350 | | Longitude (decimal): -81.711111
Remarks: Approximately 2 acres of paved open storage area are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42353 Dock Code: 802

Waterway: **Kanawha River** Mile: 53.85 PWD: 36
Name:: **City of South Charleston, Kanawha River Dock.**
Location:: Mile 53.8, left bank, Kanawha River, South Charleston. Datum: NPE
Operator:: Not operated.
Owner: City of South Charleston.
Address: Phone: 304/744-4008
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.366667
Total Berthing Space (feet): 120 | | Longitude (decimal): -81.709722
Remarks: Access for vehicles is via a 10-foot-wide concrete driveway at rear of shopping center.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42353 Dock Code: 804

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 54.1 PWD: 79
Name:: **Amherst Industries, Wilson Island Tyler Fleet Mooring.**
Location:: Mile 54.1, right bank, Kanawha River, 1.0 mile above Wilson Island. Datum: NPE
Operator:: Amherst Industries, Inc.
Owner: Amherst Industries, Inc.
Address: Phone: 304-926-1117
Town: Wilson Island State: WV County: Kanawha
Railway Connection: None.
Purpose:: Mooring towboats and barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371389
Total Berthing Space (feet): 975 | | Longitude (decimal): -81.707222
Remarks: Fleeting area has capacity for mooring thirty barges, arranged in 5 tiers each 6 barges wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42354 Dock Code: 101

Waterway: **Kanawha River** Mile: 55 PWD: 78
Name:: **Union Carbide Corp./Dow Chemical Co., North Charleston Bulk Terminal, Dock No. 1.**
Location:: Mile 55.0, right bank, Kanawha River, North Charleston. Datum: NPE
Operator:: Union Carbide Corp./Dow Chemical Co.
Owner: Union Carbide Corp./Dow Chemical Co.
Address: Phone: 304-747-2899
Town: N. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose:: Receipt and shipment of liquid chemicals.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.373889
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.690833
Remarks: Three 4-inch pipelines extend from wharf to thirty-three storage tanks with a total capacity of 13,750,000 gallons. In addition, one dedicated 6-inch caustic pipeline extends to one storage tank at rear, capacity 750,000 gallons. One 4-inch, vinyl acetate pipeline was not in service at time of survey (2004).
Year of Last Survey: 2005 Corps of Engineers Location Code: 42355 Dock Code: 101

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 55.2 PWD: 77
Name:: **Union Carbide Corp./Dow Chemical Co., North Charleston Bulk Terminal, Dock No. 2.**
Location:: Mile 55.2, right bank, Kanawha River, North Charleston. Datum: NPE
Operator:: Union Carbide Corp./Dow Chemical Co.
Owner: Union Carbide Corp./Dow Chemical Co.
Address: Phone: 304-747-2899
Town: N. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose:: Receipt of propylene oxide.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.373611
Total Berthing Space (feet): 250 | | Longitude (decimal): -81.688333
Remarks: One 6-inch pipeline extends from wharf to two steel storage tanks at rear, total capacity 612,000 gallons.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42355 Dock Code: 101

Waterway: **Kanawha River** Mile: 55.3 PWD: 76
Name:: **Union Carbide Corp./Dow Chemical Co., North Charleston Bulk Terminal, Dock No. 3.**
Location:: Mile 55.3, right bank, Kanawha River, North Charleston. Datum: NPE
Operator:: Union Carbide Corp./Dow Chemical Co.
Owner: Union Carbide Corp./Dow Chemical Co.
Address: Phone: 304-747-2899
Town: N. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose:: Mooring company-owned floating equipment.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.372222
Total Berthing Space (feet): 260 | | Longitude (decimal): -81.683611
Remarks: Wharf is equipped with three 4-inch water lines and outlets for supplying compressed air, steam, and electricity. Compressed air and steam lines were not in use at time of survey (2004).
Year of Last Survey: 2005 Corps of Engineers Location Code: 42355 Dock Code: 101

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 55.4 PWD: 37
Name:: **Union Carbide Corp./Dow Chemical Co., South Charleston Plant, Dock No. 4.**
Location:: Mile 55.4, left bank, Kanawha River, Blaines Island, South Charleston. Datum: NPE
Operator:: Union Carbide Corp./Dow Chemical Co.
Owner: Union Carbide Corp./Dow Chemical Co.
Address: Phone: 304-747-2899
Town: S. Charleston State: WV County: Kanawha
Railway Connection: Five surface tracks serve chemical plant in rear; connect with CSX Transportation, Inc.
Purpose:: Receipt and shipment of liquid chemicals.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.371389
Total Berthing Space (feet): 500 | | Longitude (decimal): -81.684167
Remarks: Two 6- and five 4-inch pipelines extend from wharf to eighteen steel storage tanks at rear, total capacity 5,000,000 gallons.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42355 Dock Code: 002

Waterway: **Kanawha River** Mile: 56.8 PWD: 38
Name:: **Elementis Specialties, Charleston Terminal Dock.**
Location:: Mile 56.8, left bank, Kanawha River, Charleston. Datum: NPE
Operator:: Cemex-Kosmos Cement Co.
Owner: Elementis Specialties, Inc.
Address: 1007 MacCorkle Avenue. Phone: 304-342-8103/Ext. 804
Town: Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose:: Receipt of bulk cement.
Depth Alongside (feet): 13 | | Latitude (decimal): 38.361389
Total Berthing Space (feet): 326 | | Longitude (decimal): -81.6625
Remarks: Access is via a 12-foot-wide concrete tunnel under MacCorkle Avenue. One 12-inch pneumatic pipeline extends from wharf through tunnel to six cement storage silos at rear, total capacity 11,700 tons.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42356 Dock Code: 802

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 57.9 PWD: 39
Name:: **Marathon Petroleum, Charleston Terminal Dock.**
Location:: Mile 57.9, left bank, Kanawha River, Charleston. Datum: NPE
Operator:: Marathon Petroleum, LLC.
Owner: Marathon Petroleum, LLC.
Address: Phone: 304-347-1058
Town: Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose:: Receipt of petroleum products, including aviation fuel.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.352778
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.646667
Remarks: Access is via a 12-foot-wide concrete tunnel under MacCorkle Avenue. Four 8- and five 6-inch pipelines extend from wharf through tunnel to ten steel storage tanks at rear, total capacity 175,000 barrels.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42357 Dock Code: 902

Waterway: **Kanawha River** Mile: 58.4 PWD: 72
Name:: **City of Charleston, Public Wharf.**
Location:: Mile 58.4, right bank, Kanawha River, Charleston. Datum: NPE
Operator:: City of Charleston.
Owner: City of Charleston.
Address: Phone: 304-348-6860
Town: Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose:: Mooring vessels; and landing for excursion vessels.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.349167
Total Berthing Space (feet): 500 | | Longitude (decimal): -81.638611
Remarks: A parking lot is located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42358 Dock Code: 401

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 63.7 PWD: 71
Name:: **Amherst Industries, Port Amherst Aggregates Dock.**
Location:: Mile 63.7, right bank, Kanawha River, Port Amherst. Datum: NPE
Operator:: Amherst Industries, Inc. and Madison Coal & Supply Co.
Owner: Amherst Industries, Inc.
Address: 2 Port Amherst Drive. Phone: 304/926-1117
Town: Port Amherst State: WV County: Kanawha
Railway Connection: None.
Purpose:: Receipt of limestone, sand, gravel, steel products, and heavy equipment; mooring company-owned equipment.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.310278
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.560556
Remarks: Open storage area with capacity for 10,000 tons of limestone, 4,000 tons of sand, and 4,000 tons of gravel is located at rear. Floating equipment owned by Madison Coal & Supply Co. is moored on upper end.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42363 Dock Code: 901

Waterway: **Kanawha River** Mile: 63.9 PWD: 70
Name:: **Amherst Industries, Port Amherst Coal Dock.**
Location:: Mile 63.9, right bank, Kanawha River, Port Amherst. Datum: NPE
Operator:: Amherst Industries, Inc.
Owner: Amherst Industries, Inc.
Address: 2 Port Amherst Drive. Phone: 304/926-1117
Town: Port Amherst State: WV County: Kanawha
Railway Connection: Three surface tracks in rear, total capacity 45 cars, connect with CSX Transportation, Inc.
Purpose:: Shipment of coal; and mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.305556
Total Berthing Space (feet): 500 | | Longitude (decimal): -81.559722
Remarks: Open storage area at rear has capacity for 15,000 tons of coal. Wharf has capacity for mooring approximately twenty empty barges above and twenty loaded barges below.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42363 Dock Code: 901

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 68.2 PWD: 69
Name:: **E. I. du Pont de Nemours & Co., Belle Plant, Dock No. 1.**
Location:: Mile 68.2, right bank, Kanawha River, Belle. Datum: NPE
Operator:: E. I. du Pont de Nemours & Co.
Owner: E. I. du Pont de Nemours & Co.
Address: 901 West Du Pont Avenue. Phone: 304-552-0413
Town: Belle State: WV County: Kanawha
Railway Connection: Plant trackage connects with Norfolk Southern Railway.
Purpose:: Receipt of anhydrous ammonia.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.244722
Total Berthing Space (feet): 510 | | Longitude (decimal): -81.559444
Remarks: One 10-inch line extends from wharf to one steel storage tank at rear, total capacity 3,683,000 gallons. In addition, one 2-inch compressed-air line and one 1-inch steam line serve wharf.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42369 Dock Code: 101

Waterway: **Kanawha River** Mile: 68.7 PWD: 68
Name:: **E. I. du Pont de Nemours & Co., Belle Plant, Dock No. 2.**
Location:: Mile 68.7, right bank, Kanawha River, Belle. Datum: NPE
Operator:: E. I. du Pont de Nemours & Co., Inc.
Owner: E. I. du Pont de Nemours & Co., Inc.
Address: 901 West Du Pont Avenue. Phone: 304-552-0413
Town: Belle State: WV County: Kanawha
Railway Connection: Plant trackage connects with Norfolk Southern Railway.
Purpose:: Receipt of coal for plant consumption.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.241944
Total Berthing Space (feet): 475 | | Longitude (decimal): -81.556944
Remarks: Open storage area at rear has capacity for 20,000 tons of coal. Wharf has capacity for mooring three barges.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42369 Dock Code: 101

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 68.95 PWD: 40
Name:: **Kanawha River Terminals, Marmet Synfuel Dock.**
Location:: Mile 68.95, left bank, Kanawha River, Marmet. Datum: NPE
Operator:: Kanawha River Terminals.
Owner: Progress Energy.
Address: Phone: 304-949-3336/2535
Town: Marmet State: WV County: Kanawha
Railway Connection: None.
Purpose:: Shipment of coal; and mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.238056
Total Berthing Space (feet): 1560 | | Longitude (decimal): -81.554167
Remarks: Approximately 8.7 acres of open storage area with capacity for 150,000 tons of coal are located at rear. Wharf has capacity for mooring four empty barges above and eight loaded barges below. At time of survey (2004), an off-loading structure for receipt of coal was proposed for construction.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42368 Dock Code: 102

Waterway: **Kanawha River** Mile: 69.1 PWD: 67
Name:: **E. I. du Pont de Nemours & Co., Belle Plant, Dock No. 4.**
Location:: Mile 69.1, right bank, Kanawha River, Belle. Datum: NPE
Operator:: E. I. du Pont de Nemours & Co., Inc.
Owner: E. I. du Pont de Nemours & Co., Inc.
Address: 901 West Du Pont Avenue. Phone: 304-552-0413
Town: Belle State: WV County: Kanawha
Railway Connection: Plant trackage connects with Norfolk Southern Railway.
Purpose:: Receipt of acetone and methanol; shipment of refined glycol.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.238889
Total Berthing Space (feet): | | Longitude (decimal): -81.551667
Remarks: Three 8-inch pipelines extend from wharf to two acetone storage tanks, total capacity 1,000,000 gallons; to ten methanol storage tanks, total capacity 5,000,000 gallons; and to one 500,000-gallon, refined glycol storage tank.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42369 Dock Code: 101

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 69.2 PWD: 41
Name:: **International Coal Group, River Point Processing Marmet Dock.**
Location:: Mile 69.2, left bank, Kanawha River, Marmet. Datum: NPE
Operator:: Not operated.
Owner: International Coal Group, LLC.
Address: 11003 MacCorkle Avenue. Phone: 606-920-7400
Town: Marmet State: WV County: Kanawha
Railway Connection: Two surface tracks in rear, total capacity 65 cars, and connecting with CSX Transportation, Inc. were not in use at time of survey.
Purpose:: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.236667
Total Berthing Space (feet): 910 | | Longitude (decimal): -81.552222
Remarks: Open storage area with capacity for 50,000 tons of coal is located at rear. Wharf has capacity for mooring seven empty barges above and four loaded barges below. Facility was not in use at time of survey (2004).
Year of Last Survey: 2005 Corps of Engineers Location Code: 42369 Dock Code: 102

Waterway: **Kanawha River** Mile: 69.5 PWD: 42
Name:: **Shamblin Stone, Marmet Yard Dock.**
Location:: Mile 69.5, left bank, Kanawha River, Marmet. Datum: NPE
Operator:: Shamblin Stone, Inc.
Owner: Shamblin Stone, Inc.
Address: Phone: 304-766-7318
Town: Marmet State: WV County: Kanawha
Railway Connection: None.
Purpose:: Receipt of limestone, sand, and gravel; and mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.235278
Total Berthing Space (feet): 635 | | Longitude (decimal): -81.55
Remarks: Upper dolphin is shared with P.W.D. Ref. No. 41. Approximately 5 acres of open storage area are located at rear. Facility has capacity for mooring nine barges, either loaded or empty.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42369 Dock Code: 104

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 70.1 PWD: 66
Name:: **ABC Corp., Belle Dock.**
Location:: Mile 71.1, right bank, Kanawha River, Belle. Datum: NPE
Operator:: ABC Corp.
Owner: ABC Corp.
Address: 1 Witcher Road. Phone: 304-949-1511
Town: Belle State: WV County: Kanawha
Railway Connection: None.
Purpose:: Mooring vessels for maintenance and repair.
Depth Alongside (feet): 7 | | Latitude (decimal): 38.22
Total Berthing Space (feet): 205 | | Longitude (decimal): -81.523889
Remarks: Operator performs engine repair and minor above-waterline repair services, including welding on towboats.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42371 Dock Code: 001

Waterway: **Kanawha River** Mile: 71.6 PWD: 65
Name:: **Rumble Ready-Mix, Belle Yard Dock.**
Location:: Mile 71.6, right bank, Kanawha River, Belle. Datum: NPE
Operator:: Rumble Ready Mix.
Owner: Foster Supply, Inc.
Address: Phone: 304-949-5700
Town: Belle State: WV County: Kanawha
Railway Connection: None.
Purpose:: Receipt of sand and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.213889
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.519722
Remarks: Ready-mix concrete plant and approximately 1/2 acre of open storage area, with capacity for approximately 4,800 tons of gravel and 3,200 tons of sand, are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42371 Dock Code: 005

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 71.7 PWD: 43
Name:: **Winifrede Dock, Chesapeake Dock.**
Location:: Mile 71.7, left bank, Kanawha River, Chesapeake. Datum: NPE
Operator:: Winifrede Dock, LLC.
Owner: K-Rail, LLC.
Address: Phone: 304-949-3333
Town: Chesapeake State: WV County: Kanawha
Railway Connection: Twelve surface tracks in rear, with capacity for one hundred loaded and sixty empty cars, connect with Kanawha Rail Corp. and CSX Transportation, Inc.
Purpose:: Shipment of coal; and mooring barges for fleetling.
Depth Alongside (feet): 14 | | Latitude (decimal): 38.210833
Total Berthing Space (feet): 2000 | | Longitude (decimal): -81.521111
Remarks: Coal is received by train and truck. Wharf has capacity for mooring thirty empty barges above and thirty loaded barges below . Facility has capacity for 150,000 tons of coal in combined open storage and rail cars. Coal is also transferred between train and truck at facility.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42371 Dock Code: 702

Waterway: **Kanawha River** Mile: 73 PWD: 44
Name:: **PC West Virginia Synthetic Fuel No. 1, Chelyan Dock.**
Location:: Mile 73.0, left bank, Kanawha River, Chelyan. Datum: NPE
Operator:: Not operated.
Owner: Pace Carbon Fuels, LLC (PC West Virginia Synthetic Fuel No. 1).
Address: Phone: 304-595-5613
Town: Chelyan State: WV County: Kanawha
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 38.198056
Total Berthing Space (feet): 450 | | Longitude (decimal): -81.506944
Remarks: Open storage area with capacity for 6,000 tons of coal is located at rear. Wharf has capacity for mooring two empty barges above and two loaded barges below. Facility was not in use at time of survey (2004).
Year of Last Survey: 2005 Corps of Engineers Location Code: 42373 Dock Code: 002

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 73.15 PWD: 64
Name:: **Kanawha River Terminals, Quincy Dock.**
Location:: Mile 73.15, right bank, Kanawha River, Quincy. Datum: NPE
Operator:: Kanawha River Terminals, Inc.
Owner: Progress Fuels Corp.
Address: Phone: 304-949-3336
Town: Quincy State: WV County: Kanawha
Railway Connection: None.
Purpose:: Shipment and occasional receipt of coal; and mooring barges for fleeting.
Depth Alongside (feet): 12-14 | | Latitude (decimal): 38.198889
Total Berthing Space (feet): 875 | | Longitude (decimal): -81.501111
Remarks: Open storage area located at rear has capacity for 100,000 tons of coal. Facility has capacity for mooring twenty empty barges above, and twenty loaded barges below. □ □
Year of Last Survey: 2005 Corps of Engineers Location Code: 42373 Dock Code: 211

Waterway: **Kanawha River** Mile: 73.2 PWD: 45
Name:: **Little Creek Dock Co., Chelyan Dock.**
Location:: Mile 73.2, left bank, Kanawha River, Chelyan. Datum: NPE
Operator:: Little Creek Dock Co., Inc.
Owner: Mountain View Coal Co., a subsidiary of Peabody Energy.
Address: 14993 MacCorkle Avenue. Phone: 304-340-1856 (595-2783)
Town: Chelyan State: WV County: Kanawha
Railway Connection: None.
Purpose:: Shipment of coal; and mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.196944
Total Berthing Space (feet): 1225 | | Longitude (decimal): -81.499444
Remarks: Approximately 5 acres of open storage area are located at rear. Wharf has capacity for mooring eight empty barges above and twelve loaded barges below.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42373 Dock Code: 302

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 74.6 PWD: 63
Name:: **Little Creek Dock Co., Shrewsbury Dock.**
Location:: Mile 74.6, right bank, Kanawha River, Shrewsbury. Datum: NPE
Operator:: Not operated.
Owner: Cline Resources Development Co.
Address: 2978 E. DuPont Avenue. Phone: 304-595-6292
Town: Shrewsbury State: WV County: Kanawha
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.202222
Total Berthing Space (feet): 1940 | | Longitude (decimal): -81.475833
Remarks: Open storage area at rear has capacity for approximately 30,000 tons of coal. Wharf has capacity for mooring sixteen empty standard barges above and thirteen loaded standard barges below. Standard barges are stacked four deep and jumbo barges three deep. Facility was not in use at time of survey (2004).
Year of Last Survey: 2005 Corps of Engineers Location Code: 42374 Dock Code: 601

Waterway: **Kanawha River** Mile: 75.1 PWD: 46
Name:: **Coalburg Corp. Dock.**
Location:: Mile 75.1, left bank, Kanawha River, Coalburg. Datum: NPE
Operator:: Coalburg Corp.
Owner: Ford Coal Co.
Address: Phone: 304-949-6642
Town: Coalburg State: WV County: Kanawha
Railway Connection: None.
Purpose:: Shipment of coal; and mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.203056
Total Berthing Space (feet): 780 | | Longitude (decimal): -81.468889
Remarks: Open storage area with capacity for 10,000 tons is located at rear. Wharf has capacity for mooring four empty barges above and four loaded barges below.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42375 Dock Code: 102

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 76 PWD: 47
Name:: **International Coal Group, East Bank Dock.**
Location:: Mile 76.0, left bank, Kanawha River, East Bank. Datum: NPE
Operator:: Not operated.
Owner: International Coal Group, LLC.
Address: Phone: 606-920-7400
Town: East Bank State: WV County: Kanawha
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.213056
Total Berthing Space (feet): 1000 | | Longitude (decimal): -81.455
Remarks: Facility formerly was used for shipment of coal. Open storage area with capacity for 10,500 tons is located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42376 Dock Code: 002

Waterway: **Kanawha River** Mile: 76.4 PWD: 62
Name:: **AEP-MEMCO, Monarch Landing Dock.**
Location:: Mile 76.4, right bank, Kanawha River, Monarch. Datum: NPE
Operator:: AEP-MEMCO.
Owner: AEP-MEMCO.
Address: Phone: 636-530-2186
Town: Monarch State: WV County: Kanawha
Railway Connection: None.
Purpose:: Mooring barges for fleetings.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.217778
Total Berthing Space (feet): 1200 | | Longitude (decimal): -81.450833
Remarks: Upper fleet has capacity for mooring eighteen barges, arranged in 6 tiers, each 3 barges wide. Lower fleet has capacity for mooring thirty barges, arranged in 6 tiers, each 5 barges wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42376 Dock Code: 501

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 78.3 PWD: 61
Name:: **Appalachian Power Co., Kanawha River Plant, Glasgow Dock.**
Location:: Mile 78.3, right bank, Kanawha River, Glasgow. Datum: NPE
Operator:: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304-353-3513
Town: Glasgow State: WV County: Kanawha
Railway Connection: One surface track serves plant at rear; connects with Norfolk Southern Railway.
Purpose:: Receipt of coal for plant consumption; and mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.208333
Total Berthing Space (feet): 1170 | | Longitude (decimal): -81.425556
Remarks: Open storage area has capacity for approximately 325,000 tons of coal. Wharf has capacity for mooring twelve empty barges below, and twelve loaded barges above. One icebreaker cell is located on upper end. At time of survey, plans called for removal of unloading tower and replacement with a fixed, pedestal 360-degree swivel crane with a clamshell bucket on a sheet-pile cell .
Year of Last Survey: 2005 Corps of Engineers Location Code: 42378 Dock Code: 301

Waterway: **Kanawha River** Mile: 79.1 PWD: 48
Name:: **Law River Co., Crown Hill Aggregate Dock.**
Location:: Mile 79.1, left bank, Kanawha River, Crown Hill. Datum: NPE
Operator:: ABC Corp.
Owner: Law River Co., LLC.
Address: Phone: 304-595-1452
Town: Crown Hill State: WV County: Kanawha
Railway Connection: None.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.201944
Total Berthing Space (feet): 560 | | Longitude (decimal): -81.414167
Remarks: Open storage area with capacity for 2,000 tons of material is located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42379 Dock Code: 202

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 79.2 PWD: 49
Name:: **Law River Co., Crown Hill Coal Dock**
Location:: Mile 79.2, left bank, Kanawha River, Crown Hill. Datum: NPE
Operator:: Law River Co., LLC.
Owner: Law River Co., LLC.
Address: Phone: 304-595-1452
Town: Crown Hill State: WV County: Kanawha
Railway Connection: None.
Purpose:: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.202222
Total Berthing Space (feet): 1000 | | Longitude (decimal): -81.413056
Remarks: Open storage area with capacity for 100,000 tons of coal is located at rear. Wharf has capacity for mooring fifteen empty barges above and ten loaded barges below.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42379 Dock Code: 202

Waterway: **Kanawha River** Mile: 79.6 PWD: 60
Name:: **RJ Recycling., Riverside Yard Dock.**
Location:: Mile 79.6, right bank, Kanawha River, Riverside. Datum: NPE
Operator:: RJ Recycling, LLC.
Owner: RJ Recycling, LLC.
Address: U.S. Route 60. Phone: 304-595-6449
Town: Riverside State: WV County: Kanawha
Railway Connection: One surface track at rear of face, total length 200 feet, and connecting with Norfolk Southern Railroad was not in use at time of survey (2004).
Purpose:: Shipment of scrap metal.
Depth Alongside (feet): 8 | | Latitude (decimal): 38.205833
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.404722
Remarks: Approximately 15 acres of open storage area are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42379 Dock Code: 711

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 81.2 PWD: 59
Name:: **Shamblin Stone, Hugheston Lower Dock.**
Location:: Mile 81.2, right bank, Kanawha River, Hugheston. Datum: NPE
Operator:: Shamblin Stone, Inc.
Owner: Shamblin Stone, Inc.
Address: Phone: 304-766-7318 & 442-9487
Town: Hugheston State: WV County: Kanawha
Railway Connection: None.
Purpose:: Receipt of limestone, salt, sand, and gravel.
Depth Alongside (feet): 4 | | Latitude (decimal): 38.210833
Total Berthing Space (feet): 1015 | | Longitude (decimal): -81.378056
Remarks: Berthing distance is increased by deadmen on shore. Facility has no material storage on site; all commodities are transferred directly to trucks.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42381 Dock Code: 801

Waterway: **Kanawha River** Mile: 81.5 PWD: 58
Name:: **Montgomery Iron & Dock, Hugheston Dock.**
Location:: Mile 81.5, right bank, Kanawha River, Hugheston. Datum: NPE
Operator:: Not operated.
Owner: Frank and John Falbo.
Address: Phone: 304-442-2100
Town: Hugheston State: WV County: Kanawha
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.208889
Total Berthing Space (feet): 780 | | Longitude (decimal): -81.376667
Remarks: Facility formerly used for shipment of coal has capacity for mooring two empty barges above, and two loaded barges below. Approximately 12 acres of open storage area are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42381 Dock Code: 501

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 81.6 PWD: 57
Name:: **Baker Oil Co., Hugheston Dock.**
Location:: Mile 81.6, right bank, Kanawha River, Hugheston. Datum: NPE
Operator:: Baker Oil Co.
Owner: Baker Oil Co.
Address: U.S. Highway 60 Phone: 304-442-2439
Town: Hugheston State: WV County: Kanawha
Railway Connection: None.
Purpose:: Receipt of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.206944
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.376111
Remarks: Four 8-inch pipelines extend from wharf to two diesel storage tanks, total capacity 46,750 barrels, and to three gasoline storage tanks, total capacity 52,000 barrels.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42381 Dock Code: 601

Waterway: **Kanawha River** Mile: 81.7 PWD: 56
Name:: **Shamblin Stone, Hugheston Upper Dock.**
Location:: Mile 81.7, right bank, Kanawha River, Hugheston. Datum: NPE
Operator:: Shamblin Stone, Inc.
Owner: Shamblin Stone, Inc.
Address: Phone: 304-766-7318 & 442-9487
Town: Hugheston State: WV County: Kanawha
Railway Connection: None.
Purpose:: Receipt of limestone, salt, sand, and gravel.
Depth Alongside (feet): 8 | | Latitude (decimal): 38.205833
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.375556
Remarks: Approximately 5 acres of open storage area are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42381 Dock Code: 801

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 84.2 PWD: 55
Name:: **Mammoth Coal Processing, London Dock.**
Location:: Mile 84.2, right bank, Kanawha River, 1.5 miles above London. Datum: NPE
Operator:: Mammoth Coal Processing.
Owner: Massey Coal Services.
Address: Phone: 304-442-5108
Town: London State: WV County: Kanawha
Railway Connection: None.
Purpose:: Shipment of coal; and mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 12-15 | | Latitude (decimal): 38.202222
Total Berthing Space (feet): 3896 | | Longitude (decimal): -81.413056
Remarks: Open storage area with capacity for 400,000 tons of coal is located at rear. Wharf has capacity for mooring twenty-five empty barges above and twenty-six loaded barges below. At time of survey (2004), facility was idle due to a labor strike with pending reorganization by a new owner.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42384 Dock Code: 501

Waterway: **Kanawha River** Mile: 84.4 PWD: 50
Name:: **Mountain View Coal Co., Montgomery Dock.**
Location:: Mile 84.4, left bank, Kanawha River, Montgomery. Datum: NPE
Operator:: Not operated.
Owner: Mountain View Coal Co., a subsidiary of Peabody Energy.
Address: Phone: 304-340-1856
Town: Montgomery State: WV County: Kanawha
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 7 | | Latitude (decimal): 38.180833
Total Berthing Space (feet): 900 | | Longitude (decimal): -81.345
Remarks: Facility, formerly used for shipment of coal, has capacity for mooring ten empty barges above and six loaded barges below.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42384 Dock Code: 302

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 84.7 PWD: 51
Name:: **Marsico Brothers, Montgomery Dock.**
Location:: Mile 84.7, left bank, Kanawha River, Montgomery. Datum: NPE
Operator:: Marsico Brothers, Inc.
Owner: Marsico Brothers, Inc.
Address: 1220 Fayette Pike West. Phone: 304-442-9331
Town: Montgomery State: WV County: Kanawha
Railway Connection: None.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.181111
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.335278
Remarks: Ready-mix concrete plant and open storage area with capacity for 38,000 tons of material are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42384 Dock Code: 802

Waterway: **Kanawha River** Mile: 87.2 PWD: 52
Name:: **Kanawha River Mining, Eagle-Loading-Facility Dock.**
Location:: Mile 87.2, left bank, Kanawha River, Eagle. Datum: NPE
Operator:: Not operated.
Owner: Kanawha River Mining, a division of Lexington Coal Co.
Address: Phone: 606-920-7400
Town: Eagle State: WV County: Fayette
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.166111
Total Berthing Space (feet): 2970 | | Longitude (decimal): -81.308333
Remarks: Wharf has capacity for mooring eight empty barges above and ten loaded barges below. Facility was not in use at time of survey (2004).
Year of Last Survey: 2005 Corps of Engineers Location Code: 42387 Dock Code: 302

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Kanawha River** Mile: 88.1 PWD: 54
Name:: **Appalachian Fuels, Harewood-Loading Dock.**
Location:: Mile 88.1, right bank, Kanawha River, Harewood. Datum: NPE
Operator:: Not operated. (See Remarks.)
Owner: Kanawha Gauley Coal Co., leased to Kanawha Development Corp.
Address: Phone: 304-347-8207
Town: Harewood State: WV County: Fayette
Railway Connection: One surface track serving coal-loading spout in rear, total capacity 47 cars, and connecting with CSX Transportation, was not in use at time of survey.
Purpose:: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.158056
Total Berthing Space (feet): 1750 | | Longitude (decimal): -81.296389
Remarks: Open storage area with capacity for 20,000 tons of coal is located at rear. Facility has capacity for mooring twelve empty barges above and fifteen loaded barges below. Facility was not in use at time of survey (2004), and equipment described had been removed. Plans called for reconstruction of all equipment. □□
Year of Last Survey: 2005 Corps of Engineers Location Code: 42388 Dock Code: 101

Waterway: **Kanawha River** Mile: 89.7 PWD: 53
Name:: **Elkem Metals Co., Alloy Dock.**
Location:: Mile 89.7, right bank, Kanawha River, Alloy. Datum: NPE
Operator:: Not operated.
Owner: Elkem Metals Co., LP.
Address: Phone: 304-779-3238
Town: Alloy State: WV County: Fayette
Railway Connection: Two surface tracks in rear; connect with CSX Transportation, Inc. and Norfolk Southern Railway Co.
Purpose:: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.136389
Total Berthing Space (feet): 675 | | Longitude (decimal): -81.280556
Remarks: Open storage area with capacity for 100,000 tons of bulk materials is located at rear. Wharf has capacity for mooring twenty-four empty barges above and twenty-four loaded barges below. Facility was not in use at time of survey (2004).
Year of Last Survey: 2005 Corps of Engineers Location Code: 42389 Dock Code: 701

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Little Kanawha River** Mile: 2 PWD: 112
Name:: **Dock Side, Parkersburg Dock.**
Location:: Mile 2.0, left bank, Little Kanawha River, Parkersburg. Datum: NPE
Operator:: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises.
Owner: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises.
Address: 400 Buckeye Street. Phone: 304/485-0945
Town: Parkersburg State: WV County: Wood
Railway Connection: One surface track connects with Little Kanawha River Rail and CSX Transportation, Inc.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.2575
Total Berthing Space (feet): 380 | | Longitude (decimal): -81.539167
Remarks: Approximately 4 acres of open storage area are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42401 Dock Code: 902

Waterway: **Little Kanawha River** Mile: 2.1 PWD: 113
Name:: **Martin Marietta Materials, Parkersburg Yard Dock.**
Location:: Mile 2.1, left bank, Little Kanawha River, Parkersburg. Datum: NPE
Operator:: Martin Marietta Materials.
Owner: Martin Marietta Materials.
Address: Foot of Kanawha Street. Phone: 304-485-5481
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.256111
Total Berthing Space (feet): 800 | | Longitude (decimal): -81.535556
Remarks: Approximately 13 acres of open storage area with capacity for 60,000 tons of material are located at rear, Carl Kelly Paving Co. operates an asphalt plant on site.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42402 Dock Code: 102

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Little Kanawha River** Mile: 2.4 PWD: 114
Name:: **West Virginia Paving, Parkersburg Dock.**
Location:: Mile 2.4, left bank, Little Kanawha River, Parkersburg. Datum: NPE
Operator:: West Virginia Paving, Inc.
Owner: West Virginia Paving, Inc.
Address: Phone: 304-422-4709
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.2525
Total Berthing Space (feet): 900 | | Longitude (decimal): -81.531667
Remarks: Open storage area with capacity for 80,000 tons of material is located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42402 Dock Code: 401

Waterway: **Little Kanawha River** Mile: 3 PWD: 115
Name:: **Atlas Towing Co., Parkersburg Dock.**
Location:: Mile 3.0, right bank, Little Kanawha River, Parkersburg. Datum: NPE
Operator:: Atlas Towing Co.
Owner: Atlas Towing Co.
Address: Phone: 304-428-0341
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.247778
Total Berthing Space (feet): 1000 | | Longitude (decimal): -81.521111
Remarks: Open storage area with capacity for 50,000 tons of material is located at rear. Brown Asphalt Co. operates an asphalt plant on site.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42403 Dock Code: 001

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Mill Creek** Mile: 0.8 PWD: 107
Name:: **Valley, Millwood Plant Dock.**
Location:: Mile 0.8, left bank, Mill Creek, Millwood. Datum: NPE
Operator:: Valley, Inc.
Owner: Valley, Inc.
Address: Phone: 304-273-5555
Town: Millwood State: WV County: Jackson
Railway Connection: None.
Purpose:: Receipt of limestone, sand, gravel, and aluminum ingots.
Depth Alongside (feet): 12-14 | | Latitude (decimal): 38.89
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.849167
Remarks: Open storage area with capacity for 30,000 tons of material is located at rear. Two storage warehouses located at rear have capacity for 4,000 tons of salt arriving by truck. An additional four storage warehouses are available for storage of steel products and other materials.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42749 Dock Code: 804

Waterway: **Ohio River** Mile: 40 PWD: 180
Name:: **S. H. Bell Co., State Line Terminal Wharf.**
Location:: Mile 40.0, right bank, Ohio River, East Liverpool. Datum: NPE
Operator:: S. H. Bell Co.
Owner: S. H. Bell Co.
Address: 2217 Michigan Avenue. Phone: 330-385-5083
Town: East Liverpool State: OH County: Columbiana
Railway Connection: One platform-level track serves one warehouse, one loading platform, and undertrack pit and loading conveyor at terminal in rear; connects with Norfolk Southern Railway.
Purpose:: Receipt of ferroalloys, ores, fluorspar, refractory materials, gypsum rock, and miscellaneous bulk commodities.
Depth Alongside (feet): 9 - 11 | | Latitude (decimal): 40.639167
Total Berthing Space (feet): 1100 | | Longitude (decimal): -80.519167
Remarks: Terminal straddles the Ohio-Pennsylvania state line. Approximately 100 acres of concrete- and asphalt-surfaced open storage area; twenty-six steel frame, metal-covered concrete- and timber-walled warehouse buildings; and a total of 451,000 square feet of storage area, with three processing plants, are located at rear. CNC Marine of Georgetown, PA operates a fleeting area at lower end with capacity for mooring six barges in 2 tiers, each 3 barges wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43941 Dock Code: 001

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 41.2 PWD: 181
Name:: **S. H. Bell Co., Little England Terminal Wharf.**
Location:: Mile 41.2, right bank, Ohio River, East Liverpool. Datum: NPE
Operator:: S. H. Bell Co.
Owner: S. H. Bell Co.
Address: Foot of Walter Street. Phone: 330-385-5083
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose:: Receipt of ferroalloys, ores, fluorspar, refractory materials, gypsum rock, and miscellaneous bulk commodities.
Depth Alongside (feet): 9 - 11 | | Latitude (decimal): 40.633056
Total Berthing Space (feet): 650 | | Longitude (decimal): -80.539722
Remarks: Approximately 6 acres of concrete-paved open storage area; and two steel frame, metal-covered timber-walled warehouse buildings, with a total of 65,000 square feet of storage area, are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43941 Dock Code: 001

Waterway: **Ohio River** Mile: 41.4 PWD: 182
Name:: **Columbiana County Port Authority, Little England Wharf.**
Location:: Mile 41.4, right bank, Ohio River, East Liverpool. Datum: NPE
Operator:: Not operated.
Owner: Columbiana County Port Authority.
Address: 1250 St. George Street. Phone: 330-386-9051
Town: East Liverpool State: OH County: Columbiana
Railway Connection: One surface track at rear, connects with CSX Transportation, Inc.
Purpose:: Not used.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.631389
Total Berthing Space (feet): 800 | | Longitude (decimal): -80.544167
Remarks: Columbiana County Port Authority plant and office buildings are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43940 Dock Code: 101

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 42.2 PWD: 179
Name:: **Congo Corp., Chester Wharf.**
Location:: Mile 42.2, left bank, Ohio River, approximately 0.5 mile above Jennings Randolph Highway Bridge, Chester. Datum: NPE
Operator:: Congo Corp., a subsidiary of Orran Hofstetter, Inc.
Owner: Congo Corp., a subsidiary of Orran Hofstetter, Inc.
Address: 1100 Collins Memorial Drive. Phone: 304/387-3021
Town: Chester State: WV County: Hancock
Railway Connection: None.
Purpose:: Receipt and shipment of coal, coke, ores, fertilizers, light aggregate, and miscellaneous bulk materials. (See Remarks.)
Depth Alongside (feet): 15 | | Latitude (decimal): 40.622222
Total Berthing Space (feet): 500 | | Longitude (decimal): -80.553056
Remarks: Among commodities handled are bauxite, iron pellets, magnesite, diammonium phosphate fertilizer, urea, and mulch. Cranes load product directly into trucks for transfer to 3 acres of paved and 4 acres of unpaved open storage area at rear; to two warehouse buildings, one fiberglass and one shingle-covered over concrete walls with capacity for 6,000 tons; and to one brick-and-tile building with concrete roof, capacity 3,000 tons.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43938 Dock Code: 802

Waterway: **Ohio River** Mile: 42.3 PWD: 183
Name:: **D. W. Dickey & Son, East Liverpool Wharf.**
Location:: Mile 42.3, right bank, Ohio River, approximately 0.3 mile above Jennings Randolph Highway Bridge, East Liverpool. Datum: NPE
Operator:: D. W. Dickey & Son, Inc.
Owner: D. W. Dickey & Son, Inc.
Address: 700 River Road. Phone: 330-385-7930
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose:: Receipt of sand, gravel, and dry bulk fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.624722
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.559444
Remarks: Three concrete-walled bins with capacity for 3,500 tons of sand and 3,500 tons of gravel are located on apron. Fertilizer is transported by truck to seven timber-roofed warehouse buildings with concrete walls having capacity for 45,000 tons, located at 1080 Elmwood Street, 1 mile at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43939 Dock Code: 001

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 42.5 PWD: 184
Name:: **Agland Co-op, East Liverpool Grain Dock.**
Location:: Mile 42.5, right bank, Ohio River, approximately 0.1 mile above Jennings Randolph Highway Bridge, East Liverpool. Datum: NPE
Operator:: Agland Co-op.
Owner: Agland Co-op.
Address: 600 River Road. Phone: 330-533-5551
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose:: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.622778
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.5625
Remarks: Two storage silos at rear have total capacity for 160,000 bushels of grain.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43939 Dock Code: 201

Waterway: **Ohio River** Mile: 42.7 PWD: 185
Name:: **A.M. & O. Towing, East Liverpool Landing.**
Location:: Mile 42.7, right bank, Ohio River, approximately 0.1 mile below Jennings Randolph Highway Bridge, East Liverpool. Datum: NPE
Operator:: A.M. & O. Towing, Inc.
Owner: A.M. & O. Towing, Inc.
Address: River Road. Phone: 330-385-1728
Town: East Liverpool State: WV County: Columbiana
Railway Connection: None.
Purpose:: Mooring company-owned towboats for fleet and barge-switching operations.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.620278
Total Berthing Space (feet): 215 | | Longitude (decimal): -80.565278
Remarks: A.M. & O. Towing conducts the towing and switching side of the fleet and repair business operated by Billson Towing Co., Inc. (see P.W.D. Ref. No. 188).
Year of Last Survey: 2005 Corps of Engineers Location Code: 43939 Dock Code: 701

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 42.8 PWD: 186
Name:: **TransMontaigne Product Services, East Liverpool Terminal Wharf.**
Location:: Mile 42.8, right bank, Ohio River, approximately 0.2 mile below Jennings Randolph Highway Bridge, East Liverpool. Datum: NPE
Operator:: TransMontaigne Product Services, Inc.
Owner: TransMontaigne Product Services, Inc.
Address: 425 River Road. Phone: 330-385-5424
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose:: Receipt of liquid fertilizer and solvents.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.618889
Total Berthing Space (feet): 315 | | Longitude (decimal): -80.566667
Remarks: Two 6-inch fertilizer pipelines extend from wharf to two steel storage tanks in rear, total capacity 2,741,000 gallons; and two 6-inch solvent pipelines extend to two steel storage tanks, total capacity 2,111,000 gallons. Six additional, unused 6-inch pipelines extend from wharf.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43938 Dock Code: 211

Waterway: **Ohio River** Mile: 42.9 PWD: 187
Name:: **East Liverpool River-Rail Terminal Wharf.**
Location:: Mile 42.9, right bank, Ohio River, approximately 0.3 mile below Jennings Randolph Highway Bridge, East Liverpool. Datum: NPE
Operator:: East Liverpool River-Rail Terminal, Inc.
Owner: East Liverpool River-Rail Terminal, Inc.
Address: 395 River Road. Phone: 330-386-4747
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose:: Receipt of lubricating oils and styrene monomer.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.617778
Total Berthing Space (feet): 650 | | Longitude (decimal): -80.568056
Remarks: One 8- and four 6-inch, lubricating oil pipelines extend from wharf to seven steel storage tanks, total capacity 100,000 barrels. One 6-inch styrene pipeline extends from wharf to three steel storage tanks, total capacity 25,000 barrels.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43938 Dock Code: 221

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 43.1 PWD: 188
Name:: **Billson Towing Co., East Liverpool Repair Mooring.**
Location:: Mile 43.1, right bank, Ohio River, approximately 0.5 mile below Jennings Randolph Highway Bridge, East Liverpool. Datum: NPE
Operator:: Billson Towing Co., Inc. and A. M. & O. Towing, Inc.
Owner: A. M. & O. Towing, Inc. and East Liverpool River-Rail Terminal, Inc.
Address: 253 River Road. Phone: 330-385-3932
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose:: Mooring company-owned towboats, floating cranes, and floating drydocks; mooring towboats and barges for cleaning and repair; and mooring barges for fleetling.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.616111
Total Berthing Space (feet): 880 | | Longitude (decimal): -80.571389
Remarks: Berthing space includes 200 feet of river bank on upper side owned by East Liverpool River-Rail Terminal, Inc. extending to lower breasting dolphin of their wharf (P.W.D. Ref. No. 187). □ Billson Towing Co., Inc. moors one 1,000- and one 1,200-ton floating drydocks at mooring. A brick office building is located at rear. Billson Towing Co., Inc. also maintains a fleetling area at P.W.D. Ref. No. 192 with capacity for twenty-four barges, arranged 6-long by 4-wide. □ A.M.&O. Towing, Inc. fleets up to six barges in 2 tiers, each 3 barges wide at mooring. □
Year of Last Survey: 2005 Corps of Engineers Location Code: 43938 Dock Code: 011

Waterway: **Ohio River** Mile: 43.2 PWD: 189
Name:: **D. W. Dickey & Son, River Road Terminal, East Liverpool Dock.**
Location:: Mile 43.2, right bank, Ohio River, approximately 0.6 mile below Jennings Randolph Highway Bridge, East Liverpool. Datum: NPE
Operator:: D. W. Dickey & Son, Inc.
Owner: D. W. Dickey & Son, Inc.
Address: 100 River Road. Phone: 330-385-7930
Town: East Liverpool State: OH County: Columbiana
Railway Connection: One surface track serves undertrack pit at rear, connects with Norfolk Southern Railway.
Purpose:: Receipt of dry bulk fertilizer.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.615556
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.572778
Remarks: Rail-dumping pit and two hoppers in warehouse building serve conveyor system. Warehouse building of timber construction over low concrete walls has capacity for 12,000 tons of fertilizer.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43937 Dock Code: 801

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 43.7 PWD: 190
Name:: **Parsons Coal Co., East Liverpool Upper Wharf.**
Location:: Mile 43.7, right bank, Ohio River, approximately 0.7 mile above Newell Highway Datum: NPE
Bridge, East Liverpool.
Operator:: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.
Owner: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.
Address: First and Washington Streets. Phone: 330-385-5700
Town: East Liverpool State: OH County: Columbiana
Railway Connection: Two surface tracks in rear connect with Norfolk Southern Railway.
Purpose:: Receipt of coal, methanol, mineral spirits, and petroleum derivatives.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.614444
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.579167
Remarks: Wharf is contiguous with Seaforth Mineral & Ore Co., East Liverpool Wharf (P.W.D. Ref. No. 191).
□□ One 8- and five 6-inch pipelines extend from wharf to six steel storage tanks in rear: □□
Product Pipelines Tanks □ No. Size
No. Total Capacity □ Methanol (1 8-inch □ (2 6-
inch 3 1,890,000 gal. □ Polypropylene glycol 1 6-inch 1 630,000
gal. □ Mineral spirits 1 6-inch 1 420,000 gal. □ Light oils 1 6-
inch 1 5,000 bbl. □□ Three storage bins located at rear have capacity for 2,000 tons of
coal. Two warehouse buildings at rear are described under East Liverpool Lower Wharf (P.W.D. Ref.
No. 192).
Year of Last Survey: 2005 Corps of Engineers Location Code: 43937 Dock Code: 001

Waterway: **Ohio River** Mile: 43.9 PWD: 191
Name:: **Seaforth Mineral & Ore Co., East Liverpool Wharf.**
Location:: Mile 43.9, right bank, Ohio River, approximately 0.5 mile above Newell Highway Datum: NPE
Bridge, East Liverpool.
Operator:: Seaforth Mineral & Ore Co., Inc.
Owner: Seaforth Mineral & Ore Co., Inc. and City of East Liverpool.
Address: First and Market Streets. Phone: 330-386-8200
Town: East Liverpool State: OH County: Columbiana
Railway Connection: One surface track serving loading spout in rear connects with Norfolk Southern Railway.
Purpose:: Receipt of fluorspar, dry bulk boric acid, and other miscellaneous ores.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.615
Total Berthing Space (feet): 746 | | Longitude (decimal): -80.582222
Remarks: Upper and lower sides are contiguous with Parsons Coal Co., Inc., Upper and Lower Wharves
□ (P.W.D. Ref. Nos. 190 and 192, respectively). Four elevated hoppers serve electric bucket
elevators extending to eight truck-loading bins at rear. Approximately 5 acres of concrete-paved
open storage area and three brick warehouse buildings with a total area of 120,000 square feet are
located at rear. □□
Year of Last Survey: 2005 Corps of Engineers Location Code: 43937 Dock Code: 201

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 44 PWD: 192
Name:: **Parsons Coal Co., East Liverpool Lower Wharf.**
Location:: Mile 44.0, right bank, Ohio River, approximately 0.4 mile above Newell Highway Datum: NPE
Bridge, East Liverpool.
Operator:: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.
Owner: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.
Address: First and Jackson Streets. Phone: 330-385-5700
Town: East Liverpool State: OH County: Columbiana
Railway Connection: One surface track in rear connects with Norfolk Southern Railway.
Purpose:: Receipt and shipment of steel coils and pipe; and receipt of coal, gypsum rock, manganese, and other miscellaneous ores.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.615833
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.583611
Remarks: Wharf is contiguous with Seaforth Mineral & Ore Co. Wharf (P.W.D. Ref. No. 191). An open storage area with capacity for 3,000 tons of gypsum rock; one steel frame, metal-covered warehouse building with concrete walls and capacity for 5,600 tons of fluorspar; one brick warehouse building with capacity for 4,500 tons of ores and ilmenite; and two truck-loading hoppers, one served by an electric bucket elevator from the ore warehouse, are located in rear. One brick-, and one steel-frame, metal-covered warehouse buildings located at rear of Upper Wharf (P.W.D. Ref. No. 190) have capacity for a total of 2,800 tons of ferroalloys. Billson Towing Co. fleets up to twenty-four barges moored below wharf at a steel spar barge located along bank belonging to the city of East Liverpool, in 6 tiers, each 4 barges wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43937 Dock Code: 001

Waterway: **Ohio River** Mile: 46.5 PWD: 178
Name:: **Congo Corp., Newell Wharf.**
Location:: Mile 46.5, left bank, Ohio River, Newell. Datum: NPE
Operator:: Congo Corp., a subsidiary of Orran Hofstetter, Inc.
Owner: Congo Corp., a subsidiary of Orran Hofstetter, Inc.
Address: State Highway 2. Phone: 304-387-3021
Town: Newell State: WV County: Hancock
Railway Connection: None.
Purpose:: Receipt of bauxite and magnesite; occasional receipt of coal and coke.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.616111
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.626111
Remarks: At time of survey, plans called for construction of a steel-sheet-pile bulkhead with solid fill between faces of cell and pier extension. Approximately 34 acres of open storage area are located at rear. Bauxite and magnesite are directly transferred to trucks and thence to a processing plant operated by C.F. Minerals.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43934 Dock Code: 502

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 46.5 PWD: 177
Name:: **Shell Lubricants, Congo Plant Dock.**
Location:: Mile 46.5, left bank, Ohio River, Newell. Datum: NPE
Operator:: Ergon West Virginia, Inc. operates for Shell Lubricants.
Owner: Ergon West Virginia, Inc.
Address: State Route 2 South. Phone: 304-387-7035
Town: Newell State: WV County: Hancock
Railway Connection: Four surface tracks serve plant in rear; connect with Norfolk Southern Railway.
Purpose:: Receipt of base oils.
Depth Alongside (feet): 17 | | Latitude (decimal): 40.615
Total Berthing Space (feet): 160 | | Longitude (decimal): -80.629167
Remarks: Six 6-inch pipelines extend from upper cell to seven base oils storage tanks, total capacity 126,000 barrels. One 3-inch steam line serves upper cell.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43935 Dock Code: 501

Waterway: **Ohio River** Mile: 46.8 PWD: 176
Name:: **Ergon West Virginia, Congo Plant Dock.**
Location:: Mile 46.8, left bank, Ohio River, Newell. Datum: NPE
Operator:: Ergon West Virginia, Inc.
Owner: Ergon West Virginia, Inc.
Address: State Highway 2. Phone: 304-387-7035
Town: Newell State: WV County: Hancock
Railway Connection: Four surface tracks serve plant in rear; connect with Norfolk Southern Railway.
Purpose:: Receipt of crude oil; and receipt and shipment of petroleum products.
Depth Alongside (feet): 17 | | Latitude (decimal): 40.613889
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.630833
Remarks: One 8-inch crude oil pipeline extends from wharf to five steel storage tanks, total capacity 310,000 barrels; and one 10-, three 8-, and two 6-inch petroleum products pipelines extend from wharf to forty-eight steel storage tanks at rear, total capacity 690,000 barrels. At time of survey (2005), plans called for the addition of a 6-inch pipeline for petroleum products. One 4-inch steam, one 1-inch compressed air, and one 2-inch slop lines serve wharf.□□
Year of Last Survey: 2005 Corps of Engineers Location Code: 43934 Dock Code: 202

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 47.3 PWD: 175
Name:: **DTC Services, Congo Wharf.**
Location:: Mile 47.3, left bank, Ohio River, Congo. Datum: NPE
Operator:: DTC Services, Inc.
Owner: DTC Services, Inc.
Address: 2567 Congo Arroyo Road. Phone: 304-387-3860
Town: Congo State: WV County: Hancock
Railway Connection: None.
Purpose:: Mooring tank barges and dry barges for cleaning and repair. (See Remarks.)
Depth Alongside (feet): 9 | | Latitude (decimal): 40.608333
Total Berthing Space (feet): 1100 | | Longitude (decimal): -80.636944
Remarks: Operator performs cleaning on tank and hopper barges; in addition, top-side repairs and engine repairs are made to company-owned vessels. Welding shop is located on upper barge.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43934 Dock Code: 302

Waterway: **Ohio River** Mile: 47.7 PWD: 174
Name:: **DTC Services, Congo Fleet Mooring.**
Location:: Mile 47.7, left bank, Ohio River, Congo. Datum: NPE
Operator:: DTC Services, Inc.
Owner: Mountaineer Racetrack and Gaming Resort.
Address: State Highway 2. Phone: 304-387-3860
Town: Congo State: WV County: Hancock
Railway Connection: None.
Purpose:: Mooring barges for fleetings.
Depth Alongside (feet): 6 | | Latitude (decimal): 40.603611
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.640556
Remarks: Congo Fleet, with capacity for twelve barges in 3 tiers, each 4 barges wide, is operated from DTC Services Wharf (P.W.D. Ref. No. 175).
Year of Last Survey: 2005 Corps of Engineers Location Code: 43934 Dock Code: 702

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 48.4 PWD: 193
Name:: **Wellsville Terminals Co., Upper Wharf.**
Location:: Mile 48.4, right bank, Ohio River, Wellsville. Datum: NPE
Operator:: Wellsville Terminals Co.
Owner: Mississippi Lime Co.
Address: 18th Street. Phone: 330/532-1527
Town: Wellsville State: OH County: Columbiana
Railway Connection: One surface track at rear connects with Norfolk Southern Railway.
Purpose:: Receipt of lime; and mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 175 | | Longitude (decimal): -80.652778
Remarks: Wharf is contiguous with Wellsville Terminals Co. Lower Wharf (P.W.D. Ref. No. 194). Four steel storage silos at rear, each equipped with a truck-loading spout, have total capacity for 1,800 tons.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43932 Dock Code: 601

Waterway: **Ohio River** Mile: 48.5 PWD: 194
Name:: **Wellsville Terminals Co., Lower Wharf.**
Location:: Mile 48.5, right bank, Ohio River, Wellsville. Datum: NPE
Operator:: Wellsville Terminals Co.
Owner: Wellsville Terminals Co.
Address: 18th Street. Phone: 330532-1527
Town: Wellsville State: OH County: Columbiana
Railway Connection: One surface track at rear, with capacity of 20 cars, connects with Norfolk Southern Railway.
Purpose:: Receipt of coal, lime, and steel; mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.598056
Total Berthing Space (feet): 500 | | Longitude (decimal): -80.653889
Remarks: Wharf is contiguous with Upper Wharf (P.W.D. Ref. No. 193). Approximately 3 acres of open storage area and three warehouse buildings (2 steel frame, metal-covered over concrete walls and one of timber construction over concrete-block walls), total area of 70,800 square feet, are located at rear. Fleeting areas fronting city of Wellsville wastewater treatment plant below wharf and bank on opposite side of P.W.D. Ref. No. 19, have capacity for six barges in 2 tiers, each 3 barges wide. At time of survey, plans called for the construction of a 900-foot steel-sheet-pile bulkhead.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43932 Dock Code: 611

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 49.1 PWD: 196
Name:: **Columbiana County Port Authority, Wellsville Dock.**
Location:: Mile 49.4, right bank, Ohio River, Wellsville. Datum: NPE
Operator:: Columbiana County Port Authority.
Owner: Columbiana County Port Authority.
Address: 21st & Nevada Streets. Phone: 330/386-9051
Town: Wellsville State: OH County: Columbiana
Railway Connection: Two rail spurs served by Norfolk Southern Railway are available at the terminal with capacity for one unit train of 100 cars (one 3,800-foot and the other 3,600-foot, with plans to extend to 6,000 feet).
Purpose:: Receipt and shipment of containerized general cargo and miscellaneous dry and liquid bulk commodities, including steel coils, structural steel shapes, and billets.
Depth Alongside (feet): 40 | 9 | Latitude (decimal): 40.590556
Total Berthing Space (feet): 480 | | Longitude (decimal): -80.665278
Remarks: Four acres of riverside storage are available adjacent to the terminal; and an additional 25 acres are available on opposite side of railroad tracks. One 212,000-square-foot warehouse is available for processing material at the terminal. An additional 700 acres are available across State Route 7 for future distribution and processing facilities. One 6-inch pipeline extends from wharf to three steel storage tanks at rear, total capacity 872,000 barrels. Terminal was under construction at time of survey (2005).
Year of Last Survey: 2005 Corps of Engineers Location Code: 43932 Dock Code: 402

Waterway: **Ohio River** Mile: 49.1 PWD: 195
Name:: **Marathon Petroleum Corp., Wellsville Wharf.**
Location:: Mile 49.1, right bank, Ohio River, Wellsville. Datum: NPE
Operator:: Marathon Petroleum Corp, LLC.
Owner: Marathon Petroleum Corp, LLC.
Address: 21st & Nevada Streets. Phone: 330/532-1273 ext 21
Town: Wellsville State: OH County: Columbiana
Railway Connection: None.
Purpose:: Receipt and shipment of asphalt; and receipt of fuel oil.
Depth Alongside (feet): 30 | 9 | Latitude (decimal): 40.593056
Total Berthing Space (feet): 440 | 315 | Longitude (decimal): -80.660556
Remarks: Three 10-inch pipelines extend from wharf to three fuel oil storage tanks at rear, total capacity 259,000 barrels. One 8-inch pipeline extends from wharf to one 54,000-barrel asphalt storage tank at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43931 Dock Code: 901

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 49.7 PWD: 197
Name:: **Quality Liquid Feeds, Wellsville Dock.**
Location:: Mile 49.7, right bank, Ohio River, Wellsville. Datum: NPE
Operator:: Quality Liquid Feeds, Inc.
Owner: Columbiana Port Authority.
Address: 2402 Clark Avenue. Phone: 330-532-4635
Town: Wellsville State: OH County: Columbiana
Railway Connection: None.
Purpose:: Receipt of molasses.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.585
Total Berthing Space (feet): 425 | | Longitude (decimal): -80.667778
Remarks: One 12- and one 8-inch pipelines, connecting to a 6-inch pipeline extends from wharf to three steel storage tanks at rear, total capacity 872,000 barrels. One 3-inch steam line serves wharf. Two other liquid storage tanks are available for future use, each with a 36,000-barrel capacity. At time of survey, plans called for this operator to move to P.W.D. Ref. No. 196 and convert terminal to other uses.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43932 Dock Code: 701

Waterway: **Ohio River** Mile: 51 PWD: 173
Name:: **DTC Services, Iron City Fleet Mooring.**
Location:: Mile 51.0, left bank, Ohio River, Arroyo. Datum: NPE
Operator:: DTC Services, Inc.
Owner: Mountaineer Racetrack and Gaming Resort.
Address: Phone: 304-387-3860
Town: Arroyo State: WV County: Hancock
Railway Connection: None.
Purpose:: Mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.569444
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.6575
Remarks: DTC Services, Inc. leases the cells; there is no landside access. Up to twenty barges can moor along cells in 5 tiers, each 4 barges wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43930 Dock Code: 002

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 53.1 PWD: 198
Name:: **First Energy Corp., W. H. Sammis Steam Generating Plant Unloading Dock.**
Location:: Mile 53.1, right bank, Ohio River, approximately 1.0 mile above New Cumberland Locks and Dam, Stratton. Datum: NPE
Operator:: First Energy Corp.
Owner: First Energy Corp.
Address: State Highway 7. Phone: 740-537-6516
Town: Stratton State: OH County: Jefferson
Railway Connection: One surface track serving plant in rear, capacity 118 cars, connects with Norfolk Southern Railway.
Purpose:: Receipt of coal.
Depth Alongside (feet): 22 | 22 | Latitude (decimal): 40.540833
Total Berthing Space (feet): 1638 | 1700 | Longitude (decimal): -80.635556
Remarks: One permanently-moored steel barge, with 70- by 2-foot steel catwalk approach, moored to two cells between the loading towers is used as a towboat landing, providing 69 feet of berthing space. One 5-ton mast-and-boom derrick with 15-foot boom, equipped with traveling electric hoist, is located on a 40-foot cell near the landing for handling equipment. One 7-cubic-yard, diesel front-end loader and five diesel crawler bulldozers serve storage area's ground-level hoppers serving a 52-inch, electric belt-conveyor extending to power plant. Storage area has capacity for 900,000 tons of coal. Upper row and lower rows have capacity for forty-eight barges in 6 tiers, each 8 barges wide, and thirty barges in 5 tiers, each 6 barges wide, respectively.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43928 Dock Code: 101

Waterway: **Ohio River** Mile: 57.5 PWD: 199
Name:: **First Energy Corp., Toronto Steam Generating Plant Unloading Dock.**
Location:: Mile 57.5, right bank, Ohio River, Toronto. Datum: NPE
Operator:: Not operated.
Owner: First Energy Corp.
Address: N. Fourth Street. Phone:
Town: Toronto State: OH County: Jefferson
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.485
Total Berthing Space (feet): 1100 | | Longitude (decimal): -80.603611
Remarks: Open storage area in rear for coal received by truck has capacity for 150,000 tons.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43923 Dock Code: 501

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 61.5 PWD: 172
Name:: **Mittal Steel USA - Weirton, Browns Island Coke Landings.**
Location:: Miles 61.5 and 61.3, northeast bank, Ohio River (Browns Island), Weirton. Datum: NPE
Operator:: Mittal Steel USA - Weirton, Inc.
Owner: Mittal Steel USA - Weirton, Inc.
Address: 400 Three Springs Drive. Phone: 304-797-3276
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose:: Receipt of coke.
Depth Alongside (feet): 14-16 | 14-16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.607778
Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43918 Dock Code: 802

Waterway: **Ohio River** Mile: 61.8 PWD: 171
Name:: **Mittal Steel USA - Weirton, Dock No. 2.**
Location:: Mile 61.8, left bank, Ohio River, Weirton. Datum: NPE
Operator:: Mittal Steel USA - Weirton, Inc.
Owner: Mittal Steel USA - Weirton, Inc.
Address: 400 Three Springs Drive. Phone: 304-797-3276
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Norfolk Southern Railway.
Purpose:: Receipt of ore, scrap metal, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1260 | | Longitude (decimal): -80.604444
Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel-sheet-pile wall at rear of row of dolphins below wharf impounds plant-water filtration lagoons. Up to twenty-four barges can moor at dolphins and barge in three blocks of twelve, 9 and 3, respectively, each 3 barges wide. Waterfront is continuous with P.W.D. Ref. Nos. 169 and 170.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43918 Dock Code: 802

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 62.1 PWD: 170
Name:: **Mittal Steel USA - Weirton, Dock No. 1.**
Location:: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator:: Mittal Steel USA - Weirton, Inc.
Owner: Mittal Steel USA - Weirton, Inc.
Address: 400 Three Springs Drive. Phone: 304-797-3276
Town: Weirton State: WV County: Hancock
Railway Connection: One platform-level track serves warehouse in rear; connects with Norfolk Southern Railway.
Purpose:: Receipt of scrap metal, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 1260 | | Longitude (decimal): -80.604167
Remarks: One building located at rear is used as storage warehouse and has capacity for 2,000 tons of steel products. Up to nine barges can moor on upper side, arranged 3-long by 3-wide; and up to twelve barges can moor on lower side, arranged in three blocks of 3, six and three barges, respectively, each 3 barges wide. Waterfront is continuous with P.W.D. Ref. Nos. 169 and 171.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43918 Dock Code: 802

Waterway: **Ohio River** Mile: 62.4 PWD: 169
Name:: **Mittal Steel USA - Weirton, Fuel Oil Dock and Moorings.**
Location:: Mile 62.4, left bank, Ohio River, Weirton. Datum: NPE
Operator:: Mittal Steel USA - Weirton, Inc.
Owner: Mittal Steel USA - Weirton, Inc.
Address: 400 Three Springs Drive. Phone: 304-797-3276
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Norfolk Southern Railway.
Purpose:: Receipt of fuel oil; and mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 2120 | 350 Longitude (decimal): -80.604444
Remarks: Two 8-inch becoming one 14-inch pipeline extends from platform to six fuel oil storage tanks; total capacity 133,500 barrels. Up to four barges are moored at upper mooring, arranged 2-long by 2-wide. Up to thirty-six barges are moored at lower mooring, arranged in 3 blocks, each 3-long by 4-wide. Waterfront is continuous with P.W.D. Ref. Nos. 170 and 171.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43918 Dock Code: 802

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 62.5 PWD: 168
Name:: **L & J Bowers, Weirton Wharf.**
Location:: Mile 62.5, east bank, Ohio River (Browns Island), Weirton. Datum: NPE
Operator:: Not operated.
Owner: L & J Bowers, Inc.
Address: - Phone: 740/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.607778
Remarks: Coke plant on Browns Island was closed at time of survey (2005); all equipment had been removed.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43919 Dock Code: 502

Waterway: **Ohio River** Mile: 64.9 PWD: 167
Name:: **Petroleum Fuel and Terminal Co., Pittsburgh/Weirton Division Wharf.**
Location:: Mile 64.9, left bank, Ohio River, Weirton. Datum: NPE
Operator:: Petroleum Fuel and Terminal Co., a subsidiary of Apex Oil Co.
Owner: Mittal Steel USA - Weirton.
Address: 3048 Birch Drive. Phone: 304-748-1190
Town: Weirton State: WV County: Brooke
Railway Connection: None.
Purpose:: Receipt and shipment of petroleum products.
Depth Alongside (feet): 8 | | Latitude (decimal): 40.392222
Total Berthing Space (feet): 440 | | Longitude (decimal): -80.63
Remarks: Four 8-inch pipelines (2 blanked off), one with 4- and 2-inch fueling connections, extend from wharf to five steel storage tanks at rear, total capacity 685,000 barrels. One 3- and two 2-inch steam lines serve wharf.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43916 Dock Code: 102

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 65.6 PWD: 200
Name:: **L. & J. Bowers, Steubenville Terminal Wharf.**
Location:: Mile 65.6, right bank, Ohio River, approximately 0.7 mile above Steubenville-Weirton Highway Bridge, Steubenville. Datum: NPE
Operator:: L. & J. Bowers, Inc.
Owner: L. & J. Bowers, Inc.
Address: 1210 LaBelle Avenue Extension. Phone: 740/264-7731
Town: Steubenville State: OH County: Jefferson
Railway Connection: None.
Purpose:: Receipt and shipment of scrap metal, slag, steel coils, and machinery; mooring barges for cleaning.
Depth Alongside (feet): 10 | | 10 Latitude (decimal): 40.383056
Total Berthing Space (feet): 1000 | | Longitude (decimal): -80.623333
Remarks: Four acres of open storage area are located at rear. Two steel frame, metal-covered warehouses with concrete floors, each with 7,200 square feet of storage space for steel coils, are located on Labelle Avenue Extension, 0.6 mile below wharf, and on Two Ridges Road in Wintersville, 7 miles from wharf. Two 15- and one 30-ton, LP-gas forklift trucks serve each warehouse. Wharf has capacity for mooring 10 barges, 2 wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43915 Dock Code: 401

Waterway: **Ohio River** Mile: 65.7 PWD: 166
Name:: **Weirton Ice & Coal Supply Co., Half Moon Industrial Park, Weirton General Cargo Wharf.**
Location:: Mile 65.7, left bank, Ohio River, approximately 0.6 mile above Steubenville-Weirton Highway Bridge, Weirton. Datum: NPE
Operator:: Weirton Ice & Coal Supply Co.
Owner: Weirton Ice & Coal Supply Co.
Address: Birch Drive. Phone: 304/748-1400
Town: Weirton State: WV County: Brooke
Railway Connection: One surface track serves yard at rear; connects with Norfolk Southern Railway.
Purpose:: Receipt and shipment of miscellaneous dry bulk materials and steel; receipt of lime; and mooring barges for cleaning and fleeting.
Depth Alongside (feet): 10-11 | | Latitude (decimal): 40.385278
Total Berthing Space (feet): 2045 | | Longitude (decimal): -80.621111
Remarks: Facilities at rear include two limestone storage silos with total capacity for 1,000 tons; two storage warehouses with a total of 30,000 square feet of storage area; and open storage area with capacity for 75,000 tons of coal. Wharf is adjacent to P.W.D. Ref. No. 165, providing 3,310 feet of continuous berthing space, including fleeting for up to twenty-five barges in 8 tiers, each 3 to 4 barges wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43915 Dock Code: 002

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 66 PWD: 165
Name:: **Weirton Ice & Coal Supply Co., Half Moon Industrial Park, Weirton Slag Wharf.**
Location:: Mile 66.0, left bank, Ohio River, approximately 0.3 mile above Steubenville-Weirton Highway Bridge, Weirton. Datum: NPE
Operator:: Weirton Ice & Coal Supply Co.
Owner: Weirton Ice & Coal Supply Co.
Address: Birch Drive. Phone: 304-797-5264
Town: Weirton State: WV County: Brooke
Railway Connection: One surface track serves yard at rear; connects with Norfolk Southern Railway.
Purpose:: Shipment of crushed slag; mooring coal conveyor barge; and mooring barges for fleeting.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.384444
Total Berthing Space (feet): 1405 | | Longitude (decimal): -80.618056
Remarks: Two processing plants, served by receiving hoppers and truck-dumping pits, one for coal (inactive at time of survey) and one for slag and stone, are located in rear. Wharf is adjacent to P.W.D. Ref. No. 166, providing 3,310 feet of berthing space. Fleeting area is described under P.W.D. Ref. No. 166.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43915 Dock Code: 002

Waterway: **Ohio River** Mile: 66.2 PWD: 201
Name:: **Steubenville, Marina Wharf.**
Location:: Mile 66.2, right bank, Ohio River, 500 feet above Steubenville-Weirton Highway Bridge, Steubenville. Datum: NPE
Operator:: City of Steubenville.
Owner: City of Steubenville.
Address: Labelle Avenue Extension. Phone: 740-283-6000 x3302
Town: Steubenville State: OH County: Jefferson
Railway Connection: None.
Purpose:: Transient mooring of vessels.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.379722
Total Berthing Space (feet): 1250 | | Longitude (decimal): -80.616667
Remarks: Wharf is former landward wall of Army Corps of Engineers Lock No. 10. A launching ramp for recreational craft is located below wharf. Steubenville Marina Park is located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43914 Dock Code: 801

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 68.8 PWD: 164
Name:: **Wheeling-Pittsburgh Steel Corp., Follansbee Plant Light Oil Dock.**
Location:: Mile 68.8, left bank, Ohio River, below LaBelle Railroad Bridge, Follansbee. Datum: NPE
Operator:: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: State Highway 2. Phone: 740-283-5604
Town: Follansbee State: WV County: Brooke
Railway Connection: One surface track serves steel mill at rear; connects with Norfolk Southern Railway.
Purpose:: Shipment of light oil.
Depth Alongside (feet): 21 | | Latitude (decimal): 40.346667
Total Berthing Space (feet): 465 | | Longitude (decimal): -80.609444
Remarks: Permanently-moored barge extends outward from upper dolphin when row is used for mooring hopper barges, allowing tank barges to load at outer end, otherwise, barge is moored along row. One 8-inch pipeline extends to upper dolphin from one steel, 600,000-barrel storage tank at rear. Plant-water intake pump is located on steel barge moored below lowest dolphin. Up to fifteen barges can be moored in 3 tiers, each 5 barges wide, overlapping P.W.D. Ref. No. 163.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43912 Dock Code: 102

Waterway: **Ohio River** Mile: 68.9 PWD: 163
Name:: **Wheeling-Pittsburgh Steel Corp., Follansbee Plant Coal Dock.**
Location:: Mile 68.9, left bank, Ohio River, approximately 800 feet below LaBelle Railroad Bridge, Follansbee. Datum: NPE
Operator:: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: State Highway 2. Phone: 740-283-5604
Town: Follansbee State: WV County: Brooke
Railway Connection: One surface track serves steel mill at rear; connects with Norfolk Southern Railway.
Purpose:: Receipt of coal; and shipment of coke breeze and ammonium sulfate.
Depth Alongside (feet): 21 | | Latitude (decimal): 40.344444
Total Berthing Space (feet): 1100 | | Longitude (decimal): -80.608611
Remarks: Four coal storage bins, total capacity 2,400 tons; one 200-ton-capacity surge bin; and open storage area for 250,000 tons of coal are all located at rear. Traveling bridge cranes rehandle coal to coke plant at rear. Up to twenty-four barges are moored at dolphins below bulkhead, in 4 tiers, each 6 barges wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43912 Dock Code: 102

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 69.1 PWD: 162
Name:: **Wheeling-Pittsburgh Steel Corp., Follansbee Fleet Mooring.**
Location:: Mile 69.1, left bank, Ohio River, Follansbee. Datum: NPE
Operator:: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp. and Koppers, Inc.
Address: State Highway 2. Phone: 740-283-5604
Town: Follansbee State: WV County: Brooke
Railway Connection: None.
Purpose:: Mooring barges for fleetings.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.341667
Total Berthing Space (feet): 800 | | Longitude (decimal): -80.608056
Remarks: Koppers Industries, Inc. owns the lower two dolphins. Plant water intake pump is located on a steel barge with an adjustable gangway approach moored between the dolphins. □ Wheeling-Pittsburgh Steel Corp. owns the upper four dolphins and icebreaker cells, and moors up to twelve barges in 4 tiers, each 3 barges wide alongside the six cells.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43912 Dock Code: 102

Waterway: **Ohio River** Mile: 69.3 PWD: 161
Name:: **Koppers, Follansbee Plant Dock.**
Location:: Mile 69.3, left bank, Ohio River, Follansbee. Datum: NPE
Operator:: Koppers, Inc..
Owner: Koppers, Inc.
Address: State Highway 2. Phone: 304-527-5510
Town: Follansbee State: WV County: Brooke
Railway Connection: Four surface tracks serve plant at rear; connect with Norfolk Southern Railway.
Purpose:: Receipt and shipment of coal tar, refined chemical oil, naphthelene-still residue (NSR), creosote, and pitch; shipment of sodium cresylate and carbon black oil.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.339722
Total Berthing Space (feet): 480 | | Longitude (decimal): -80.608056
Remarks: One 6-inch pipeline extends from wharf to one hundred steel, coal-tar, and refined chemical-oil storage tanks, total capacity 25,000,000 gallons; to three steel, sodium-cresylate storage tanks, total capacity 500,000 gallons; to two NSR tanks, total capacity 500,000 gallons; to six creosote tanks, total capacity 300,000 gallons; and to one steel, 441,000-gallon carbon-black oil storage tank. One 4-inch steam line serves wharf.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43911 Dock Code: 702

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 69.3 PWD: 160
Name:: **Koppers, Follansbee Plant Enamel Wharf.**
Location:: Mile 69.3, left bank, Ohio River, Follansbee. Datum: NPE
Operator:: Not operated.
Owner: Koppers, Inc.
Address: State Highway 2. Phone: 304-527-5510
Town: Follansbee State: WV County: Brooke
Railway Connection: Four surface tracks serve plant at rear; connect with Norfolk Southern Railway.
Purpose:: Not used.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.339167
Total Berthing Space (feet): 150 | | Longitude (decimal): -80.607778
Remarks: -
Year of Last Survey: 2005 Corps of Engineers Location Code: 43911 Dock Code: 702

Waterway: **Ohio River** Mile: 70 PWD: 159
Name:: **Kinder Morgan Arrow Terminals, Follansbee Wharf.**
Location:: Mile 70.0, left bank, Ohio River, Follansbee. Datum: NPE
Operator:: Kinder Morgan Arrow Terminals.
Owner: Kinder Morgan Arrow Terminals.
Address: State Highway 2. Phone: 740-535-2200
Town: Follansbee State: WV County: Brooke
Railway Connection: None.
Purpose:: Receipt of iron ore fines, coal, and coke.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.331667
Total Berthing Space (feet): 2020 | | Longitude (decimal): -80.601389
Remarks: Contractor AM & O Towing provides semi-permanent landing barge with unloading equipment listed above. Product is transported by truck to the Wheeling-Pittsburgh Steel Corp. plant. Two barge fleets have capacity for up to forty barges each, arranged 5-long by 8-wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43911 Dock Code: 002

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 70.7 PWD: 202
Name:: **Wheeling-Pittsburgh Steel Corp., Steubenville South Plant Wharf.**
Location:: Mile 70.7 right bank, Ohio River, above Norfolk Southern (Wheeling & Lake Erie) Datum: NPE
Railway Bridge, Mingo Junction.
Operator:: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: State Highway 7. Phone: 740/283-5581
Town: Mingo Junction State: OH County: Jefferson
Railway Connection: None.
Purpose:: Receipt of iron ore pellets.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.319444
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.601944
Remarks: Mooring area across river has capacity for ten barges arranged in 5 tiers, 2 abreast.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43910 Dock Code: 101

Waterway: **Ohio River** Mile: 70.9 PWD: 203
Name:: **Wheeling-Pittsburgh Steel Corp., Steubenville South Plant Wharf and Mooring.**
Location:: Mile 70.9, right bank, Ohio River, above Norfolk Southern (Wheeling & Lake Erie) Datum: NPE
Railway Bridge, Mingo Junction.
Operator:: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: State Highway 7. Phone: 740/283-5863
Town: Mingo Junction State: OH County: Jefferson
Railway Connection: Two surface tracks at rear of wharf joins additional plant trackage; connect with Wheeling & Lake Erie Railway.
Purpose:: Shipment of steel coils and sheets; mooring barges.
Depth Alongside (feet): 15 | | 15 Latitude (decimal): 40.317778
Total Berthing Space (feet): 265 | | 1500 Longitude (decimal): -80.601667
Remarks: Mooring area has capacity for ten barges arranged in 5 tiers, 2 abreast.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43910 Dock Code: 101

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 71 PWD: 158
Name:: **Johnson Towing Corp., Follansbee Wharf.**
Location:: Mile 71.0, left bank, Ohio River, Follansbee. Datum: NPE
Operator:: Not operated.
Owner: Johnson Towing Corp.
Address: State Highway 2. Phone: 614-527-3147
Town: Follansbee State: WV County: Brooke
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.316944
Total Berthing Space (feet): 320 | | Longitude (decimal): -80.5975
Remarks: Approximately 2,200 feet of river frontage allows mooring of up to twenty barges, 5-long by 4-wide.
Site was for sale at time of survey (2005).
Year of Last Survey: 2005 Corps of Engineers Location Code: 43910 Dock Code: 020

Waterway: **Ohio River** Mile: 71.5 PWD: 204
Name:: **Wheeling-Pittsburgh Steel Corp., Steubenville South Plant Dock.**
Location:: Mile 71.5, right bank, Ohio River, below Norfolk Southern (Wheeling & Lake Erie) Datum: NPE
Railway Bridge, Mingo Junction.
Operator:: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: State Highway 7. Phone: 740/283-5581
Town: Mingo Junction State: OH County: Jefferson
Railway Connection: None.
Purpose:: Occasional receipt of pig iron.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.309444
Total Berthing Space (feet): 20 | | Longitude (decimal): -80.604722
Remarks: -
Year of Last Survey: 2005 Corps of Engineers Location Code: 43910 Dock Code: 101

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 74.7 PWD: 157
Name:: **Bartley Marine, Wellsburg Yard Dock.**
Location:: Mile 74.7, left bank, Ohio River, Wellsburg, on south shore of Buffalo Creek. Datum: NPE
Operator:: Bartley Marine, Inc.
Owner: Bartley Marine, Inc.
Address: 2109 Yankee Street. Phone: 304-479-2756
Town: Wellsburg State: WV County: Brooke
Railway Connection: None
Purpose:: Mooring barges for fleetling and cleaning; and mooring company-owned towboats for maintenance.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.263889
Total Berthing Space (feet): 181 | | Longitude (decimal): -80.616667
Remarks: Fleetling area is available on lower side, with capacity for twenty barges arranged 5-long by 4-wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43907 Dock Code: 701

Waterway: **Ohio River** Mile: 76.9 PWD: 205
Name:: **Ohio Power Co., Cardinal Steam Generating Plant Wharves.**
Location:: Mile 76.9, right bank, Ohio River, Brilliant. Datum: NPE
Operator:: Cardinal Operating Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power System Co.; and Buckeye Power, Inc.
Address: 306 County Road 7E. Phone: 740-598-6532 Ext 6533
Town: Brilliant State: OH County: Jefferson
Railway Connection: One surface track serves undertrack pit at plant in rear; connects with Wheeling & Lake Erie Railway.
Purpose:: Receipt of coal and fuel oil.
Depth Alongside (feet): 23 | 23 | 23 Latitude (decimal): 40.247778
Total Berthing Space (feet): 2400 | 2000 | 150 Longitude (decimal): -80.650556
Remarks: Three concrete silos, total capacity 31,000 tons, and open storage area for 1,100,000 tons of coal are located at rear. One 8-inch pipeline extends from fuel oil berth to four steel storage tanks in rear, total capacity 52,400 barrels. Up to sixty barges can moor at wharves, in 15 tiers, each 4 barges wide, divided between two coal-unloading berths and a 700-foot row of four cellular breasting dolphins approximately 0.4 mile below lower unloading tower.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43904 Dock Code: 801

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 80.9 PWD: 206
Name:: **Warrenton River Terminal, Rayland Dock.**
Location:: Mile 80.9, right bank, Ohio River, Rayland. Datum: NPE
Operator:: Warrenton River Terminal, Ltd.
Owner: Warrenton River Terminal, Ltd.
Address: Old Route 7. Phone: 888/603-8500
Town: Rayland State: OH County: Jefferson
Railway Connection: One surface track in plant at rear connects with Wheeling & Lake Erie Railway.
Purpose:: Receipt and shipment of coal, steel, fertilizer (urea), and heavy metals.
Depth Alongside (feet): 25 | | Latitude (decimal): 40.191667
Total Berthing Space (feet): 800 | | Longitude (decimal): -80.674722
Remarks: Truck-receiving hopper in open storage area serves 48- and 36-inch, electric belt-conveyor systems extending to four stacking towers served by a reclaiming tunnel, storage capacity 30,000 tons of coal. Additional open storage area at rear has capacity for 50,000 tons of coal. Reclaiming system serves truckloading hopper as well as barge loader. Up to sixteen barges in 4 tiers, each 4 barges wide can moor at wharf. Coal-reclaiming equipment includes: one 12-cubic-yard and two 10-cubic-yard front-end loaders; and one 15- and one 35-ton dozers.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43900 Dock Code: 101

Waterway: **Ohio River** Mile: 81.1 PWD: 207
Name:: **S&S Terminal, Rayland Dock.**
Location:: Mile 81.1, right bank, Ohio River, Rayland. Datum: NPE
Operator:: S&S Terminal, a division of Shelly & Sands, Inc.
Owner: Shelly & Sands, Inc.
Address: Old Route 7. Phone: 740-859-2131
Town: Rayland State: OH County: Jefferson
Railway Connection: None.
Purpose:: Receipt of liquid asphalt.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.189444
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.677778
Remarks: One 10-inch pipeline extends from wharf to six steel storage tanks at rear, total capacity 347,000 barrels.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43899 Dock Code: 901

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 82.2 PWD: 156
Name:: **Tunnel Ridge, Mine No. 1 Pike Island Wharf.**
Location:: Mile 82.2, left bank, Ohio River, approximately 1.8 miles above Pike Island Locks- Datum: NPE
and- Dam.
Operator:: Not operated.
Owner: Tunnel Ridge, LLC, a subsidiary of Alliance Coal.
Address: State Highway 2. Phone: 859-224-7200
Town: Pike Island State: WV County: Ohio
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.175
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.685
Remarks: Concrete surge silo has capacity for 12,000 tons of coal. At time of survey (2005), mining permits had been filed, with plans for reopening the facility.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43899 Dock Code: 802

Waterway: **Ohio River** Mile: 82.8 PWD: 208
Name:: **Walden Industries, Tiltonsville Dock.**
Location:: Mile 82.8, right bank, Ohio River, Tiltonsville. Datum: NPE
Operator:: Walden Industries, Inc.
Owner: Walden Industries, Inc.
Address: 3rd & Main Streets. Phone: 740/859-2191
Town: Tiltonsville State: OH County: Jefferson
Railway Connection: None.
Purpose:: Receipt of sand and gravel.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.17
Total Berthing Space (feet): 800 | | Longitude (decimal): -80.694444
Remarks: Open storage area at rear has capacity for 40,000 tons of sand and gravel. An additional 22 acres are available as needed on adjacent property. Ready-mix concrete and concrete-block plants are located at rear. Up to four barges can moor at wharf.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43898 Dock Code: 201

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 83.4 PWD: 209
Name:: **Wheeling-Pittsburgh Steel Corp., Yorkville Plant Dock.**
Location:: Mile 83.4, right bank, Ohio River, approximately 0.8 mile above Pike Island Locks and Dam, Yorkville. Datum: NPE
Operator:: Not operated.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: 219 Public Road. Phone: 304/650-6422 (cell)
Town: Yorkville State: OH County: Jefferson
Railway Connection: One surface track at rear and additional tracks serving plant and connecting with Wheeling & Lake Erie Railway were not in use at time of survey (2005).
Purpose:: Not used.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.160833
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.700556
Remarks: Wharf formerly was used for shipment of steel products loaded directly from trucks into barges.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43897 Dock Code: 601

Waterway: **Ohio River** Mile: 85.8 PWD: 155
Name:: **Tri-State Petroleum Corp., Warwood Terminal Dock.**
Location:: Mile 85.8, left bank, Ohio River, Wheeling. Datum: NPE
Operator:: Not operated.
Owner: Tri-State Petroleum Corp.
Address: North 27th Street & Vance Avenue. Phone: 304-277-3232 x 12
Town: Wheeling State: WV County: Ohio
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.128611
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.704444
Remarks: One 6-inch pipeline extending from wharf to three steel storage tanks at rear, total capacity 28,500 barrels, was not in use at time of survey (2005).
Year of Last Survey: 2005 Corps of Engineers Location Code: 43895 Dock Code: 202

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 88.5 PWD: 210
Name:: **Wheeling-Pittsburgh Steel Corp., Martins Ferry Plant Dock.**
Location:: Mile 88.5, right bank, Ohio River, approximately 0.5 mile above Wheeling Terminal Datum: NPE
Railway Bridge, Martins Ferry.
Operator:: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: 1001 Main Street. Phone: 304/234-7200
Town: Martins Ferry State: OH County: Belmont
Railway Connection: None.
Purpose:: Shipment of steel coils.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.094167
Total Berthing Space (feet): 180 | | Longitude (decimal): -80.718889
Remarks: Open storage area at rear has capacity for 10,000 tons of steel products. Steel coils are loaded directly from trucks into barges.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43892 Dock Code: 501

Waterway: **Ohio River** Mile: 88.6 PWD: 211
Name:: **Martin Marietta Materials, Martins Ferry Wharf.**
Location:: Mile 88.6, right bank, Ohio River, approximately 0.4 mile above Wheeling Terminal Datum: NPE
Railway Bridge, Martins Ferry.
Operator:: Martin Marietta Materials.
Owner: Martin Marietta Materials.
Address: 1st and Hanover Streets. Phone: 304/485-5481
Town: Martins Ferry State: OH County: Belmont
Railway Connection: One surface track in rear connects with CSX Transportation, Inc.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.0925
Total Berthing Space (feet): 238 | | Longitude (decimal): -80.721389
Remarks: Approximately 2.7 acres of open storage area are located at rear. Sand and gravel are received along a natural bank below bulkhead.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43892 Dock Code: 301

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 88.9 PWD: 212
Name:: **Lash Excavating & Paving, Martins Ferry Landing.**
Location:: Mile 88.9, right bank, Ohio River, 700 feet above Wheeling Terminal Railway Bridge, Datum: NPE
Martins Ferry.
Operator:: Lash Excavating & Paving.
Owner: Thomas E. Ayers.
Address: 1st and Fayette Streets. Phone: 740/635-4335
Town: Martins Ferry State: OH County: Belmont
Railway Connection: None.
Purpose:: Occasional receipt of sand and gravel.
Depth Alongside (feet): 3 | | Latitude (decimal): 40.090833
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.724444
Remarks: Approximately 5 acres of open storage area are located at rear. Three derelict barges and the ruins of a coal-loading conveyor are located 600 feet above landing.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43892 Dock Code: 302

Waterway: **Ohio River** Mile: 90.4 PWD: 154
Name:: **Wheeling National Heritage Area Corp. Wharf.**
Location:: Mile 90.4, left bank, Ohio River, approximately 0.2 mile below 10th Street Wheeling Highway Bridge, Wheeling. Datum: NPE
Operator:: Wheeling National Heritage Area Corp.
Owner: City of Wheeling.
Address: Foot of 12th Street. Phone: 304-234-3838
Town: Wheeling State: WV County: Ohio
Railway Connection: None.
Purpose:: Mooring small boats; with occasional landing for large cruise and excursion river boats.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 40.066944
Total Berthing Space (feet): 490 | 390 | Longitude (decimal): -80.725278
Remarks: Amphitheater is located at rear of wharf, which is accessed from parking lot via a 10-foot-wide concrete stairway. Bulkhead is designed for servicing excursion vessels such as "Mississippi Queen," "Delta Queen," and "American Queen." Pier is used primarily for mooring small boats.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43891 Dock Code: 412

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 91.8 PWD: 213
Name:: **Ohio River Salvage, Dry Bulk Wharf.**
Location:: Mile 91.8, right bank, Ohio River, below Interstate Highway 470 Bridge, Bellaire. Datum: NPE
Operator:: Belmont Marine Service, Inc.
Owner: Ohio River Salvage.
Address: N. Guernsey Street. Phone: 740/676-4315
Town: Bellaire State: OH County: Belmont
Railway Connection: None.
Purpose:: Receipt and shipment of dry bulk fertilizer; shipment of coal and scrap metal; and mooring barges for fleeting.
Depth Alongside (feet): 11-12 | | Latitude (decimal): 40.0475
Total Berthing Space (feet): 875 | | Longitude (decimal): -80.731389
Remarks: Approximately 8 acres of open storage area are located at rear. Fleeting is available at Mile 92.0 for twelve barges in 4 tiers, each 3 barges wide, moored to two permanently-moored barges and at Mile 92.4 for eight barges in 4 tiers, each 2 barges wide, moored to one grounded barge.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43890 Dock Code: 801

Waterway: **Ohio River** Mile: 91.8 PWD: 153
Name:: **Savage Construction Co., Wheeling Landing.**
Location:: Mile 91.8, left bank, Ohio River, below Interstate 470 Highway Bridge, Wheeling. Datum: NPE
Operator:: Not operated.
Owner: Savage Construction Co.
Address: 34th & Market Streets. Phone: 304/233-2710
Town: Wheeling State: WV County: Ohio
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.048611
Total Berthing Space (feet): 500 | | Longitude (decimal): -80.728333
Remarks: Valley Concrete operates a ready-mix concrete plant at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43889 Dock Code: 202

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 92.2 PWD: 214
Name:: **Cravat Coal Co., Loading Dock.**
Location:: Mile 92.2, right bank, Ohio River, approximately 0.4 mile below Interstate Highway 470 Bridge, Bellaire. Datum: NPE
Operator:: Cravat Coal Co.
Owner: Rechrome & Service, Inc.
Address: 5330 N. Guernsey Street. Phone: 740/676-6215
Town: Bellaire State: OH County: Belmont
Railway Connection: None.
Purpose:: Shipment of coal.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.043611
Total Berthing Space (feet): 440 | | Longitude (decimal): -80.730833
Remarks: Open storage area at rear has capacity for approximately 10,000 tons of coal. Mooring area with capacity for ten barges arranged in 5 tiers, 2 abreast is available above dock.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43888 Dock Code: 701

Waterway: **Ohio River** Mile: 92.5 PWD: 215
Name:: **Tri-Son Concrete, Bellaire Wharf.**
Location:: Mile 92.5, right bank, Ohio River, approximately 0.7 mile below Interstate Highway 470 Bridge, Bellaire. Datum: NPE
Operator:: Tri-Son Concrete.
Owner: Belmont Leasing.
Address: 5300 N. Guernsey Street. Phone: 740/676-6606
Town: Bellaire State: OH County: Belmont
Railway Connection: None.
Purpose:: Receipt of gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.039444
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.731389
Remarks: Open storage area at rear has capacity for 100,000 tons.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43888 Dock Code: 702

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 92.8 PWD: 216
Name:: **Oxford Mining, Bellaire Terminal Wharf.**
Location:: Mile 92.8, right bank, Ohio River, approximately 1.0 mile below Interstate Highway 470 Bridge, Bellaire. Datum: NPE
Operator:: Oxford Mining, Inc.
Owner: Capstone Holding Co.
Address: 53rd & N. Guernsey Streets. Phone: 740/671-9538
Town: Bellaire State: OH County: Belmont
Railway Connection: None.
Purpose:: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.035556
Total Berthing Space (feet): 2200 | | Longitude (decimal): -80.732778
Remarks: Open storage area has capacity for 22,000 tons of coal. The truck-dumping pit serves a 42-inch, electric belt-conveyor system extending to radial stacker in the open storage area, rate 2,300 tons per hour. All coal is received by truck. Up to twenty-five loaded and twenty-five empty barges moor at wharf, in a total of 10 tiers, each 5 barges wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43888 Dock Code: 201

Waterway: **Ohio River** Mile: 93.3 PWD: 152
Name:: **IMI FABI, Benwood Wharf.**
Location:: Mile 93.3, left bank, Ohio River, Benwood. Datum: NPE
Operator:: IMI FABI, LLC.
Owner: IMI FABI, LLC.
Address: 2d & Marshall Streets. Phone: 304-233-0050
Town: Benwood State: WV County: Marshall
Railway Connection: None.
Purpose:: Receipt of limestone chips and lump talc.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.028611
Total Berthing Space (feet): 480 | | Longitude (decimal): -80.731389
Remarks: Open storage area at rear includes 25,000 square feet of space for limestone and 54,000 square feet for talc; and two storage silos at rear have total capacity for 1,000 tons. Crusher is fed by front-end loaders.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43887 Dock Code: 702

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 93.5 PWD: 217
Name:: **Rayle Coal Co., Bellaire Moorings.**
Location:: Mile 93.5, right bank, Ohio River, lower end of Boggs Island, approximately 0.8 mile above Bellaire Highway Bridge, Bellaire. Datum: NPE
Operator:: Rayle Coal Co. and St. Jo Marine, Inc.
Owner: Rayle Coal Co., a subsidiary of Marietta Coal Co.
Address: Foot of 41st Street. Phone: 740-676-7975
Town: Bellaire State: OH County: Belmont
Railway Connection: Two surface tracks serve facility in rear; connect with CSX Transportation, Inc.
Purpose:: Mooring barges and company-owned towboats.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 40.026111
Total Berthing Space (feet): 1050 | 390 | 200 Longitude (decimal): -80.738056
Remarks: Bulkhead is in line and contiguous with Marietta Coal Co., Wash Plant Wharf (P.W.D. Ref. No. 218). St. Jo Marine, Inc. has two fleeting boats based here Fleet has capacity for thirty barges in basin, in 3 tiers, each 10 barges wide; for twenty-four barges on Boggs Island above basin, in 6 tiers each 4 barges wide; and for thirty-five barges between miles 94.0 and 94.4 in 12 tiers, each 2 to 3 barges wide, moored to four grounded steel barges below Ohio River Salvage marine railway (P.W.D. Ref. No. 220), and along natural bank.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43887 Dock Code: 110

Waterway: **Ohio River** Mile: 93.6 PWD: 218
Name:: **Marietta Coal Co., Wash Plant Wharf.**
Location:: Mile 93.6, right bank, Ohio River, approximately 0.7 mile above Bellaire Highway Bridge, Bellaire Datum: NPE
Operator:: Marietta Coal Co. and Rayle Coal Co., a subsidiary of Marietta Coal Co.
Owner: Marietta Coal Co.
Address: Foot of 41st Street. Phone: 740676-7975
Town: Bellaire State: OH County: Belmont
Railway Connection: Two surface tracks serve terminal in rear; connect with Norfolk Southern Railway and Wheeling & Lake Erie Railway.
Purpose:: Shipment of coal; and occasional receipt of miscellaneous dry-bulk materials (salt).
Depth Alongside (feet): 11 | | | Latitude (decimal): 40.024722
Total Berthing Space (feet): 500 | | | Longitude (decimal): -80.737222
Remarks: Truck-receiving pit serves a 42-inch, electric belt-conveyor system extending through wash plant to a radial stacker, which serves an open storage area with capacity for approximately 30,000 tons of washed coal. Dry-bulk commodities are unloaded to trucks. Up to eight barges are moored at wharf in 2 tiers, each 4 barges wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43887 Dock Code: 111

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 93.7 PWD: 151
Name:: **Consol Energy, Benwood Mine-Loading Dock. (showed Shoemaker Mine-Loading Dock)**
Location:: Mile 93.7, left bank, Ohio River, Benwood. Datum: NPE
Operator:: Consol Energy, Inc.
Owner: Consol Energy, Inc.
Address: 4th Street Exit. Phone: 412-382-6821
Town: Benwood State: WV County: Marshall
Railway Connection: None.
Purpose:: Shipment of coal.
Depth Alongside (feet): 21 | | Latitude (decimal): 40.022778
Total Berthing Space (feet): 2700 | | Longitude (decimal): -80.734167
Remarks: Concrete silo at rear has capacity for 7,500 tons of coal. Wharf has capacity for mooring twenty empty barges above and twenty loaded barges below loading tower, in 8 tiers, each 5 barges wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43887 Dock Code: 802

Waterway: **Ohio River** Mile: 93.7 PWD: 219
Name:: **Rayle Coal Co., Bellaire Wharf.**
Location:: Mile 93.7, right bank, Ohio River, approximately 0.5 mile above Bellaire Highway Bridge, Bellaire. Datum: NPE
Operator:: Rayle Coal Co., a subsidiary of Marietta Coal Co.
Owner: Rayle Coal Co., a subsidiary of Marietta Coal Co.
Address: Foot of 41st Street. Phone: 740/676-7975
Town: Bellaire State: OH County: Belmont
Railway Connection: Two surface tracks serve terminal in rear; connect with Norfolk Southern Railway and Wheeling & Lake Erie Railway.
Purpose:: Receipt of steel and miscellaneous dry-bulk materials (salt); shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.023333
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.737778
Remarks: Open storage area at rear has capacity for approximately 120,000 tons of coal. Other commodities are unloaded to trucks.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43887 Dock Code: 110

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 93.9 PWD: 220
Name:: **Ohio River Salvage, Repair Wharf.**
Location:: Mile 93.9, right bank, Ohio River, approximately 0.4 mile above Bellaire Highway Datum: NPE
Bridge, Bellaire.
Operator:: Ohio River Salvage, LLC.
Owner: Ohio River Salvage, LLC.
Address: Foot of 41st Street. Phone: 740/676-4305
Town: Bellaire State: OH County: Belmont
Railway Connection: None.
Purpose:: Mooring vessels for repair; mooring company-owned floating equipment; and mooring barges for fleetings.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.021111
Total Berthing Space (feet): 550 | | Longitude (decimal): -80.738333
Remarks: One 500-ton marine railway with three-section cradle is located on south side of wharf. One shop building is located on spud barge. Several company-owned fleetings boats are based here. Fleetings is available at Mile 93.3 for fifteen barges in 5 tiers, each 3 barges wide, moored to three steel-sheet-pile, cellular dolphins along east bank of Boggs Island, above Rayle Coal Co. moorings (P.W.D. Ref. No. 217).
Year of Last Survey: 2005 Corps of Engineers Location Code: 43887 Dock Code: 302

Waterway: **Ohio River** Mile: 94.6 PWD: 150
Name:: **Summer Steel, Benwood Industrial Park Dock.**
Location:: Mile 94.6, left bank, Ohio River, below CSX Transportation Bridge, Benwood. Datum: NPE
Operator:: Summer Steel, Inc.
Owner: BIPCO, Inc.
Address: 8th & McMechen Streets. Phone: 304-233-3369
Town: Benwood State: WV County: Marshall
Railway Connection: One surface track serves industrial park at rear; connects with CSX Transportation, Inc.
Purpose:: Receipt and shipment of steel products.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.01
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.738056
Remarks: Row of dolphins is in line with P.W.D. Ref. No. 149, providing 1,000 feet of continuous berthing space.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43887 Dock Code: 602

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 94.7 PWD: 149
Name:: **Automatic Recycling, Benwood Dock.**
Location:: Mile 94.7, left bank, Ohio River, approximately 700 feet below CSX Transportation Bridge, Benwood. Datum: NPE
Operator:: Automatic Recycling, Inc.
Owner: Automatic Recycling, Inc.
Address: Benwood Industrial Park, 8th Street. Phone: 304-232-5175
Town: Benwood State: WV County: Marshall
Railway Connection: None.
Purpose:: Shipment of scrap metal.
Depth Alongside (feet): 12-15 | | Latitude (decimal): 40.008611
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.738056
Remarks: Face of dock is in line with P.W.D. Ref. No. 150, providing 1,000 feet of continuous berthing space. Open storage area at rear is served by a radial stacker and has capacity for 30,000 tons of scrap metal.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43887 Dock Code: 701

Waterway: **Ohio River** Mile: 96.5 PWD: 148
Name:: **Ohio - West Virginia Excavating Co., McMechen Dock.**
Location:: Mile 96.5, left bank, Ohio River, McMechen. Datum: NPE
Operator:: Ohio - West Virginia Excavating Co.
Owner: Ohio - West Virginia Excavating Co.
Address: 16th Street & State Highway 2. Phone: 304-232-6127
Town: McMechen State: WV County: Marshall
Railway Connection: None.
Purpose:: Receipt of sand and limestone.
Depth Alongside (feet): 2 | | Latitude (decimal): 39.981944
Total Berthing Space (feet): 350 | | Longitude (decimal): -80.734722
Remarks: Four sand and limestone, and one recycled asphalt hoppers serve electric belt-system extending to asphalt batch plant at rear. Three acres of open storage area have capacity for 12,000 tons of material.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43885 Dock Code: 502

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 96.6 PWD: 147
Name:: **Arrow Concrete, Wheeling Plant Dock.**
Location:: Mile 96.6, left bank, Ohio River, McMechen. Datum: NPE
Operator:: Arrow Concrete, Inc.
Owner: Arrow Concrete, Inc.
Address: 1601 W. Baltimore. Phone: 304-232-6619
Town: McMechen State: WV County: Marshall
Railway Connection: None
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.980278
Total Berthing Space (feet): 50 | | Longitude (decimal): -80.735
Remarks: Open storage area is located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43885 Dock Code: 804

Waterway: **Ohio River** Mile: 102.2 PWD: 221
Name:: **First Energy Corp., R. E. Burger Power Plant, Unloading Dock.**
Location:: Mile 102.2, right bank, Ohio River, Shadyside. Datum: NPE
Operator:: First Energy Corp.
Owner: First Energy Corp.
Address: 57246 Ferry Landing Road Phone: 740/671-2959
Town: Shadyside State: OH County: Belmont
Railway Connection: One surface track serves plant in rear; connects with Norfolk Southern Railway.
Purpose:: Receipt of coal.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.911111
Total Berthing Space (feet): 1560 | | Longitude (decimal): -80.757222
Remarks: Open storage area at rear is served by a 180-foot radial stacker and has capacity for 550,000 tons of coal.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43878 Dock Code: 701

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 102.3 PWD: 146
Name:: **Ohio River Aggregates, Moundsville Dock.**
Location:: Mile 102.3, left bank, Ohio River, Moundsville. Datum: NPE
Operator:: Ohio River Aggregates, Inc.
Owner: Ohio River Aggregates, Inc.
Address: Phone: 304-845-3151
Town: Moundsville State: WV County: Marshall
Railway Connection: One surface track at rear connects with CSX Transportation, Inc.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.908611
Total Berthing Space (feet): 50 | | Longitude (decimal): -80.754444
Remarks: Approximately 12 acres of open storage area, with capacity for approximately 50,000 tons of material, are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43879 Dock Code: 301

Waterway: **Ohio River** Mile: 103.3 PWD: 222
Name:: **Ohio River Sand and Gravel Co., Dilles Bottom Plant Dock.**
Location:: Mile 103.3, right bank, Ohio River, Dilles Bottom. Datum: NPE
Operator:: Not operated.
Owner: Burrell Industries, Inc.
Address: Mead Township Road 533. Phone: 740/671-9400
Town: Dilles Bottom State: OH County: Belmont
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.911944
Total Berthing Space (feet): 1000 | | Longitude (decimal): -80.773889
Remarks: Gravel pit and open storage area with capacity for 100,000 tons of sand and gravel are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43877 Dock Code: 501

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 105.9 PWD: 145
Name:: **Hanlin-Allied, Moundsville Dock.**
Location:: Mile 105.9, left bank, Ohio River, 4.3 miles below Moundsville. Datum: NPE
Operator:: Not operated.
Owner: Honeywell International.
Address: Phone: 304-843-1310
Town: Moundsville State: WV County: Marshall
Railway Connection: None
Purpose:: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.905556
Total Berthing Space (feet): | | Longitude (decimal): -80.805833
Remarks: At time of survey (2005), facility was for sale and the former chemical plant at rear was a U.S. Government superfund site for reclamation.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43875 Dock Code: 002

Waterway: **Ohio River** Mile: 110.4 PWD: 144
Name:: **Consol Energy, McElroy Mine Loading Dock.**
Location:: Mile 110.4, left bank, Ohio River, Franklin Township (Cresap). Datum: NPE
Operator:: Consol Energy, Inc.
Owner: Consol Energy, Inc.
Address: Phone: 412-382-6821
Town: Franklin Township State: WV County: Marshall
Railway Connection: None.
Purpose:: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.851667
Total Berthing Space (feet): 4160 | | Longitude (decimal): -80.811944
Remarks: One concrete silo at rear has capacity for 1,800 tons of coal; bulldozers and front-end loaders are available as needed. Fleeting area has capacity for mooring ninety-six empty and seventy loaded barges.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43870 Dock Code: 502

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 110.6 PWD: 223
Name:: **Powhatan Transportation Center, Loading Dock.**
Location:: Mile 110.6, right bank, Ohio River, Powhatan Point. Datum: NPE
Operator:: Ohio Valley Transloading Co.
Owner: The American Coal Sales Co.
Address: State Highway 7. Phone: 740/926-1351 Ext 129
Town: Powhatan Point. State: OH County: Belmont
Railway Connection: One surface track serves undertrack pit in rear; connects with Norfolk Southern Railway.
Purpose:: Receipt and shipment of coal.
Depth Alongside (feet): 23 | 23 | Latitude (decimal): 39.852222
Total Berthing Space (feet): 1515 | 360 | Longitude (decimal): -80.817778
Remarks: Open storage area with capacity for 100,000 tons is served by a free-fall stacker and an electric belt-conveyor system extending from rail-car pit. Three tugboats are available holding areas for empty barges upstream (six wide by two long) and loaded barges downstream (six wide by six long). At time of survey, plans were to construct four mooring cells for the downstream holding area.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43871 Dock Code: 601

Waterway: **Ohio River** Mile: 110.7 PWD: 143
Name:: **Ohio Power Co., Kammer Power Plant, Coal-Unloading Dock.**
Location:: Mile 110.7, left bank, Ohio River, Franklin Township (Cresap). Datum: NPE
Operator:: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304-843-6134
Town: Franklin Township State: WV County: Marshall
Railway Connection: One surface track at rear connects with CSX Transportation, Inc.
Purpose:: Receipt of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 39.848333
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.818333
Remarks: Open coal storage area is available at plant in rear. A company-owned towboat, the "General Gavin", is moored at a steel float at one of lower cells. Eighteen loaded barges can be moored at cells above unloading tower and eighteen empty barges can be moored below.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43869 Dock Code: 902

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 111.9 PWD: 142
Name:: **Kinder Morgan Bulk Terminals, Moundsville Dock.**
Location:: Mile 111.9, left bank, Ohio River, Franklin Township (Cresap). Datum: NPE
Operator:: Kinder Morgan Bulk Terminals, Inc
Owner: Kinder Morgan Bulk Terminals, Inc.
Address: Phone: 304-843-0191
Town: Franklin Township State: County: Marshall
Railway Connection: None
Purpose:: Receipt of green coke; and shipment of calcined coke.
Depth Alongside (feet): 22 | | Latitude (decimal): 39.834444
Total Berthing Space (feet): 760 | | Longitude (decimal): -80.82
Remarks: -
Year of Last Survey: 2005 Corps of Engineers Location Code: 43869 Dock Code: 202

Waterway: **Ohio River** Mile: 112.3 PWD: 141
Name:: **Ohio Power Co., Mitchell Power Plant, Coal-Unloading Dock.**
Location:: Mile 112.3, left bank, Ohio River, Franklin Township (Cresap). Datum: NPE
Operator:: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304-843-6030
Town: Franklin Township State: WV County: Marshall
Railway Connection: Three surface tracks serve plant in rear; connect with CSX Transportation, Inc.
Purpose:: Occasional receipt of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 39.83
Total Berthing Space (feet): 1800 | | Longitude (decimal): -80.821389
Remarks: Open storage area at rear has capacity for 1,400,000 tons of coal. A company-owned towboat is used for handling barges. Site primarily receives coal by rail car. At time of survey (2005), plans called for the addition of a limestone-unloading system.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43868 Dock Code: 702

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 112.5 PWD: 140
Name:: **Ohio Power Co., Mitchell Power Plant, Fuel Oil Dock.**
Location:: Mile 112.5, left bank, Ohio River, Franklin Township (Cresap). Datum: NPE
Operator:: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304-843-6030
Town: Franklin Township State: WV County: Marshall
Railway Connection: Three surface tracks serve plant in rear; connect with CSX Transportation, Inc.
Purpose:: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 14 | | Latitude (decimal): 39.826944
Total Berthing Space (feet): 160 | | Longitude (decimal): -80.820278
Remarks: One 8-inch pipeline extends from wharf to three steel storage tanks at rear, total capacity 48,000 barrels.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43868 Dock Code: 702

Waterway: **Ohio River** Mile: 114.5 PWD: 139
Name:: **Columbian Chemicals Co., Marshall Plant, Graysville Stat Dock.**
Location:: Mile 114.5, left bank, Ohio River, approximately 0.8 mile below Fish Creek. Datum: NPE
Operator:: Columbian Chemicals Co.
Owner: Columbian Chemicals Co.
Address: Phone: 304-845-4100
Town: Graysville Stat State: WV County: Marshall
Railway Connection: One surface track serves terminal in rear; connects with CSX Transportation, Inc.
Purpose:: Receipt of carbon, black-feed stock oil.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.798611
Total Berthing Space (feet): 170 | | Longitude (decimal): -80.823889
Remarks: One 6-inch pipeline extends from wharf to four steel storage tanks at rear, total capacity 6,000,000 gallons.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43866 Dock Code: 102

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 115.6 PWD: 224
Name:: **Quarto Mining Co., Powhatan 4 Loading Dock.**
Location:: Mile 115.6, right bank, Ohio River, Clarington. Datum: NPE
Operator:: Not operated.
Owner: Quarto Mining Co., Subsidiary of Consolidation Coal Co.
Address: 1029 Market Street. Phone: 614-458-1381
Town: Clarington State: OH County: Monroe
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 21 | | Latitude (decimal): 39.788611
Total Berthing Space (feet): 1555 | | Longitude (decimal): -80.839722
Remarks: Open storage area at rear is served by a free-fall stacker and has capacity for 300,000 tons of coal. Facility was not in use at time of survey (2005).
Year of Last Survey: 2005 Corps of Engineers Location Code: 43865 Dock Code: 401

Waterway: **Ohio River** Mile: 119.5 PWD: 138
Name:: **PPG Industries, Natrium Plant Docks.**
Location:: Mile 119.5, left bank, Ohio River, Natrium. Datum: NPE
Operator:: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: State Highway 2. Phone: 304-455-6703
Town: Natrium State: WV County: Marshall
Railway Connection: Four surface tracks serve plant in rear; connect with CSX Transportation, Inc.
Purpose:: Receipt of coal and liquid chemicals.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 39.734444
Total Berthing Space (feet): 1160 | 1200 | Longitude (decimal): -80.852778
Remarks: Coal dock: Open storage area at rear has capacity for 100,000 tons of coal. Wharf has capacity for mooring ten loaded barges above and twenty empty barges below. □ Chemical docks: One 6-inch pipeline extends to wharf from one liquid chemical storage tank; one 2-inch pipeline extends to wharf from one liquid chemical storage tank at rear; and one 4-inch pipeline extends from wharf to one liquid chemical storage tank at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43861 Dock Code: 402

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 120.2 PWD: 225
Name:: **Quarto Mining Co., Powhatan 7 Loading Dock.**
Location:: Mile 120.2, right bank, Ohio River, Clarington. Datum: NPE
Operator:: Not operated.
Owner: Quarto Mining Co., Subsidiary of Consolidation Coal Co.
Address: State Highway 7. Phone:
Town: Clarington State: OH County: Monroe
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 21 | | Latitude (decimal): 39.735556
Total Berthing Space (feet): 1570 | | Longitude (decimal): -80.846111
Remarks: At time of survey, mine was closed. Open storage area at rear, with capacity for 100,000 tons of coal, was not in use.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43860 Dock Code: 701

Waterway: **Ohio River** Mile: 121 PWD: 137
Name:: **Bayer Material Science, New Martinsville Plant, North Dock.**
Location:: Mile 121.3, left bank, Ohio River, Franklin Township. Datum: NPE
Operator:: Not operated.
Owner: Bayer Material Science, LLC.
Address: Phone: 304-451-2557
Town: Franklin Township State: WV County: Marshall
Railway Connection: One surface track serves plant in rear; connects with CSX Transportation, Inc.
Purpose:: Not used.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.727222
Total Berthing Space (feet): 150 | | Longitude (decimal): -80.835556
Remarks: One 4-inch pipeline extending from wharf to three steel, hydrochloric acid storage tanks, total capacity 2,000,000 gallons; one 6-inch pipeline extending from wharf to two benzene tanks, total capacity 900,000 gallons; and one 6-inch pipeline extending from wharf to one 500,000-gallon toluene tank were not in use at time of survey (2005).
Year of Last Survey: 2005 Corps of Engineers Location Code: 43860 Dock Code: 002

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 121.3 PWD: 136
Name:: **Bayer Material Science, New Martinsville Plant, South Dock.**
Location:: Mile 121.3, left bank, Ohio River, Franklin Township. Datum: NPE
Operator:: Bayer Material Science, LLC.
Owner: Bayer Material Science, LLC.
Address: Phone: 304-451-2557
Town: Franklin Township State: WV County: Marshall
Railway Connection: One surface track serves plant in rear; connects with CSX Transportation, Inc.
Purpose:: Receipt of fuel oil for plant consumption; and receipt of aniline oil.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.723889
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.8325
Remarks: One 8-inch pipeline extends from wharf to two steel, fuel oil storage tanks, total capacity 95,200 barrels; and one 6-inch pipeline extends from wharf to two aniline oil storage tanks, total capacity 1,000,000 gallons.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43860 Dock Code: 002

Waterway: **Ohio River** Mile: 123.1 PWD: 226
Name:: **Ormet Corp., Upstream Wharf.**
Location:: Mile 123.1, right bank, Ohio River, Hannibal. Datum: NPE
Operator:: Ormet Corp.; and Westbank Harbor Services, Inc. - MIE (temporarily operating unloading operation).
Owner: Ormet Corp.
Address: State Highway 7. Phone: 740/483-2602
Town: Hannibal State: OH County: Monroe
Railway Connection: None.
Purpose:: Receipt of primary alumin metal; and mooring barges for storage, maintenance, and repair; fleeting barges. (See Remarks.)
Depth Alongside (feet): 21 | | Latitude (decimal): 39.7025
Total Berthing Space (feet): 1120 | | Longitude (decimal): -80.837222
Remarks: Alumin metal is supplied directly to plant as a temporary operation. Westbank Harbor Services, Inc. maintains a fleet with capacity for fifteen barges, arranged in 5 tiers each 3 barges wide at wharf.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43857 Dock Code: 901

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 123.6 PWD: 227
Name:: **Ormet Corp., Alumina Unloading Wharf.**
Location:: Mile 123.6, right bank, Ohio River, Hannibal. Datum: NPE
Operator:: Ormet Corp. and Westbank Harbor Services, Inc.
Owner: Ormet Corp.
Address: 43840 State Highway 7. Phone: 740/483-2602
Town: Hannibal State: OH County: Monroe
Railway Connection: None.
Purpose:: Receipt of alumina; and mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 21 | | Latitude (decimal): 39.699722
Total Berthing Space (feet): 2500 | | Longitude (decimal): -80.844722
Remarks: Eight steel storage silos at plant in rear have total capacity for 37,000 tons of alumina. Westbank Harbor Services, Inc. performs towing and fleeting services and maintains a loaded fleet with capacity for fifteen barges arranged in 5 tiers, each 3 barges wide at lower dolphins; and a similar empty fleet at upper dolphins and at P.W.D. Ref. No. 226.
Year of Last Survey: 2005 Corps of Engineers Location Code: 43857 Dock Code: 901

Waterway: **Ohio River** Mile: 124.6 PWD: 228
Name:: **Dock Side, Hannibal Terminal Dock.**
Location:: Mile 124.6, right bank, Ohio River, Hannibal. Datum: NPE
Operator:: Westbank Harbor Services, Inc.
Owner: Marietta Industrial Enterprises, Inc.
Address: State Highway 7. Phone: 740/373-2252
Town: Hannibal State: OH County: Monroe
Railway Connection: None.
Purpose:: Mooring barges for cleaning.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 39.692778
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -80.863333
Remarks: Barges breast outside of crane barge(s).
Year of Last Survey: 2005 Corps of Engineers Location Code: 43857 Dock Code: 201

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 127.2 PWD: 135
Name:: **Martin Marietta Materials, New Martinsville Yard Dock.**
Location:: Mile 127.2, left bank, Ohio River, New Martinsville. Datum: NPE
Operator:: Martin Marietta Materials.
Owner: Martin Marietta Materials.
Address: Foot of Wetzel Street. Phone: 304-485-5481
Town: New Martinsville State: WV County: Wetzel
Railway Connection: One surface track serves area in rear; connects with CSX Transportation, Inc.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.653611
Total Berthing Space (feet): 135 | | Longitude (decimal): -80.862778
Remarks: Approximately 8 acres of open storage area with capacity for 60,000 tons of material are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42853 Dock Code: 832

Waterway: **Ohio River** Mile: 129.5 PWD: 134
Name:: **Kinder Morgan Materials Services, Brooklyn Junction Terminal, New Martinsville Wharf.**
Location:: Mile 129.5, left bank, Ohio River, New Martinsville. Datum: NPE
Operator:: Kinder Morgan Materials Services, LLC.
Owner: Chemical Lime Co.
Address: State Route 2. Phone: 304-455-5216 x 105
Town: New Martinsville State: WV County: Wetzel
Railway Connection: Two surface tracks at rear; connect with CSX Transportation, Inc.
Purpose:: Receipt of lime.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.621389
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.960278
Remarks: Storage silo has capacity for approximately 200 tons of lime. One overhead railcar dump is located at rear. Fleeting area has capacity for up to fourteen barges.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42852 Dock Code: 501

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 137.8 PWD: 133
Name:: **City of Sistersville, Ferry Landing.**
Location:: Mile 137.8, left bank, Ohio River, Sistersville, WV. Datum: NPE
Operator:: City Of Sistersville.
Owner: City of Sistersville.
Address: Phone:
Town: Sistersville State: WV County: Tyler
Railway Connection: None.
Purpose:: Landing for passenger-and-vehicular ferry.
Depth Alongside (feet): | | Latitude (decimal): 39.564444
Total Berthing Space (feet): 30 | | Longitude (decimal): -80.999167
Remarks: The City of Sistersville tug and ferry barge are based here. The ferry barge, with capacity for eight automobiles, has been operating at this site for approximately 188 years.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42843 Dock Code: 402

Waterway: **Ohio River** Mile: 137.8 PWD: 229
Name:: **Sisterville Ferry Landing.**
Location:: Mile 137.8, right bank, Ohio River, Hannibal. Datum: NPE
Operator:: Sisterville Ferry.
Owner: Sisterville Ferry.
Address: State Highway 7. Phone:
Town: Hannibal State: OH County: Monroe
Railway Connection: None.
Purpose:: Landing for passenger-and-vehicular ferry.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.566111
Total Berthing Space (feet): 30 | | Longitude (decimal): -80.004167
Remarks: -
Year of Last Survey: 2005 Corps of Engineers Location Code: 42844 Dock Code: 801

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 145.3 PWD: 132
Name:: **GE Silicones, Sistersville Plant, Long Reach Dock.**
Location:: Mile 145.3, left bank, Ohio River, Long Reach. Datum: NPE
Operator:: Not operated.
Owner: GE Silicones.
Address: Phone: 304-652-8239
Town: Long Reach State: WV County: Tyler
Railway Connection: One surface track serves plant in rear; connects with CSX Transportation, Inc.
Purpose:: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.485833
Total Berthing Space (feet): 165 | | Longitude (decimal): -81.096944
Remarks: Wharf formerly was used for receipt of fuel oil for plant consumption; all pipelines and storage tanks had been removed.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42835 Dock Code: 702

Waterway: **Ohio River** Mile: 146.3 PWD: 131
Name:: **Dominion Transmission, Hastings Extraction Plant, Long Reach Dock.**
Location:: Mile 146.3, left bank, Ohio River, Long Reach. Datum: NPE
Operator:: Dominion Transmission, Inc.
Owner: Dominion Transmission, Inc.
Address: Phone: 304-889-3178 x4809
Town: Long Reach State: WV County: Tyler
Railway Connection: None.
Purpose:: Receipt and storage of natural gas.
Depth Alongside (feet): 17 | | Latitude (decimal): 39.473056
Total Berthing Space (feet): 240 | | Longitude (decimal): -81.105833
Remarks: One 8-inch pipeline extends from wharf to one 23,800-barrel, natural gas storage tank approximately 1 mile inland.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42835 Dock Code: 101

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 147.05 PWD: 130
Name:: **Bens Run Land Co. Dock.**
Location:: Mile 147.0, left bank, Ohio River, Bens Run. Datum: NPE
Operator:: Not operated.
Owner: Bens Run Land Co., LP.
Address: Phone: 614-885-1901
Town: Bens Run State: WV County: Pleasants
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.464444
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.112222
Remarks: Wharf formerly was used for shipment of brine. At time of survey (2005), facility was for sale and all equipment was in disrepair from flood damage. □□
Year of Last Survey: 2005 Corps of Engineers Location Code: 42834 Dock Code: 002

Waterway: **Ohio River** Mile: 148.8 PWD: 129
Name:: **Carl Kelly Paving, St. Marys Dock.**
Location:: Mile 148.8, left bank, Ohio River, approximately 6.2 miles above St. Marys. Datum: NPE
Operator:: Carl Kelly Paving, Inc.
Owner: Shelly & Sands, Inc.
Address: Phone: 304-424-7353
Town: St. Marys State: WV County: Pleasants
Railway Connection: None.
Purpose:: Receipt of stone and gravel
Depth Alongside (feet): 9 | | Latitude (decimal): 39.443889
Total Berthing Space (feet): 50 | | Longitude (decimal): -81.130556
Remarks: Approximately 1/2 acre of open storage area is located at rear, with an approximate storage capacity for 20,000-30,000 tons of material. Asphalt-mixing plant operates on site.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42833 Dock Code: 801

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 150.4 PWD: 128
Name:: **Martin Marietta Materials, St. Marys Yard Dock.**
Location:: Mile 150.4, left bank, Ohio River, 4.6 miles above St. Marys. Datum: NPE
Operator:: Martin Marietta Materials.
Owner: Martin Marietta Materials.
Address: State Route 2. Phone: 304-485-5481
Town: St. Marys State: WV County: Pleasants
Railway Connection: None.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.439167
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.160278
Remarks: Approximately 15 acres of open storage area with capacity for 60,000 tons of material are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42830 Dock Code: 802

Waterway: **Ohio River** Mile: 155.1 PWD: 127
Name:: **St. Marys Refining Co. Dock.**
Location:: Mile 155.1, left bank, Ohio River, St. Marys. Datum: NPE
Operator:: St. Marys Refining Co., Inc.
Owner: St. Marys Refining Co., Inc.
Address: 201 Barkwill Street. Phone: 304-684-2222
Town: St. Marys State: WV County: Pleasants
Railway Connection: Two surface tracks serve plant in rear, capacity 20 cars; connect with CSX Transportation, Inc.
Purpose:: Receipt and shipment of gasoline and diesel fuel.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.388889
Total Berthing Space (feet): 300 | | Longitude (decimal): -81.210278
Remarks: One 8-, and one 6-inch pipelines extend from wharf to two diesel fuel storage tanks, total capacity 50,000 barrels, and to three gasoline storage tanks at rear, total capacity 130,000 barrels. Although still being used, upper breasting cell had been hit at time of survey (2005), and was partially collapsed.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42825 Dock Code: 802

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 157.8 PWD: 126
Name:: **Westbrook Trucking Service, Belmont Dock.**
Location:: Mile 157.8, left bank, Ohio River, Belmont. Datum: NPE
Operator:: Westbrook Trucking Service, Inc.
Owner: Westbrook Trucking Service, Inc.
Address: Phone: 304-665-2580
Town: Belmont State: WV County: Pleasants
Railway Connection: None.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.384167
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.2575
Remarks: Approximately 4 acres of open storage area are located at rear. At time of survey (2004), Atlas Towing Co. was the primary contractor (see P.W.D. Ref. No. 115).
Year of Last Survey: 2005 Corps of Engineers Location Code: 42824 Dock Code: 802

Waterway: **Ohio River** Mile: 159.7 PWD: 230
Name:: **Ergon Trucking, Marietta Terminal.**
Location:: Mile 159.7, right bank, Ohio River, Newport. Datum: NPE
Operator:: Ergon Trucking, Inc.
Owner: Ergon Trucking, Inc.
Address: State Highway 7. Phone: 740-473-2781
Town: Newport State: OH County: Washington
Railway Connection: None.
Purpose:: Receipt of crude oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.378611
Total Berthing Space (feet): 168 | | Longitude (decimal): -81.283333
Remarks: One 8-inch pipeline extends from wharf to two steel storage tanks at terminal in rear; total capacity 100,000 barrels.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42821 Dock Code: 202

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 159.8 PWD: 231
Name:: **The Ohio Oil Gathering Corp. Wharf.**
Location:: Mile 159.8, right bank, Ohio River, Newport. Datum: NPE
Operator:: The Ohio Oil Gathering Corp.
Owner: The Ohio Oil Gathering Corp.
Address: 34670 State Highway 7. Phone: 740-473-2711
Town: Newport State: OH County: Washington
Railway Connection: None.
Purpose:: Shipment of crude oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.376528
Total Berthing Space (feet): 350 | | Longitude (decimal): -81.290667
Remarks: Two 8-inch pipelines extend to wharf from four steel storage tanks at terminal in rear; total capacity 155,000 barrels.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42821 Dock Code: 201

Waterway: **Ohio River** Mile: 160.4 PWD: 125
Name:: **Allegheny Energy Supply, Willow Island Power Station, Coal-Unloading Dock.**
Location:: Mile 160.4, left bank, Ohio River, Willow Island. Datum: NPE
Operator:: Allegheny Energy Supply, LLC.
Owner: Allegheny Energy Supply, LLC.
Address: No. 1 Power Station Blvd. Phone: 304-665-3279
Town: Willow Island State: WV County: Pleasants
Railway Connection: Eight surface tracks serve two rotary dumpers in rear; connect with CSX Transportation, Inc.
Purpose:: Receipt of coal.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.369444
Total Berthing Space (feet): 4243 | | Longitude (decimal): -81.297222
Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Wharf has capacity for mooring a total of sixty-eight jumbo or eighty-five standard barges.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42820 Dock Code: 602

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 160.7 PWD: 124
Name:: **Allegheny Energy Supply, Willow Island Power Station, Gypsum-Loading Dock.**
Location:: Mile 160.7, left bank, Ohio River, Willow Island. Datum: NPE
Operator:: Allegheny Energy Supply, LLC.
Owner: Allegheny Energy Supply, LLC.
Address: No. 1 Power Station Boulevard. Phone: 304-665-3279
Town: Willow Island State: WV County: Pleasants
Railway Connection: None.
Purpose:: Shipment of gypsum.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.367222
Total Berthing Space (feet): 650 | | Longitude (decimal): -81.3025
Remarks: Gypsum is synthesized at plant in rear from power-station sludge and conveyed to one 14,000-ton storage dome. Two empty barges can be moored and loaded in sequence at the loading station.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42820 Dock Code: 602

Waterway: **Ohio River** Mile: 160.9 PWD: 123
Name:: **Allegheny Energy Supply, Pleasants/Willow Island Power Station, Lime-Unloading Dock.**
Location:: Mile 160.9, left bank, Ohio River, Willow Island. Datum: NPE
Operator:: Allegheny Energy Supply, LLC.
Owner: Allegheny Energy Supply, LLC.
Address: #1 Power Station Boulevard. Phone: 304-665-3279
Town: Willow Island State: WV County: Pleasants
Railway Connection: Eight surface tracks serve two rotary dumpers in rear; connect with CSX Transportation, Inc.
Purpose:: Receipt of lime.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.365833
Total Berthing Space (feet): 1243 | | Longitude (decimal): -81.305
Remarks: Three concrete silos located at rear have total capacity for 18,000 tons of lime.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42820 Dock Code: 602

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 161.1 PWD: 122
Name:: **Cytec Industries, Willow Island Dock.**
Location:: Mile 161.1, left bank, Ohio River, Willow Island. Datum: NPE
Operator:: Not operated.
Owner: Cytec Industries, Inc.
Address: 1 Heilman Avenue. Phone: 304-665-2422/3740/3485
Town: Willow Island State: WV County: Pleasants
Railway Connection: One surface track serves plant in rear; connects with CSX Transportation, Inc.
Purpose:: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.362778
Total Berthing Space (feet): | | Longitude (decimal): -81.309722
Remarks: Wharf formerly was used for receipt of fuel oil for plant consumption. One steel-sheet-pile, concrete-capped cellular breasting dolphin located 1,300 feet below wharf is used for mooring barges.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42820 Dock Code: 202

Waterway: **Ohio River** Mile: 162.9 PWD: 121
Name:: **Lambert Enterprises, Maplewood Dock.**
Location:: Mile 162.9, left bank, Ohio River, 1.0 mile above Maplewood. Datum: NPE
Operator:: Lambert Enterprises, Inc.
Owner: Lambert Enterprises, Inc.
Address: Phone: 304-665-2941
Town: Maplewood State: WV County: Pleasants
Railway Connection: None.
Purpose:: Receipt of limestone, sand, gravel, and salt; occasional receipt of coal.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.348889
Total Berthing Space (feet): 545 | | Longitude (decimal): -81.335556
Remarks: A 35-acre open storage area at rear has capacity for over 1,000,000 tons of dry bulk materials.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42818 Dock Code: 102

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 164 PWD: 120
Name:: **Cabot Corp., Waverly Plant Dock.**
Location:: Mile 164.0, left bank, Ohio River, 1.0 mile above Waverly. Datum: NPE
Operator:: Cabot Corp.
Owner: Cabot Corp.
Address: Phone: 304-665-2441 x262
Town: Waverly State: WV County: Pleasants
Railway Connection: Two surface tracks serve plant in rear; connect with CSX Transportation, Inc.
Purpose:: Receipt of No. 6 fuel oil.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.339722
Total Berthing Space (feet): 360 | | Longitude (decimal): -81.356667
Remarks: One 12-inch pipeline extends from wharf to two steel storage tanks at rear, total capacity 100,000 barrels.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42817 Dock Code: 002

Waterway: **Ohio River** Mile: 166.4 PWD: 119
Name:: **Carr Concrete Corp., Waverly Dock.**
Location:: Mile 166.4, left bank, Ohio River, approximately 1.0 mile below Waverly. Datum: NPE
Operator:: Carr Concrete Corp.
Owner: Carr Concrete Corp.
Address: Phone: 304-464-4441
Town: Waverly State: WV County: Pleasants
Railway Connection: None.
Purpose:: Shipment of concrete products.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.384167
Total Berthing Space (feet): 193 | | Longitude (decimal): -81.2575
Remarks: Concrete-casting plant is located at rear. At time of survey (2004), dock was not in use. Future plans call for supplying reinforced concrete beams for U.S. Army Corps of Engineers' lock-and-dam projects. Tentative plans also call for using facility for receipt of aggregate.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42815 Dock Code: 002

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 168.6 PWD: 232
Name:: **Smith Concrete Co., Reno Dock.**
Location:: Mile 168.6, right bank, Ohio River, Reno. Datum: NPE
Operator:: Smith Concrete Co.
Owner: Smith Concrete Co.
Address: Newport Pike. Phone: 740-373-7441
Town: Reno State: OH County: Washington
Railway Connection: None.
Purpose:: Receipt of limestone and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.381111
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.404167
Remarks: Open storage area at rear has capacity for 70,000 tons of material.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42813 Dock Code: 501

Waterway: **Ohio River** Mile: 172.2 PWD: 233
Name:: **U.S. Army Corps of Engineers, Marietta Repair Station Wharf.**
Location:: Mile 172.2, right bank, Ohio River, Marietta, (left bank Muskingum River at mouth). Datum: NPE
Operator:: U.S. Army Corps of Engineers.
Owner: United States Government.
Address: 100 Post Street. Phone: 740/373-3393
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose:: Handling lock-and-dam apparatus for repair; handling construction materials, machinery, supplies, and equipment; and mooring government-owned floating equipment.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.410833
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.454722
Remarks: Repair shops for lock-and-dam equipment and open work area are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42809 Dock Code: 201

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 173.1 PWD: 234
Name:: **ITAPCO-Marietta Wharf.**
Location:: Mile 173.1, right bank, Ohio River, Marietta. Datum: NPE
Operator:: Not operated.
Owner: ITAPCO-Marietta, Inc. (See Remarks.)
Address: Mile Run Road. Phone: 740-350-4904
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 14 | | Latitude (decimal): 39.402222
Total Berthing Space (feet): 230 | | Longitude (decimal): -81.471389
Remarks: Two 6-inch pipelines extending from wharf to five steel storage tanks at rear; total capacity 65,000 barrels, were not in use at time of survey. Facility was for sale at time of survey (2005).
Year of Last Survey: 2005 Corps of Engineers Location Code: 42808 Dock Code: 101

Waterway: **Ohio River** Mile: 173.2 PWD: 235
Name:: **Shelley & Sands, Marietta Wharf.**
Location:: Mile 173.2, right bank, Ohio River, Marietta. Datum: NPE
Operator:: Shelley & Sands, Inc.
Owner: Shelley & Sands, Inc.
Address: Mile Run Road. Phone: 740/373-6495
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose:: Receipt of crushed limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.401111
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.4725
Remarks: Ready-mix asphalt plant and open storage area with capacity for 20,000 tons of material are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42808 Dock Code: 201

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 173.6 PWD: 236
Name:: **American River Terminals, Marietta Wharf.**
Location:: Mile 173.6, right bank, Ohio River, Marietta. Datum: NPE
Operator:: Not operated.
Owner: American Marietta Corp.
Address: Mile Run Road Phone: 304-464-4888
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 22 | | Latitude (decimal): 39.396389
Total Berthing Space (feet): 150 | | Longitude (decimal): -81.477222
Remarks: One 6-inch pipeline extending from wharf to two steel, crude oil storage tanks at rear, total capacity 15,000 barrels, was not in use at time of survey (2005).
Year of Last Survey: 2005 Corps of Engineers Location Code: 42807 Dock Code: 911

Waterway: **Ohio River** Mile: 174.8 PWD: 237
Name:: **Marathon Petroleum Co., Marietta Terminal No. 1 Dock.**
Location:: Mile 174.8, right bank, Ohio River, Marietta. Datum: NPE
Operator:: Marathon Petroleum Co.
Owner: Marathon Petroleum Co.
Address: Tunnel Road (State Highway 7). Phone: 740/374-5067
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose:: Receipt of gasoline and diesel fuel.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.371111
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.491667
Remarks: Four reducing to three 8-inch pipelines extend from wharf to seven steel storage tanks at rear; total capacity 116,000 barrels.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42807 Dock Code: 921

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 175 PWD: 238
Name:: **Asphalt Materials, South Marietta Dock.**
Location:: Mile 175.0, right bank, Ohio River, Marietta. Datum: NPE
Operator:: Not operated.
Owner: Asphalt Materials, Inc.
Address: Tunnel Road (State Highway 7). Phone: 740-374-5100
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.381389
Total Berthing Space (feet): 150 | | Longitude (decimal): -81.493333
Remarks: One 8-inch pipeline extends from wharf to one 23,800-barrel, steel storage tank at rear. One 5-inch steam pipeline serves wharf. At time of survey, plans called for consolidation of operations at company's North Marietta Plant (P.W.D. Ref. No. 248).
Year of Last Survey: 2005 Corps of Engineers Location Code: 42807 Dock Code: 909

Waterway: **Ohio River** Mile: 175.1 PWD: 239
Name:: **Asphalt Materials and Marathon Petroleum Co., Marietta Dock.**
Location:: Mile 175.1, right bank, Ohio River, Marietta. Datum: NPE
Operator:: Asphalt Materials, Inc. and Marathon Petroleum Co.
Owner: Marathon Petroleum Co.
Address: River Lane. Phone: 740-374-5067
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose:: Asphalt Materials, Inc.: Receipt of asphalt; and Marathon Petroleum Co.: Receipt of diesel fuel and kerosene.
Depth Alongside (feet): 10-12 | | Latitude (decimal): 39.380556
Total Berthing Space (feet): 110 | | Longitude (decimal): -81.494722
Remarks: Asphalt Materials, Inc.: One 8-inch pipeline extends from wharf to fourteen asphalt storage tanks at terminal in rear; total capacity 107,200 barrels. □ Marathon Petroleum Co.: Two 8-inch pipelines extend from wharf to six petroleum products storage tanks at terminal in rear; total capacity 65,000 barrels. One 5-inch steam pipeline serves wharf.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42807 Dock Code: 905

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 175.9 PWD: 240
Name:: **Marietta Industrial Enterprises, Marietta River Terminal Dock.**
Location:: Mile 175.9, right bank, Ohio River, Marietta. Datum: NPE
Operator:: Not operated.
Owner: Marietta Industrial Enterprises, Inc.
Address: Riverview Road (State Highway 7). Phone: 614/373-2252
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 19 | | Latitude (decimal): 39.372222
Total Berthing Space (feet): 100 | | Longitude (decimal): -81.506667
Remarks: Facility was not in use at time of survey (2005).
Year of Last Survey: 2005 Corps of Engineers Location Code: 42807 Dock Code: 887

Waterway: **Ohio River** Mile: 176.5 PWD: 242
Name:: **American Municipal Power-Ohio, Marietta Dock.**
Location:: Mile 176.6, right bank, Ohio River, Marietta. Datum: NPE
Operator:: B&N Coal, Inc.
Owner: American Municipal Power-Ohio, Inc.
Address: State Highway 7. Phone: 740/374-8913
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose:: Receipt of coal.
Depth Alongside (feet): 10-12 | | Latitude (decimal): 39.366111
Total Berthing Space (feet): 1332 | | Longitude (decimal): -81.516389
Remarks: Open storage area at rear has capacity for 60,000 tons of coal.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42807 Dock Code: 881

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 176.5 PWD: 241
Name:: **Chevron Phillips Chemical Co., Marietta Plant Dock.**
Location:: Mile 176.5, right bank, Ohio River, Marietta. Datum: NPE
Operator:: Chevron Phillips Chemical Co., LP.
Owner: Chevron Phillips Chemical Co., LP.
Address: 17401 State Highway 7. Phone: 740/374-0237
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose:: Receipt of styrene monomer.
Depth Alongside (feet): 10-12 | | Latitude (decimal): 39.367222
Total Berthing Space (feet): 300 | | Longitude (decimal): -81.514167
Remarks: One 6-inch pipeline extends from wharf to four steel storage tanks at plant in rear, total capacity 42,208,000 gallons.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42807 Dock Code: 801

Waterway: **Ohio River** Mile: 176.7 PWD: 243
Name:: **Eramet Marietta Dock.**
Location:: Mile 176.7, right bank, Ohio River, Marietta. Datum: NPE
Operator:: Not operated.
Owner: Eramet Marietta, Inc.
Address: State Highway 7, Riverview Road. Phone: 740-374-1124
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.364722
Total Berthing Space (feet): 525 | | Longitude (decimal): -81.519167
Remarks: -
Year of Last Survey: 2005 Corps of Engineers Location Code: 42807 Dock Code: 501

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 177.1 PWD: 244
Name:: **Mid-Ohio Valley Lime, Marietta Wharf.**
Location:: Mile 177.1, right bank, Ohio River, Marietta. Datum: NPE
Operator:: Mid-Ohio Valley Lime, Inc.
Owner: Eramet Marietta, Inc.
Address: 16360 State Highway 7. Phone: 740/373-1006
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose:: Receipt of bulk lime.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.367222
Total Berthing Space (feet): 100 | | Longitude (decimal): -81.513889
Remarks: Two concrete silos at rear have total capacity for 1,800 tons of lime. At time of survey (2005), plans called for adding an additional steel silo.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42803 Dock Code: 901

Waterway: **Ohio River** Mile: 178.5 PWD: 118
Name:: **Joe S. Towing Co., Vienna Dock.**
Location:: Mile 178.5, left bank, Ohio River, Vienna. Datum: NPE
Operator:: Joe S. Towing Co.
Owner: Joe S. Towing Co.
Address: 229 Neale Road. Phone: 304-295-4223
Town: Vienna State: WV County: Wood
Railway Connection: None.
Purpose:: Mooring company-owned vessels for fleetng and repair; mooring floating drydock; and mooring barges for fleetng.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.350833
Total Berthing Space (feet): 680 | | 1950 Longitude (decimal): -81.539722
Remarks: One 700-ton floating drydock is moored at face. Fleetng area extends approximately 1 1/2 miles along left bank and has capacity for one hundred twenty barges. Seven company-owned fleetng boats are based here. In addition, fleetng for approximately sixty barges is available along 1,950 feet of Halfway Island.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42802 Dock Code: 502

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 178.7 PWD: 245
Name:: **Dock Side, River Terminal, Marietta Upper Loading Dock.**
Location:: Mile 178.7, right bank, Ohio River, Marietta. Datum: NPL
Operator:: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Owner: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Address: 101 Blue Knob Road. Phone: 740-525-0555
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose:: Shipment of miscellaneous bulk materials, including coal and cinders.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.347222
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.552222
Remarks: Use of warehouses and open storage areas described under P.W.D. Ref. No. 247.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42802 Dock Code: 001

Waterway: **Ohio River** Mile: 178.9 PWD: 246
Name:: **Dock Side, River Terminal, Marietta Upper Unloading Dock.**
Location:: Mile 178.8, right bank, Ohio River, Marietta. Datum: NPE
Operator:: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Owner: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Address: 101 Blue Knob Road. Phone: 740-525-0555
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose:: Receipt of miscellaneous bulk materials including coal, coke, quartzite, limestone, ores, and salt.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.346389
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.553056
Remarks: Use of warehouses and open storage areas described under P.W.D. Ref. No. 247.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42802 Dock Code: 001

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 179 PWD: 247
Name:: **Dock Side, River Terminal, Marietta Lower Dock.**
Location:: Mile 179.0, right bank, Ohio River, Marietta. Datum: NPE
Operator:: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Owner: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Address: 101 Blue Knob Road. Phone: 740-525-0555
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose:: Receipt of miscellaneous bulk materials, including coal, coke, quartzite, limestone, manganese and chrome ores, and salt, receipt of steel pipe, steel coils, aluminum T-bars and ingots, lumber, and miscellaneous bagged materials; and shipment of ferromanganese and ferrochromium.
Depth Alongside (feet): 19 | | Latitude (decimal): 39.346667
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.554444
Remarks: Approximately 2 acres of paved, open storage area with capacity for 50,000 tons of salt, and 8 acres of unpaved open storage area for other commodities are located at rear. Ten buildings with a total area of approximately 125,000 square feet are located approximately 1,000 feet north and used as storage warehouses.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42802 Dock Code: 001

Waterway: **Ohio River** Mile: 179.3 PWD: 248
Name:: **Asphalt Materials, North Marietta Wharf.**
Location:: Mile 179.3, right bank, Ohio River, Marietta. Datum: NPE
Operator:: Asphalt Materials, Inc.
Owner: Asphalt Materials, Inc.
Address: Riverview Road (State Highway 7). Phone: 740-374-5100
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose:: Receipt of asphalt.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.343056
Total Berthing Space (feet): 165 | | Longitude (decimal): -81.556389
Remarks: Three 8-inch (reducing to 6 inch) pipelines extend from wharf to twenty-nine steel storage tanks at plant inrear, total capacity 98,700 barrels.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42801 Dock Code: 701

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 182.1 PWD: 249
Name:: **DeGussa Engineered Carbons, Belpre Plant Wharf.**
Location:: Mile 182.1, right bank, Ohio River, Belpre. Datum: NPE
Operator:: DeGussa Engineered Carbons, LP.
Owner: DeGussa Engineered Carbons, LP.
Address: 11135 State Highway 7. Phone: 740-423-9571 ext.135
Town: Belpre State: OH County: Washington
Railway Connection: Trackage serving plant in rear connects with CSX Transportation, Inc.
Purpose:: Receipt of carbon-black feedstocks.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.302222
Total Berthing Space (feet): 185 | | Longitude (decimal): -81.565556
Remarks: One 8-inch pipeline extends from wharf to five steel storage tanks at rear, total capacity 5,880,000 gallons.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42799 Dock Code: 001

Waterway: **Ohio River** Mile: 183.8 PWD: 116
Name:: **City of Parkersburg, Point Park Dock.**
Location:: Mile 184.5, left bank, Ohio River, Parkersburg. Datum: NPE
Operator:: City of Parkersburg.
Owner: City of Parkersburg.
Address: 215 First Street. Phone: 304-785-5481
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose:: Mooring vessels; and landing for harbor excursion vessels.
Depth Alongside (feet): 22 | | Latitude (decimal): 39.266667
Total Berthing Space (feet): 1400 | | Longitude (decimal): -81.566944
Remarks: City of Parkersburg Point Park is located at rear; excursion vessels dock on opposite side of Ohio River.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42797 Dock Code: 220

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 183.8 PWD: 117
Name:: **Martin Marietta Materials, Parkersburg 12th Street Dock.**
Location:: Mile 183.8, left bank, Ohio River, Parkersburg. Datum: NPE
Operator:: Martin Marietta Materials.
Owner: Martin Marietta Materials.
Address: 21 12th Street. Phone: 304-785-5481
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose:: Occasional receipt of sand, gravel, and limestone; mooring company-owned floating equipment; and mooring barges for fleetling.
Depth Alongside (feet): 22 | | Latitude (decimal): 39.274167
Total Berthing Space (feet): 240 | | Longitude (decimal): -81.561667
Remarks: Dispatch office, repair shop for shore equipment, and approximately 2 acres of open storage area are located at rear. Natural bank just above dock is used for occasional unloading of material. Two mooring cells below and behind bulkhead were not in use at time of survey (2004). Barge fleetling at time of survey consisted of a total of fifteen barges at shore moorings. Plans called for the addition of four timber breasting dolphins below dock with several walkways providing shore access to barges. Fleetling capacity is expected to increase to forty-five barges.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42797 Dock Code: 222

Waterway: **Ohio River** Mile: 188.1 PWD: 250
Name:: **Nova Chemicals, Belpre Dock.**
Location:: Mile 188.1, right bank, Ohio River, Belpre. Datum: NPE
Operator:: Nova Chemicals, Inc.
Owner: Nova Chemicals, Inc.
Address: Township Road No. 97. Phone: 740/568-3289
Town: Belpre State: OH County: Washington
Railway Connection: Trackage serving plant in rear connects with CSX Transportation, Inc.
Purpose:: Receipt of styrene.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.277222
Total Berthing Space (feet): 250 | | Longitude (decimal): -81.638889
Remarks: One 8-inch pipeline extends from wharf to two storage tanks at plant in rear, total capacity 60,000 barrels.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42793 Dock Code: 101

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 188.6 PWD: 251
Name:: **Kraton Polymers, Belpre Plant Wharf.**
Location:: Mile 188.6, right bank, Ohio River, Belpre. Datum: NPE
Operator:: Kraton Polymers.
Owner: Kraton Polymers.
Address: 2982 Washington Blvd. (State Highway 618). Phone: 740/423-2430
Town: Belpre State: OH County: Washington
Railway Connection: Trackage serving plant in rear connects with CSX Transportation, Inc..
Purpose:: Receipt of styrene, feedstock oil, and butadiene.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.277222
Total Berthing Space (feet): 100 | | Longitude (decimal): -81.638889
Remarks: Two 8-, one 6-, and one 4-inch vent pipelines extend from wharf to storage tanks at plant in rear.

<input type="checkbox"/>	<input type="checkbox"/>	Commodity	Tanks	Capacity	(gallons)	<input type="checkbox"/>	Styrene	6
<input type="checkbox"/>		3,400,000	<input type="checkbox"/>	Feedstock	2		1,000,000	
<input type="checkbox"/>		Butadiene	2 (Spheres)					
<input type="checkbox"/>		2,000,000						

Year of Last Survey: 2005 Corps of Engineers Location Code: 42792 Dock Code: 401

Waterway: **Ohio River** Mile: 188.9 PWD: 252
Name:: **Price Inland Terminal, Belpre Upper Dock.**
Location:: Mile 188.9, right bank, Ohio River, Belpre. Datum: NPE
Operator:: Price Inland Terminal Co.
Owner: Price Inland Terminal Co. and SMI Marine, a division of Shelly Materials, Inc.
Address: 3059 Washington Blvd (State Highway 618). Phone: 740/423-9803
Town: Belpre State: OH County: Washington
Railway Connection: None.
Purpose:: Receipt and shipment of miscellaneous bulk materials, including coal, vanadium slag, limestone, chrome ore, sand, and gravel; receipt and shipment of steel products and unitized general cargo.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.277778
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.645
Remarks: Open storage area at rear, equipped with radial stacker, has capacity for 3,000 tons of coal.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42791 Dock Code: 301

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 189.1 PWD: 254
Name:: **Lafarge North America, Belpre Dock.**
Location:: Mile 189.2, right bank, Ohio River, Belpre. Datum: NPE
Operator:: Lafarge North America.
Owner: Price Inland Terminal Co. and SMI Marine, a division of Shelly Materials, Inc.
Address: 3059 Washington Blvd (State Highway 618). Phone: 740/423-5900
Town: Belpre State: OH County: Washington
Railway Connection: None.
Purpose:: Receipt of cement.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.278056
Total Berthing Space (feet): 300 | | Longitude (decimal): -81.648333
Remarks: Two concrete silos with total capacity for 3,000 tons of lime; and one 2,500-ton-capacity silo for cement are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42791 Dock Code: 302

Waterway: **Ohio River** Mile: 189.1 PWD: 253
Name:: **Price Inland Terminal, Belpre Center Dock.**
Location:: Mile 189.1, right bank, Ohio River, Belpre. Datum: NPE
Operator:: Price Inland Terminal Co.
Owner: Price Inland Terminal Co. and SMI Marine, a division of Shelly Materials, Inc.
Address: 3059 Washington Blvd (State Highway 618). Phone: 740/423-9803
Town: Belpre State: OH County: Washington
Railway Connection: None.
Purpose:: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.2775
Total Berthing Space (feet): 375 | | Longitude (decimal): -81.647222
Remarks: Open storage area at rear is described under P.W.D. Ref. No. 252.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42791 Dock Code: 301

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 189.2 PWD: 255
Name:: **Price Inland Terminal, Belpre Lower Dock.**
Location:: Mile 189.3, right bank, Ohio River, Belpre. Datum: NPE
Operator:: Price Inland Terminal Co.
Owner: Price Inland Terminal Co. and SMI Marine, a division of Shelly Materials, Inc.
Address: 3059 Washington Blvd. (State Highway 618). Phone: 740/423-9803
Town: Belpre State: OH County: Washington
Railway Connection: None.
Purpose:: Receipt and shipment of miscellaneous bulk materials, including coal, vanadium slag, limestone, chrome ore, sand, and gravel; receipt and shipment of steel products and unitized general cargo.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.278056
Total Berthing Space (feet): 800 | | Longitude (decimal): -81.648333
Remarks: Approximately 15 acres of open storage area for miscellaneous bulk materials are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42791 Dock Code: 301

Waterway: **Ohio River** Mile: 189.5 PWD: 256
Name:: **Price Inland Terminal Co., Porterfield Wharf.**
Location:: Mile 189.5, right bank, Ohio River, Belpre. Datum: NPE
Operator:: Price Inland Terminal Co.
Owner: Price Inland Terminal Co. and SMI Marine, a division of Shelly Materials, Inc.
Address: 5001 Washington Blvd (State Highway 618). Phone: 740/423-9803
Town: Belpre State: OH County: Washington
Railway Connection: None.
Purpose:: Mooring barges.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.278056
Total Berthing Space (feet): 780 | | Longitude (decimal): -81.655278
Remarks: Wharf and adjacent bank area have capacity for storing eight to twelve empty barges. Open storage area with capacity for 200,000 tons of coal is located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42791 Dock Code: 301

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 191.4 PWD: 111
Name:: **General Electric Advanced Materials, Washington Dock.**
Location:: Mile 191.4, left bank, Ohio River, Washington, approximately 1.5 miles below Blennerhasset Island. Datum: NPE
Operator:: General Electric Advanced Materials.
Owner: General Electric Advanced Materials.
Address: Phone: 304-863-7737
Town: Washington State: WV County: Wood
Railway Connection: Two surface tracks serve plant at rear, connect with CSX Transportation, Inc.
Purpose:: Receipt of styrene, butadiene, and methanol.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.265278
Total Berthing Space (feet): 240 | | Longitude (decimal): -81.685
Remarks: One 6-inch pipeline extends from wharf to four styrene storage tanks at rear, total capacity 1,850,000 gallons; one 6-inch pipeline extends from wharf to four butadiene storage spheres at rear, total capacity 1,590,000 gallons; and one 8-inch pipeline extends from wharf to two methanol storage tanks at adjacent E. I. du Pont de Nemours, Inc., Washington Works plant, total capacity 3,700,000 gallons.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42789 Dock Code: 602

Waterway: **Ohio River** Mile: 205.5 PWD: 257
Name:: **JMAR, Reedsville Terminal Dock.**
Location:: Mile 205.5, right bank, Ohio River, Reedsville, OH. Datum: NPE
Operator:: JMAR, Inc.
Owner: Belpre Sand and Gravel Co.
Address: 8751 North State Route 7. Phone: 740/446-9786
Town: Reedsville State: OH County: Washington
Railway Connection: None.
Purpose:: Shipment of sand and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.0975
Total Berthing Space (feet): 1600 | | Longitude (decimal): -81.746944
Remarks: Open storage area with capacity for 100,000 tons of material is located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42776 Dock Code: 501

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 220.3 PWD: 110
Name:: **Martin Marietta Materials, Ravenswood Yard Dock.**
Location:: Mile 220.3, left bank, Ohio River, Ravenswood. Datum: NPE
Operator:: Martin Marietta Materials.
Owner: Martin Marietta Materials.
Address: 105 Sycamore Street. Phone: 304-485-5481
Town: Ravenswood State: WV County: Jackson
Railway Connection: None.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.949444
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.7675
Remarks: Approximately 12 acres of open storage area with capacity for 45,000 tons of material are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42760 Dock Code: 502

Waterway: **Ohio River** Mile: 226.9 PWD: 109
Name:: **Ravenswood Aluminum Corp. Dock.**
Location:: Mile 226.9, left bank, Ohio River, approximately 6.2 miles below Ravenswood. Datum: NPE
Operator:: Ravenswood Aluminum Corp.
Owner: Ravenswood Aluminum Corp.
Address: Phone: 304/273-6679/ 6686
Town: Ravenswood State: WV County: Jackson
Railway Connection: Plant trackage connects with CSX Transportation, Inc.
Purpose:: Receipt of alumina.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.94
Total Berthing Space (feet): 780 | | Longitude (decimal): -81.831667
Remarks: Two alumina storage silos at rear have total capacity for approximately 4,000 tons.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42754 Dock Code: 002

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 229.5 PWD: 108
Name:: **Valley, Jackson Maritime and Industrial Center, Millwood Dock.**
Location:: Mile 229.5, left bank, Ohio River, Millwood. Datum: NPE
Operator:: Valley, Inc.
Owner: Valley, Inc.
Address: Jackson Maritime and Industrial Center. Phone: 304-273-5555
Town: Millwood State: WV County: Jackson
Railway Connection: None.
Purpose:: Receipt of coke, ores, limestone, sand, gravel, and steel products.
Depth Alongside (feet): 12-14 | | Latitude (decimal): 38.906111
Total Berthing Space (feet): 250 | | Longitude (decimal): -81.843056
Remarks: Approximately 20 acres of open storage area with capacity for approximately 100,000 tons of material are located at rear. Coke is transferred directly to trucks and transported to the Ravenswood Aluminum Corp. plant at the rear of P.W.D. Ref. No. 109. Barge fleet in the vicinity of the wharf has capacity for mooring fifteen empty and fifteen loaded barges.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42752 Dock Code: 600

Waterway: **Ohio River** Mile: 230 PWD: 258
Name:: **Valley, Apple Grove Fleet Mooring.**
Location:: Mile 230.0, right bank, Ohio River, Apple Grove. Datum: NPE
Operator:: Not operated.
Owner: Valley, Inc.
Address: State Highway 338. Phone: 304/273-5555
Town: Apple Grove State: OH County: Meigs
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.899167
Total Berthing Space (feet): 1000 | | Longitude (decimal): -81.851111
Remarks: -
Year of Last Survey: 2005 Corps of Engineers Location Code: 42751 Dock Code: 001

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 232.2 PWD: 259
Name:: **Martin Marietta Materials, Apple Grove Wharf.**
Location:: Mile 232.2, right bank, Ohio River, Apple Grove. Datum: NPE
Operator:: Martin Marietta Materials.
Owner: Martin Marietta Materials.
Address: 50427 State Highway 124. Phone: 740/247-2211
Town: Apple Grove State: OH County: Meigs
Railway Connection: None.
Purpose:: Shipment of sand and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.88
Total Berthing Space (feet): 540 | | Longitude (decimal): -81.878611
Remarks: Approximately 7 acres of open storage area with capacity for 78,000 tons of sand and 85,000 tons of gravel are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42748 Dock Code: 801

Waterway: **Ohio River** Mile: 233.8 PWD: 260
Name:: **Shelly Materials, Letart Falls Dock.**
Location:: Mile 233.8, right bank, Ohio River, Letart Falls. Datum: NPE
Operator:: Shelly Materials, Inc.
Owner: Shelly Materials, Inc.
Address: 49947 State Route 338. Phone: 740/247-2311
Town: Letart Falls State: OH County: Meigs
Railway Connection: None.
Purpose:: Shipment of sand and gravel.
Depth Alongside (feet): 16 | | Latitude (decimal): 38.876389
Total Berthing Space (feet): 1225 | | Longitude (decimal): -81.902222
Remarks: Open storage area with capacity for 500,000 tons of sand and gravel is located at rear. An additional 1,300 acres of open storage area are available at gravel pit.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42747 Dock Code: 201

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 235.8 PWD: 106
Name:: **Carl Kelly Paving, Letart Dock.**
Location:: Mile 235.8, left bank, Ohio River, Letart. Datum: NPE
Operator:: Carl Kelly Paving, Inc.
Owner: Cornelia and Clyde Smith.
Address: Phone: 717-589-7492
Town: Letart State: WV County: Mason
Railway Connection: None.
Purpose:: Occasional receipt of limestone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.896389
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.932222
Remarks: Asphalt plant, sand and gravel pit, and open storage area with capacity for 10,000 tons of limestone are located on opposite side of State Highway 62.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42746 Dock Code: 801

Waterway: **Ohio River** Mile: 241 PWD: 105
Name:: **Global Industrial Projects, Grahams Station Dock.**
Location:: Mile 241.0, left bank, Ohio River, Graham Station. Datum: NPE
Operator:: Global Industrial Projects, LLC.
Owner: Highlanders Alloys, LLC.
Address: Phone: 304-882-1181
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose:: Receipt of manganese ore.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.960833
Total Berthing Space (feet): | | Longitude (decimal): -81.918333
Remarks: Ore is trucked to processing plant on opposite side of State Highway 62.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42740 Dock Code: 101

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 241.6 PWD: 104
Name:: **Appalachain Power Co., Phillip Sporn Plant, Grahams Station Dock.**
Location:: Mile 241.6, left bank, Ohio River, Grahams Station. Datum: NPE
Operator:: Appalachain Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachain Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304-882-1683
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose:: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.971389
Total Berthing Space (feet): 2277 | | Longitude (decimal): -81.925556
Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Wharf has capacity for mooring twenty standard or fifteen jumbo loaded barges above (Area 1), and thirty standard or twenty jumbo empty barges below unloader (Area 2). Additional mooring (Area 3) is available at upstream cells with capacity for fifteen standard or nine jumbo loaded barges.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42739 Dock Code: 402

Waterway: **Ohio River** Mile: 242.9 PWD: 103
Name:: **Appalachian Power Co., Mountaineer Plant, Grahams Station Fuel Oil Dock.**
Location:: Mile 242.9, left bank, Ohio River, Grahams Station. Datum: NPE
Operator:: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304-882-4116
Town: Grahams Station State: WV County: Mason
Railway Connection: Surface tracks with capacity for three hundred cars serve undertrack pit at plant in rear; connects with CSX Transportation, Inc.
Purpose:: Receipt of fuel oil for plant consumption; and occasional receipt of heavy-lift items.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.983056
Total Berthing Space (feet): 150 | | Longitude (decimal): -81.933611
Remarks: One 8-inch pipeline extends from wharf to two steel storage tanks at rear, total capacity 71,400 barrels. Occasional heavy-lift operations are conducted immediately upstream of fuel dock.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42737 Dock Code: 602

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 243 PWD: 102
Name:: **Appalachian Power Co., Mountaineer Plant, Grahams Station Coal-Unloading Dock.**
Location:: Mile 243.0, left bank, Ohio River, Grahams Station. Datum: NPE
Operator:: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304-882-4116
Town: Grahams Station State: WV County: Mason
Railway Connection: Surface tracks having capacity for three hundred cars serve undertrack pit at plant in rear; connects with CSX Transportation, Inc..
Purpose:: Receipt of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.988333
Total Berthing Space (feet): 3775 | | Longitude (decimal): -81.936944
Remarks: Open storage area at plant in rear has capacity for 1,500,000 tons of coal. Wharf has capacity for mooring twenty loaded barges above and twenty empty barges below.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42737 Dock Code: 602

Waterway: **Ohio River** Mile: 252.6 PWD: 101
Name:: **Clifton Farms, Clifton Landing.**
Location:: Mile 252.6, left bank, Ohio River, Clifton. Datum: NPE
Operator:: Smith Concrete Co. (See Remarks.)
Owner: Clifton Farms, Inc.
Address: Phone: 304-773-5554
Town: Clifton State: WV County: Mason
Railway Connection: None.
Purpose:: Receipt of sand and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.997222
Total Berthing Space (feet): 600 | | Longitude (decimal): -82.045278
Remarks: Open storage area with capacity for approximately 4,500 tons of sand and 4,500 tons of gravel is located at rear. Smith Concrete Co. is a temporary contractor for a nearby bridge construction project. At time of survey (2004), a permanent leasing operator was being sought.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42729 Dock Code: 601

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 256.2 PWD: 261
Name:: **JAYMAR, Cheshire Dock.**
Location:: Mile 256.2, right bank, Ohio River, Cheshire. Datum: NPE
Operator:: Waterloo Coal Co.
Owner: Jelm Enterprises
Address: 8751 State Highway 7. Phone: 740/992-6637
Town: Cheshire State: OH County: Meigs
Railway Connection: None.
Purpose:: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.9625
Total Berthing Space (feet): 1050 | | Longitude (decimal): -82.096944
Remarks: Open storage area with capacity for 20,000 tons of coal is located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42724 Dock Code: 801

Waterway: **Ohio River** Mile: 256.8 PWD: 100
Name:: **American Electric Power Co., River Operations Division, Lakin Mooring.**
Location:: Mile 256.8, left bank, Ohio River, Lakin. Datum: NPE
Operator:: American Electric Power Co., River Operations Division.
Owner: American Electric Power Co.
Address: 644 River View Road. Phone: 304-675-4716
Town: Lakin State: WV County: Mason
Railway Connection: None.
Purpose:: Mooring company-owned towboats and barges for repair and supply; receipt of urea.
Depth Alongside (feet): 18 | | Latitude (decimal): 38.949444
Total Berthing Space (feet): 2550 | | Longitude (decimal): -82.101389
Remarks: Bucket elevator serves conveyor extending to one concrete-dome storage building, capacity 8,000 tons, or to one concrete storage silo, capacity 75 tons, used for transfer to truck. At time of survey (2004), the lower side of dock was being used for temporary fleeting of up to fifteen coal barges for use by the Ohio Power Co.'s, Gavin Generating Plant on opposite side of river (P.W.D. Ref. No. 263).
Year of Last Survey: 2005 Corps of Engineers Location Code: 42723 Dock Code: 902

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 258.1 PWD: 262
Name:: **Ohio Power Co., General James M. Gavin Plant, Cheshire Lime Dock.**
Location:: Mile 258.1, right bank, Ohio River, Cheshire. Datum: NPE
Operator:: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: 7397 North State Highway 7. Phone: 740/925-3266
Town: Cheshire State: OH County: Gallia
Railway Connection: Three surface tracks serve power plant in rear; connect with CSX Transportation, Inc.
Purpose:: Receipt of lime; and mooring barges.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.938611
Total Berthing Space (feet): 245 | | Longitude (decimal): -82.111667
Remarks: Three concrete storage tanks, total capacity 57,000 tons, are located at rear. Three steel-sheet-pile, solid-filled cellular breasting dolphins are located on each side for mooring a total of eighteen barges, each arranged in tiers up to 3-wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42722 Dock Code: 801

Waterway: **Ohio River** Mile: 258.5 PWD: 263
Name:: **Ohio Power Co., General James M. Gavin Plant, Cheshire Coal Dock.**
Location:: Mile 258.5, right bank, Ohio River, Cheshire. Datum: NPE
Operator:: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: 2397 North State Highway 7. Phone: 740/925-3266
Town: Cheshire State: OH County: Gallia
Railway Connection: Three surface tracks serve power plant in rear; connect with CSX Transportation, Inc.
Purpose:: Receipt of coal.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.931944
Total Berthing Space (feet): 3570 | | Longitude (decimal): -82.114722
Remarks: Open storage area with capacity for 2,700,000 tons of coal is located at rear. Upper dolphins have capacity for twenty-eight loaded barges; and lower dolphins have equal capacity for empty barges, each arranged in tiers up to 7-wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42722 Dock Code: 801

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 259.7 PWD: 264
Name:: **Ohio Valley Electric Corp., Kyger Creek Power Plant, Addison Dock.**
Location:: Mile 259.7, right bank, Ohio River, Addison. Datum: NPE
Operator:: Ohio Valley Electric Corp.
Owner: Ohio Valley Electric Corp.
Address: State Highway 7. Phone: 70/367-5050
Town: Addison State: OH County: Gallia
Railway Connection: One surface track serves power plant in rear; connects with CSX Transportation, Inc.
Purpose:: Receipt of coal.
Depth Alongside (feet): 18 | | Latitude (decimal): 38.9175
Total Berthing Space (feet): 3400 | | Longitude (decimal): -82.124444
Remarks: Open storage area with capacity for 1,000,000 tons of coal is located at rear. Upper dolphins have capacity for thirty-five loaded barges; and lower dolphins have equal capacity for empty barges, each arranged in tiers up to 7-wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42721 Dock Code: 301

Waterway: **Ohio River** Mile: 263 PWD: 265
Name:: **Jay Hall, Jr., Gallipolis Wharf.**
Location:: Mile 263.0, right bank, Ohio River, Gallipolis. Datum: NPE
Operator:: Jay Hall, Jr.
Owner: Jay Hall, Jr.
Address: 715 Upper River Road. Phone: 740/-446-9786
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose:: Mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.875
Total Berthing Space (feet): 910 | | Longitude (decimal): -82.142222
Remarks: Mooring for barges is permitted along 3,100 feet below Kyger Creek using spud barges. Terminal in rear, having open storage area for 10,000 tons of coal, was not in use at time of survey (2005).
Year of Last Survey: 2005 Corps of Engineers Location Code: 42716 Dock Code: 011

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 264.4 PWD: 99
Name:: **O-KAN Marine Repair, Point Pleasant Fleet Mooring.**
Location:: Mile 264.4, left bank, Ohio River, Point Pleasant. Datum: NPE
Operator:: O-KAN Marine Repair, Inc.
Owner: O-KAN Marine Repair, Inc.
Address: Phone: 740-446-4686
Town: Point Pleasant State: WV County: Mason
Railway Connection: None.
Purpose:: Mooring barges for fleetings.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.855278
Total Berthing Space (feet): 2100 | | Longitude (decimal): -82.136667
Remarks: The breasting dolphins face 2,700 feet of shoreline with the upper 2,100 feet used for fleetings; the lower 600 feet are leased to Custom Fuel Services (P.W.D. Ref. No. 98). Fleetings area has capacity for mooring approximately sixty barges.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42717 Dock Code: 302

Waterway: **Ohio River** Mile: 264.5 PWD: 266
Name:: **Shelly Materials, Plant No. 2, Gallipolis Dock.**
Location:: Mile 264.5, right bank, Ohio River, Gallipolis. Datum: NPE
Operator:: Shelly Materials, Inc. and Middleport Terminal, Inc.
Owner: Shelly Materials, Inc.
Address: 487 Upper River Road. Phone: 740/441-0004
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose:: Shelly Materials, Inc.: receipt of sand and stone; and Middleport Terminal, Inc.: receipt of asphalt.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.854444
Total Berthing Space (feet): 275 | | Longitude (decimal): -82.141389
Remarks: Shelly Materials, Inc.: Open storage area in rear, served by a radial stacker, has capacity for 40,000 tons of material. □ Middleport Terminal, Inc.: One 12- inch pipeline extends from wharf to two asphalt storage tanks in rear, total capacity 107,140 barrels. Two 4-inch hot oil pipelines serve wharf.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42717 Dock Code: 702

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 264.6 PWD: 98
Name:: **Custom Fuel Services, Point Pleasant Dock.**
Location:: Mile 264.6, left bank, Ohio River, Point Pleasant. Datum: NPE
Operator:: Custom Fuel Services.
Owner: Custom Fuel Services.
Address: Foot of 14th Street. Phone: 304-675-2010
Town: Point Pleasant State: WV County: Mason
Railway Connection: None.
Purpose:: Loading midstream-fueling barge; and fueling towboats.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.853889
Total Berthing Space (feet): 395 | | Longitude (decimal): -82.137222
Remarks: Three fuel barges; and one slop barge are based at site.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42717 Dock Code: 401

Waterway: **Ohio River** Mile: 264.8 PWD: 267
Name:: **Sands Hill Coal Co., Gallipolis Wharf.**
Location:: Mile 264.8, right bank, Ohio River, Gallipolis. Datum: NPE
Operator:: Not operated.
Owner: Sands Hill Coal Co., Inc.
Address: 465 Upper River Road. Phone: 740/384-4211
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.850556
Total Berthing Space (feet): 895 | | Longitude (decimal): -82.142222
Remarks: Open storage area with capacity for 10,000 tons of coal is located at rear. Facility was not in use at time of survey (2005).
Year of Last Survey: 2005 Corps of Engineers Location Code: 42715 Dock Code: 501

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 265 PWD: 268
Name:: **O-KAN Marine Repair, Gallipolis Fleet Mooring.**
Location:: Mile 265.0, right bank, Ohio River, Gallipolis. Datum: NPE
Operator:: O-KAN Marine Repair Inc.
Owner: O-KAN Marine Repair Inc.
Address: 425 Upper River Road. Phone: 740/446-4686
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose:: Mooring barges for fleetting.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.846944
Total Berthing Space (feet): 585 | | Longitude (decimal): -82.143333
Remarks: Fleetting area extends below wharf and has capacity for twenty-four barges, arranged in 8 tiers each 3 barges wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42714 Dock Code: 801

Waterway: **Ohio River** Mile: 266.3 PWD: 269
Name:: **O-KAN Marine Repair, Gallipolis Wharf.**
Location:: Mile 266.3, right bank, Ohio River, Gallipolis. Datum: NPE
Operator:: O-KAN Marine Repair Inc.
Owner: O-KAN Marine Repair Inc.
Address: 267 Upper River Road. Phone: 740/446-4686
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose:: Mooring floating equipment for maintenance and repair; mooring floating drydocks; and mooring barges for fleetting. (See Remarks.)
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 38.831944
Total Berthing Space (feet): 150 | 875 | Longitude (decimal): -82.153333
Remarks: One 5,000-, one 1,200-, and one 750-ton floating drydocks are moored at wharf. Wharf is equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity. □ Kanawha River Towing, Inc. operates their Right Bank Fleet with capacity for forty barges, arranged in 10 tiers, each 4 barges wide at shore moorings, along approximately 2,000 feet of bank located below wharf.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42714 Dock Code: 801

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 266.8 PWD: 22
Name:: **Campbell Transportation Co., Henderson Landing.**
Location:: Mile 266.8, left bank, Ohio River, Henderson. Datum: NPE
Operator:: Campbell Transportation Co., Inc.
Owner: Campbell Transportation Co., Inc.
Address: Phone: 304-675-1850
Town: Henderson State: WV County: Mason
Railway Connection: None.
Purpose:: Mooring barges and towboats for fleetings.
Depth Alongside (feet): 30 | | Latitude (decimal): 38.823889
Total Berthing Space (feet): 2000 | | Longitude (decimal): -82.155
Remarks: Two-mile Fleet at mile 267.5, left bank, has capacity for thirty-six loaded jumbo barges; the West Virginia Fleet at mile 267.2, left bank, has capacity for thirty-six empty barges; and the Main Fleet, co-located with landing, has capacity for twenty-four stumbo barges.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42714 Dock Code: 202

Waterway: **Ohio River** Mile: 267.8 PWD: 270
Name:: **Cremeans Concrete & Supply Co., Gallipolis Dock.**
Location:: Mile 267.8, right bank, Ohio River, Gallipolis. Datum: NPE
Operator:: Not operated.
Owner: Cremeans Concrete & Supply Co.
Address: 1725 Eastern Avenue. Phone: 740446-1142
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.818889
Total Berthing Space (feet): 175 | | Longitude (decimal): -82.176111
Remarks: Approximately 5 acres of open storage area are located at rear. Facility was not in operation at time of survey.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42714 Dock Code: 802

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 268.1 PWD: 271
Name:: **Arrow Concrete Co., Gallipolis Dock.**
Location:: Mile 268.1, right bank, Ohio River, Gallipolis. Datum: NPE
Operator:: Arrow Concrete Co.
Owner: Arrow Industries.
Address: 1505 Eastern Avenue. Phone: 740/446-1594
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose:: Receipt of sand and stone.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.817611
Total Berthing Space (feet): 175 | | Longitude (decimal): -82.180556
Remarks: Open storage area with capacity for approximately 7,500 tons of material is located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42713 Dock Code: 101

Waterway: **Ohio River** Mile: 280.7 PWD: 21
Name:: **M&G Polymers, Point Pleasant Polyester Plant, Apple Grove Dock.**
Location:: Mile 280.7, left bank, Ohio River, Apple Grove. Datum: NPE
Operator:: M&G Polymers USA, LLC.
Owner: M&G Polymers USA, LLC.
Address: State Route 2. Phone: 304/576-4508
Town: Apple Grove State: WV County: Mason
Railway Connection: Plant trackage in rear, total capacity 100 cars; connects with CSX Transportation, Inc.
Purpose:: Receipt of ethylene glycol.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.660556
Total Berthing Space (feet): | | Longitude (decimal): -82.1825
Remarks: One 6-inch pipeline extends from wharf to three ethylene glycol storage tanks at rear, total capacity 2,000,000 gallons.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42700 Dock Code: 301

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 298.1 PWD: 20
Name:: **Adams Trucking & Supply, Lesage Dock.**
Location:: Mile 298.1, left bank, Ohio River, 1.3 miles below Lesage. Datum: NPE
Operator:: Adams Trucking & Supply, Inc.
Owner: Adams Trucking & Supply, Inc.
Address: 6600 Ohio River Road. Phone: 304/736-7028
Town: Lesage State: WV County: Cabell
Railway Connection: One surface track in rear connects with CSX Transportation, Inc.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.488333
Total Berthing Space (feet): 325 | | Longitude (decimal): -82.303333
Remarks: Approximately 6 acres of open storage area with capacity for 20,000 tons of material are located in rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42683 Dock Code: 102

Waterway: **Ohio River** Mile: 299.8 PWD: 19
Name:: **Arrow Concrete, Lesage Dock.**
Location:: Mile 299.8, left bank, Ohio River, 3.0 miles below Lesage. Datum: NPE
Operator:: Arrow Concrete.
Owner: Arrow Industries.
Address: Phone: 304/733-5676
Town: Lesage State: WV County: Cabell
Railway Connection: None.
Purpose:: Receipt of sand and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.466667
Total Berthing Space (feet): 100 | | Longitude (decimal): -82.303889
Remarks: Open storage area at rear has capacity for 24,000 tons of material.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42682 Dock Code: 801

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 299.9 PWD: 18
Name:: **Barboursville Block Co., Lesage Dock.**
Location:: Mile 299.9, left bank, Ohio River, 3.0 miles below Lesage. Datum: NPE
Operator:: Barboursville Block Co.
Owner: Barboursville Block Co.
Address: Phone: 304/736-1248
Town: Lesage State: WV County: Cabell
Railway Connection: None.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.465
Total Berthing Space (feet): 100 | | Longitude (decimal): -82.310556
Remarks: Open storage area at rear has capacity for 40,000 tons of material.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42683 Dock Code: 012

Waterway: **Ohio River** Mile: 303.9 PWD: 272
Name:: **Shelly Materials, Plant No. 1, Proctorville Dock.**
Location:: Mile 303.9, right bank, Ohio River, Proctorville. Datum: NPE
Operator:: Not operated.
Owner: Shelly Materials, Inc.
Address: Phone: 614/886-6640
Town: Proctorville State: OH County: Lawrence
Railway Connection: None.
Purpose:: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.437778
Total Berthing Space (feet): 380 | | Longitude (decimal): -82.368611
Remarks: Open storage area with capacity for 15,000 tons of material is located at rear. Facility was not in operation at time of survey.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42677 Dock Code: 481

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 304.1 PWD: 17
Name:: **Mountain Enterprises, Huntington Wharf.**
Location:: Mile 304.1, left bank, Ohio River, 3.3 miles above Huntington. Datum: NPE
Operator:: Mountain Enterprises, Inc.
Owner: Mountain Enterprises, Inc.
Address: 4022 Ohio River Road. Phone: 304/697-1151
Town: Huntington State: WV County: Cabell
Railway Connection: None.
Purpose:: Receipt of limestone, sand, and gravel; mooring barges for fleeting.
Depth Alongside (feet): 12-15 | | Latitude (decimal): 38.4325
Total Berthing Space (feet): 700 | | Longitude (decimal): -82.371111
Remarks: Facility has capacity for mooring twelve barges. Asphalt plant and approximately 9 acres of open storage area with capacity for 35,000 tons of sand, gravel, or limestone are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42677 Dock Code: 469

Waterway: **Ohio River** Mile: 305.5 PWD: 273
Name:: **Superior Marine, Proctorville Dock.**
Location:: Mile 305.5, right bank, Ohio River, Proctorville. Datum: NPE
Operator:: Superior Marine, Inc.
Owner: Superior Marine, Inc.
Address: Phone: 740/894-6224
Town: Proctorville State: OH County: Lawrence
Railway Connection: None.
Purpose:: Mooring barges for cleaning and repair.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.437778
Total Berthing Space (feet): 525 | | Longitude (decimal): -82.393611
Remarks: One 700-ton, side-haul marine railway, located adjacent to upper side, includes six pairs of tracks. Wharf is equipped with outlets for supplying oxygen, acetylene gas, and electricity.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42676 Dock Code: 611

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 306.5 PWD: 16
Name:: **The Ohio River Terminals Co., Huntington Terminal Dock.**
Location:: Mile 306.5, left bank, Ohio River, Huntington. Datum: NPE
Operator:: The Ohio River Terminals Co.
Owner: Ingram Barge Co.
Address: Foot of 25th Street. Phone: 304/523-6461
Town: Huntington State: WV County: Cabell
Railway Connection: Twenty-six surface tracks in rear, total capacity 300 cars; connect with CSX Transportation, Inc.
Purpose:: Shipment of coal; and mooring barges for fleetings.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.434444
Total Berthing Space (feet): 3000 | | Longitude (decimal): -82.4125
Remarks: Facility has capacity for mooring approximately one hundred two barges in three fleetings areas above and below terminal: Huntington Load Fleet, located at ORM 306.7, permits mooring of 42 barges using float tied to bank with spar poles; Huntington Terminal Fleet permits mooring of 25 barges at terminal; and Tennis Court Fleet, located at ORM 306.3, permits mooring of 35 barges with mooring float anchored to deadmen and used for minor repairs as well.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42674 Dock Code: 374

Waterway: **Ohio River** Mile: 306.9 PWD: 274
Name:: **Ohio River Terminals Co., Proctorville Fleet Mooring.**
Location:: Mile 306.9, right bank, Ohio River, Huntington. Datum: NPE
Operator:: Ohio River Terminals Co.
Owner: Ohio River Terminals Co.
Address: Phone: 304/523-6461
Town: Proctorville State: OH County: Lawrence
Railway Connection: None.
Purpose:: Mooring barges for fleetings.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.400833
Total Berthing Space (feet): 1600 | | Longitude (decimal): -82.533611
Remarks: Lower fleetings area, Schoolhouse Fleet, has capacity for mooring fifty-four barges, arranged in 11 tiers, each 5 barges wide. Upper fleetings area has capacity for mooring thirty barges, arranged in six tiers, each 5 barges wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42675 Dock Code: 901

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 307.7 PWD: 15
Name:: **Steel of West Virginia, Huntington Works Dock.**
Location:: Mile 307.7, left bank, Ohio River, Huntington. Datum: NPE
Operator:: Steel of West Virginia.
Owner: Steel of West Virginia.
Address: Phone: 304/696-8200
Town: Huntington State: WV County: Cabell
Railway Connection: One surface track in rear; connects with CSX Transportation, Inc.
Purpose:: Receipt and shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.426944
Total Berthing Space (feet): 220 | | Longitude (decimal): -82.433333
Remarks: A steel-manufacturing plant is located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42674 Dock Code: 370

Waterway: **Ohio River** Mile: 308.2 PWD: 14
Name:: **City of Huntington, Harris Riverfront Park Wharf.**
Location:: Mile 308.2, left bank, Ohio River, Huntington. Datum: NPE
Operator:: City of Huntington.
Owner: City of Huntington.
Address: Phone: 304/696-5903
Town: Huntington State: WV County: Cabell
Railway Connection: None.
Purpose:: Mooring vessels; and landing for excursion vessels.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.425
Total Berthing Space (feet): 1000 | | Longitude (decimal): -82.4425
Remarks: City of Huntington, Harris Riverfront Park is located at rear. Two launching ramps for recreational vessels are located on upper side.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42673 Dock Code: 300

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 309 PWD: 13
Name:: **Peabody Coal Co., Huntington Dock.**
Location:: Mile 309.0, left bank, Ohio River, Huntington. Datum: NPE
Operator:: Not operated.
Owner: Peabody Coal Co.
Address: Phone:
Town: Huntington State: WV County: Cabell
Railway Connection: Twelve surface storage tracks in rear, total capacity 150 cars, connect with CSX Transportation, Inc.
Purpose:: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.421944
Total Berthing Space (feet): 780 | | Longitude (decimal): -82.456111
Remarks: Wharf has capacity for mooring ten empty barges above and ten loaded barges below. Facility was for sale at time of survey.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42672 Dock Code: 283

Waterway: **Ohio River** Mile: 310.4 PWD: 12
Name:: **Fuchs Lubricants Co., Huntington Dock.**
Location:: Mile 310.4, left bank, Ohio River, Huntington. Datum: NPE
Operator:: Fuchs Lubricants Co.
Owner: Fuchs Lubricants Co.
Address: 120 13th Street. Phone: 304/523-3716
Town: Huntington State: WV County: Cabell
Railway Connection: None.
Purpose:: Receipt of lubricating oils.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.416389
Total Berthing Space (feet): | | Longitude (decimal): -82.480833
Remarks: One 6-inch pipeline extends from wharf to nine steel storage tanks at rear, total capacity 51,800 barrels.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42671 Dock Code: 252

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 313.5 PWD: 10
Name:: **Kanawha River Terminals, Huntington Fleet Mooring.**
Location:: Mile 313.5, left bank, Ohio River, Huntington. Datum: NPE
Operator:: Kanawha River Terminals.
Owner: Progress Fuels Corp.
Address: Phone: 304/526-0761
Town: Huntington State: WV County: Wayne
Railway Connection: None.
Purpose:: Mooring barges for fleetting.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.400833
Total Berthing Space (feet): 1170 | | Longitude (decimal): -82.533611
Remarks: Fleetting area has capacity for mooring thirty barges, arranged in 6 tiers, each 5 barges wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42668 Dock Code: 090

Waterway: **Ohio River** Mile: 313.5 PWD: 11
Name:: **The Ohio River Terminals Co., Huntington Fleet Mooring.**
Location:: Mile 311.0, left bank, Ohio River, Huntington. Datum: NPE
Operator:: The Ohio River Terminals Co.
Owner: The Ohio River Co.
Address: Phone: 304/523-6461
Town: Huntington State: WV County: Wayne
Railway Connection: None.
Purpose:: Mooring barges for fleetting.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.413333
Total Berthing Space (feet): 2000 | | Longitude (decimal): -82.49
Remarks: Lower fleetting area has capacity for mooring thirty barges, arranged in 6 tiers, each 5 barges wide.
Upper fleetting area has capacity for mooring sixteen barges, arranged in 4 tiers, each 4 barges wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42670 Dock Code: 090

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 314.4 PWD: 275
Name:: **McGinnis, Burlington Division Wharf.**
Location:: Mile 314.4, right bank, Ohio River, Burlington. Datum: NPE
Operator:: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Phone: 740-377-4391
Town: Burlington State: OH County: Lawrence
Railway Connection: None.
Purpose:: Mooring barges for cleaning and repair.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.403333
Total Berthing Space (feet): 500 | | Longitude (decimal): -82.551667
Remarks: Wharf is equipped with outlets for supplying compressed air, oxygen, acetylene gas, and electricity.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42667 Dock Code: 100

Waterway: **Ohio River** Mile: 314.6 PWD: 8
Name:: **Kanawha River Terminals, Ceredo Lower Coal Dock.**
Location:: Mile 314.6, left bank, Ohio River, Ceredo. Datum: NPE
Operator:: Kanawha River Terminals.
Owner: Progressive Fuels Corp.
Address: River and Main Streets. Phone: 304/526-0700
Town: Ceredo State: WV County: Wayne
Railway Connection: Fourteen surface tracks in rear, total capacity 300 cars, connect with Norfolk Southern Railway and CSX Transportation, Inc..
Purpose:: Shipment of coal; and mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.399167
Total Berthing Space (feet): 1000 | | Longitude (decimal): -82.553056
Remarks: Adjacent fleeting area along natural bank has capacity for mooring approximately three hundred barges extending over approximately 1 mile of river frontage. (See Remarks under P.W.D. Ref. No. 5.)
Year of Last Survey: 2005 Corps of Engineers Location Code: 42667 Dock Code: 088

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 314.6 PWD: 9
Name:: **Kanawha River Terminals, Ceredo Upper Coal Dock.**
Location:: Mile 314.4, left bank, Ohio River, Ceredo. Datum: NPE
Operator:: Kanawha River Terminals.
Owner: Progressive Fuels Corp.
Address: River and Main Streets. Phone: 304/526-0700
Town: Ceredo State: WV County: Wayne
Railway Connection: Fourteen surface tracks in rear, total capacity 300 cars, connect with Norfolk Southern Railway and CSX Transportation, Inc.
Purpose:: Shipment of coal; and mooring barges for fleetling.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.399444
Total Berthing Space (feet): 530 | | Longitude (decimal): -82.548139
Remarks: Approximately 500,000 tons of storage are available at rear, served by nine radial stackers. Adjacent fleetling area along natural bank has capacity for mooring approximately three hundred barges extending over approximately 1 mile of river frontage. (See Remarks under P.W.D. Ref. No. 5.)
Year of Last Survey: 2005 Corps of Engineers Location Code: 42667 Dock Code: 088

Waterway: **Ohio River** Mile: 314.8 PWD: 6
Name:: **Kanawha River Terminals, Ceredo Bulk Dock.**
Location:: Mile 314.8, left bank, Ohio River, Ceredo. Datum: NPE
Operator:: Kanawha River Terminals, Inc.
Owner: Progress Fuels Corp.
Address: Main Street & Riverfront. Phone: 304/526-0700
Town: Ceredo State: WV County: Wayne
Railway Connection: None.
Purpose:: Receipt of coal, coke, magnite, sand, gravel, and limestone; mooring barges for fleetling.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.4
Total Berthing Space (feet): 780 | | Longitude (decimal): -82.559722
Remarks: A 2,500-ton stockpile area in rear is used as needed. See Remarks under P.W.D. Ref. No. 5.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42667 Dock Code: 088

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 314.8 PWD: 7
Name:: **Kosmos Cement Co., Ceredo Dock.**
Location:: Mile 314.8, left bank, Ohio River, Ceredo. Datum: NPE
Operator:: Kosmos Cement Co.
Owner: Kosmos Cement Co.
Address: Main Street and Riverfront. Phone: 304/453-6331
Town: Ceredo State: WV County: Wayne
Railway Connection: None.
Purpose:: Receipt of bulk cement.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.4
Total Berthing Space (feet): 100 | | Longitude (decimal): -82.558889
Remarks: One 10-inch pipeline extends from wharf to one 800-ton storage silo at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42666 Dock Code: 085

Waterway: **Ohio River** Mile: 314.9 PWD: 5
Name:: **Kanawha River Terminals, Ceredo Asphalt Dock.**
Location:: Mile 314.9, left bank, Ohio River, Ceredo. Datum: NPE
Operator:: Kanawha River Terminals, Inc.
Owner: Progress Fuels Corp.
Address: Main Street & Riverfront. Phone: 304/526-0700
Town: Ceredo State: WV County: Wayne
Railway Connection: None.
Purpose:: Receipt and shipment of asphalt; and mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.400278
Total Berthing Space (feet): 250 | | Longitude (decimal): -82.560556
Remarks: One 10-inch pipeline extends from wharf to three storage tanks at rear, total capacity 25,000 barrels. Adjacent fleeting area along natural bank below dock has capacity for mooring approximately three hundred barges extending over approximately 1 mile of river frontage.□□
Year of Last Survey: 2005 Corps of Engineers Location Code: 42667 Dock Code: 088

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 314.9 PWD: 276
Name:: **Superior Marine, Burlington Dock.**
Location:: Mile 314.9, right bank, Ohio River, Burlington. Datum: NPE
Operator:: Superior Marine, Inc.
Owner: Superior Marine, Inc.
Address: Phone: 740/894-6224
Town: Burlington State: OH County: Lawrence
Railway Connection: None.
Purpose:: Mooring barges for cleaning and repair; mooring floating drydock.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.404167
Total Berthing Space (feet): 350 | | Longitude (decimal): -82.557222
Remarks: One 2,500-ton-capacity floating drydock is moored to lower work barge. Wharf is equipped with outlets for supplying oxygen, acetylene gas, and electricity.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42667 Dock Code: 102

Waterway: **Ohio River** Mile: 315.3 PWD: 277
Name:: **Ohio River Terminals Co., North Kenova Dock.**
Location:: Mile 315.3, right bank, Ohio River, North Kenova. Datum: NPE
Operator:: Ohio River Terminals, Co.
Owner: Ohio River Terminals, Co..
Address: Phone: 304/523-6461
Town: North Kenova State: OH County: Lawrence
Railway Connection: None.
Purpose:: Mooring barges for cleaning and minor repair.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.406667
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.570278
Remarks: Fleeting is permitted for thirty barges, arranged in 6 tiers each 5 barges wide. Minor repairs are performed at this site.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42665 Dock Code: 940

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 315.7 PWD: 4
Name:: **Marathon Petroleum, Kenova Fleet Mooring.**
Location:: Mile 315.7, left bank, Ohio River, Kenova. Datum: NPE
Operator:: Marathon Petroleum, LLC.
Owner: Marathon Petroleum, LLC.
Address: 23rd Street & River. Phone: 304/453-2338
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose:: Mooring barges for fleetings.
Depth Alongside (feet): 25 | | Latitude (decimal): 38.403889
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.575
Remarks: Fleetings area has capacity for mooring approximately twenty barges (4-wide by 5-long).
Year of Last Survey: 2005 Corps of Engineers Location Code: 42666 Dock Code: 026

Waterway: **Ohio River** Mile: 316.1 PWD: 3
Name:: **Coal Terminals, Transfer Terminal Kenova Dock.**
Location:: Mile 316.1, left bank, Ohio River, Kenova. Datum: NPE
Operator:: Not operated.
Owner: Coal Terminals, Inc.
Address: Phone: 304/453-3271
Town: Kenova State: WV County: Wayne
Railway Connection: Four surface tracks in rear, total capacity 113 cars, and connecting with Norfolk Southern Railway were not in use at time of survey.
Purpose:: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 38.4075
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.581944
Remarks: Open storage area at rear has capacity for 13,000 tons of coal. Wharf has capacity for mooring fourteen empty barges above and eighteen loaded barges below. Facility was for sale at time of survey (2004).
Year of Last Survey: 2005 Corps of Engineers Location Code: 42665 Dock Code: 032

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 316.2 PWD: 278
Name:: **American Commercial Barge Line Co., North Kenova Fleet Mooring.**
Location:: Mile 316.2, right bank, Ohio River, South Point. Datum: NPE
Operator:: McGinnis, Inc.
Owner: American Commercial Barge Line Co.
Address: Phone: 812/288-0347
Town: North Kenova State: OH County: Lawrence
Railway Connection: None.
Purpose:: Mooring barges for fleetings.
Depth Alongside (feet): 5 | 10 | Latitude (decimal): 38.410556
Total Berthing Space (feet): 1025 | 2070 | Longitude (decimal): -82.58
Remarks: Fleetings area has capacity for mooring approximately one hundred barges, consisting of 15 tiers; upper fleet 6 barges wide, lower fleet 7 barges wide.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42664 Dock Code: 820

Waterway: **Ohio River** Mile: 316.3 PWD: 2
Name:: **Marathon Petroleum, Kenova Terminal Dock.**
Location:: Mile 316.3, left bank, Ohio River, Kenova. Datum: NPE
Operator:: Marathon Petroleum, LLC.
Owner: Marathon Petroleum, LLC.
Address: 23rd Street & River. Phone: 606/921-3137
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose:: Shipment of petroleum products.
Depth Alongside (feet): 27 | | Latitude (decimal): 38.408056
Total Berthing Space (feet): 1028 | | Longitude (decimal): -82.585
Remarks: One 12-, four 10-, and two 8-inch pipelines extend from nine steel storage tanks at rear, total capacity 817,000 barrels.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42665 Dock Code: 302

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Ohio River** Mile: 316.6 PWD: 279
Name:: **Marathon Petroleum Co., South Point Fleet, North Kenova Mooring.**
Location:: Mile 316.6, right bank, Ohio River, North Kenova. Datum: NPE
Operator:: Marathon Petroleum Co., LLC
Owner: Marathon Petroleum Co., LLC
Address: Phone: 304/453-2338
Town: North Kenova State: OH County: Lawrence
Railway Connection: None.
Purpose:: Mooring barges for fleetings.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.414167
Total Berthing Space (feet): 1425 | | Longitude (decimal): -82.586111
Remarks: Fleetings area has capacity for mooring approximately thirty barges.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42664 Dock Code: 019

Waterway: **Ohio River** Mile: 316.7 PWD: 1
Name:: **The Ohio River Terminals Co., Kenova Terminal Dock.**
Location:: Mile 316.7, left bank, Ohio River, Kenova. Datum: NPE
Operator:: The Ohio River Terminals Co.
Owner: The Ohio River Co.
Address: 23rd & Beech Street. Phone: 304/453-1385
Town: Kenova State: WV County: Wayne
Railway Connection: Ten surface tracks in rear, total capacity two hundred fifty cars, and connecting with Norfolk Southern Railway were not in use at time of survey (2004).
Purpose:: Mooring barges for fleetings.
Depth Alongside (feet): 26 | 26 | Latitude (decimal): 38.410833
Total Berthing Space (feet): 1300 | 2700 | Longitude (decimal): -82.589444
Remarks: Wharf has capacity for mooring fifty-seven empty barges above and thirty loaded barges below.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42665 Dock Code: 012

Port Series No. 61

The Ports of Huntington, WV, Ports on Ohio River Miles 40-317, and Kanawha River, WV

Waterway: **Poca River** Mile: 0.1 PWD: 93
Name:: **Claxton Smith & Sons Concrete Co., Poca Dock.**
Location:: Mile 0.1, right bank, Pocatalico River, Poca. Datum: NPE
Operator:: Claxton Smith & Sons Concrete Co., Inc.
Owner: Claxton Smith & Sons Concrete Co., Inc.
Address: Phone: 304-755-5000
Town: Poca State: WV County: Putnam
Railway Connection: None.
Purpose:: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.478333
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.815278
Remarks: Ready-mix concrete plant and approximately 5 acres of open storage area with capacity for 30,000 tons of material are located at rear.
Year of Last Survey: 2005 Corps of Engineers Location Code: 42339 Dock Code: 101
