

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Upper Mississippi R** Mile: PWD: 103
Name: **Harvest States Cooperatives, Savage Elevator Wharf.**
Location: Mile 14.6, right bank, Minnesota River, Savage, approximately 0.3 mile above Normandale Boulevard Bridge Datum: NPE*
Operator: Harvest States Cooperatives.
Owner: Harvest States Cooperatives.
Address: 6200 W. Highway 13 Phone: 952/894-9550
Town: State: MN County:
Railway Connection: Four surface tracks, total capacity 90 cars, serve undertrack pit, and loading spout at grain elevator in rear; connect with Twin Cities & Western Railroad and Union Pacific Railroad.
Purpose: Shipment of grain (See Remarks).
Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 44.785556
Total Berthing Space (feet): 800 | | Longitude (decimal): -93.35694
Remarks: Grain elevator at rear consisting of 9 concrete silos with 4 interstices has
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32907 Dock Code: 853 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Black River** Mile: 0 PWD: 060
Name: **XCel Energy, French Island Plant Dock.**
Location: Right bank, Black River, 0.5 mile above Mile 698.1, right bank Mississippi River; at west side, southern Datum: NPE*
Operator: Not operated.
Owner: Northern States Power Co. dba XCel Energy.
Address: 200 South Bainbridge Street Phone: 608/789-3603
Town: La Crosse State: WI County: La Crosse
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 43.828333
Total Berthing Space (feet): 675 | | Longitude (decimal): -91.25944
Remarks: One 10-inch pipeline with 8-inch wharf connection, blanked at time of survey, extends to one 119,050 barrel steel storage tank at plant in rear. *NPE = 631.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32903 Dock Code: 984 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Black River** Mile: 1 PWD: 059
Name: **F. J. Robers Co. Dock.**
Location: Right bank, Black River, 1.0 mile above Mile 698.1, right bank Mississippi River; Datum: NPE*
above CP Rail System B
Operator: F. J. Robers Co., Inc. and Brennan Marine, Inc.
Owner: Charles E. Robers.
Address: 816 South Bainbridge Street Phone: 608/784-1711
Town: La Crosse State: WI County: La Crosse
Railway Connection: Two surface tracks extend to rear of wharf; connect with CP Rail System.
Purpose: Receipt and shipment of miscellaneous dry bulk materials including salt, coal, limestone and pig iron;
Receipt of cottonseed; Handling steel products and heavy lift items; mooring barges for fleeting.
Depth Alongside (feet): 13 | | Latitude (decimal): 43.835
Total Berthing Space (feet): 500 | | Longitude (decimal): -91.25861
Remarks: F. J. Robers Co.: Additional berthing space is available in slip at upper end of wharf at head and at a
200-foot-long low-level, steel sheet pile bulkhead along lower side. Two cottonseed storage
warehouses in rear have total capacity for 10,000 tons. Approximately 40 acres of open storage area
for miscellaneous bulk materials is located at rear. Brennan Marine, Inc.: operates a fleeting area at
wharf with capacity for 6 barges arranged in tiers 2 barges wide.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32903 Dock Code: 967 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Black River** Mile: 1 PWD: 055
Name: **Hydrite Chemical Co. Dock.**
Location: Left bank, Black River, approximately 1.1 mile above Mile 698.1, left bank Mississippi River; 0.3 mile a Datum: NPE*
Operator: Hydrite Chemical Co.
Owner: Hydrite Chemical Co.
Address: 701 Sumner Street Phone: 608/784-0024
Town: La Crosse State: WI County: La Crosse
Railway Connection: One surface track, serves terminal in rear; connects with CP Rail System.
Purpose: Receipt of liquid caustic soda.
Depth Alongside (feet): 12 | | Latitude (decimal): 43.835
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.25361
Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at terminal in rear, total capacity
2,100,000 gallons. *NPE = 631.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32903 Dock Code: 005 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Black River** Mile: 1 PWD: 057
Name: **J.F. Brennan Co., Dock.**
Location: Right bank, Black River, approximately 1.2 mile above Mile 698.1, right bank Mississippi River; 0.3 mile Datum: NPE*
Operator: Brennan Marine, Inc.
Owner: J. F. Brennan Co., Inc.
Address: 820 South Bainbridge Street Phone: 608/782-3670
Town: La Crosse State: WI County: La Crosse
Railway Connection: None.
Purpose: Mooring barges and towboats for maintenance and repair; mooring floating drydock; Handling contractors supplies and equipment.
Depth Alongside (feet): 9 | 9 | Latitude (decimal): 43.837222
Total Berthing Space (feet): 180 | 500 | Longitude (decimal): -91.25861
Remarks: One 1,000 ton floating drydock is normally moored at inner end of slip, however it can be moved to other locations. Contractor's storage yard is located at rear.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32903 Dock Code: 957 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Black River** Mile: 1 PWD: 056
Name: **La Crosse Municipal Terminal.**
Location: Left bank, Black River, approximately 1.2 mile above Mile 698.1, left bank Mississippi River; 0.4 miles Datum: NPE*
Operator: Hanke Terminals Inc.
Owner: City of La Crosse.
Address: St. Cloud Street and Copeland Park Ro Phone: 608/784-6313
Town: La Crosse State: WI County: La Crosse
Railway Connection: Use of one surface track at foot of Island Street, connecting with CP Rail System.
Purpose: Receipt of miscellaneous bulk materials including pig iron, coke coal and salt; Shipment of sand and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 43.835556
Total Berthing Space (feet): 205 | | Longitude (decimal): -91.25333
Remarks: Approximately 2 acres of open storage area are located at rear and an additional 4 acres at the Island Street rail siding. The latter has capacity for 45,000 tons of pig iron. *NPE = 631.0 MSL
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32903 Dock Code: 036 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Black River** Mile: 1 PWD: 054
Name: **Midwest Industrial Fuels, Dock No. 1.**
Location: Left bank, Black River, approximately one mile above Mile 698.1, left bank Mississippi River; 0.2 mile a Datum: NPE*
Operator: Midwest Industrial Fuels, Inc. and Brennan Marine, Inc.
Owner: Midwest Industrial Fuels, Inc.
Address: 615 Sumner Street Phone: 608/782-3308
Town: La Crosse State: WI County: La Crosse
Railway Connection: One surface track serves 10 unloading stations at terminal in rear; connects with CP Rail System.
Purpose: Receipt of asphalt and petroleum products; fueling towboats; mooring barges for fleetings (See Remarks).
Depth Alongside (feet): 10 | | Latitude (decimal): 43.833889
Total Berthing Space (feet): 600 | | Longitude (decimal): -91.25556
Remarks: Two 8-inch pipelines extend from wharf to 7 asphalt storage tanks, total capacity 233,000 barrels. Metered fueling line on wharf is supplied by one 10,000 barrel diesel fuel storage tank. Brennan Marine, Inc. operates the 'MIF Upper Fleet' with capacity for 9 barges arranged in tiers 3 barges wide at and adjacent to wharf. *NPE = 631.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32903 Dock Code: 034 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Black River** Mile: 1 PWD: 053
Name: **Midwest Industrial Fuels, Dock No. 2.**
Location: Left bank, Black River; above CP Rail System Bridge. Datum: NPE*
Operator: Not operated.
Owner: Midwest Industrial Fuels, Inc.
Address: 615 Sumner Street Phone: 608/782-3308
Town: La Crosse State: WI County: La Crosse
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 43.832778
Total Berthing Space (feet): 350 | | Longitude (decimal): -91.2575
Remarks: Two 8-inch pipelines blanked at time of survey (2002) extend from wharf to 5 steel storage tanks at terminal in rear, total capacity 100,000 barrels. *NPE = 631.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32903 Dock Code: 034 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Black River** Mile: 1 PWD: 058
Name: **Westway Trading Corp., La Crosse Terminal Dock.**
Location: Right bank, Black River lower side of slip 0.9 mile above Mile 698.1, right bank Mississippi River; 0.4 Datum: NPE*
Operator: Westway Trading Corp.
Owner: Westway Trading Corp.
Address: 411 South Bainbridge Street (office) Phone: 608/784-7590
Town: La Crosse State: WI County: La Crosse
Railway Connection: One 6-car capacity surface track, serves terminal located on opposite side of South Bainbridge Street in rear; connects with CP Rail System.
Purpose: Receipt and shipment of vegetable oil and occasionally molasses.
Depth Alongside (feet): 11 | | Latitude (decimal): 43.835556
Total Berthing Space (feet): 330 | | Longitude (decimal): -91.25806
Remarks: One 10- and one 6-inch pipelines extend from wharf to 4 steel storage tanks at terminal in rear, total capacity 3,740,000 gallons. *NPE = 631.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32903 Dock Code: 963 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Minnesota River** Mile: 11 PWD: 110
Name: **U.S. Salt, Port Marilyn Dock.**
Location: Mile 11.1, right bank, Minnesota River, Burnsville approximately 1,800 feet above Interstate Highway 35W Datum: NPE*
Operator: U.S. Salt, Inc.
Owner: Thomas R Johnson
Address: 1020 Black Dog Road Phone: 612/890-8448
Town: Burnsville State: MN County: Dakota
Railway Connection: None.
Purpose: Receipt and direct transfer of miscellaneous bulk materials including salt, coal and stone; Mooring barges for fleeting (See Remarks).
Depth Alongside (feet): 12 | | Latitude (decimal): 44.751944
Total Berthing Space (feet): 395 | | Longitude (decimal): -92.86194
Remarks: A concrete paved open storage area at rear has capacity for 50,000 tons, approximately 3? acres of additional open storage area is available as required
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32907 Dock Code: 888 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Minnesota River** Mile: 12 PWD: 109
Name: **Upper River Services, Port Cargill Empty and Kraemer Fleet Mooring**
Location: Miles 12.8-12.3; and 11.5, right bank, Minnesota River, Burnsville, above Interstate Highway 35W Bridge. Datum: NPE*
Operator: Upper River Services, LLC.
Owner: Upper River Services, LLC.
Address: Phone: 651/292-9293
Town: Burnsville State: MN County: Dakota
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 9 | 9 | Latitude (decimal): 44.7925
Total Berthing Space (feet): 24 | 6 | Longitude (decimal): -93.32389
Remarks: *NPE = 687.2 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32907 Dock Code: 875 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Minnesota River** Mile: 13 PWD: 107
Name: **Port Cargill, Crop Nutrition, Dock.**
Location: Mile 13.1, right bank, Minnesota River, Savage, approximately 2.2 miles above Interstate Highway 35W Bri Datum: NPE*
Operator: Cargill, Inc., Crop Nutrition Division.
Owner: Cargill, Inc.
Address: 12120 Lynn Avenue Phone: 952/984-7601
Town: Savage State: MN County: Scott
Railway Connection: One surface track at rear serves storage buildings, joins additional trackage serving terminal; connects with Twin Cities & Western Railroad and Union Pacific Railroad.
Purpose: Receipt of dry bulk commodities, including fertilizer, salt, aggregate, and limestone.
Depth Alongside (feet): 8 | | Latitude (decimal): 44.789722
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.33111
Remarks: Seven storage buildings located at terminal in rear have a total capacity for 125,000 tons; and an open storage area has capacity for 50,000 tons of material *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32907 Dock Code: 872 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Minnesota River** Mile: 13 PWD: 108
Name: **Port Cargill, Elevator C Dock.**
Location: Mile 12.9, right bank, Minnesota River, Savage, west side, inner end of slip, approx 2 miles above Inter Datum: NPE*
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 12101 Lynn Avenue Phone: 952/890-1300
Town: Savage State: MN County: Scott
Railway Connection: Seven surface tracks, total capacity 75 cars, serve undertrack pit at elevator in rear; connect with Twin Cities & Western Railroad and Union Pacific Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.788333
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.32972
Remarks: Grain elevator at rear, consisting of 33 concrete silos 25 interstices and 6 steel tanks has total capacity for 11,185,000 bushels. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32907 Dock Code: 872 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Minnesota River** Mile: 13 PWD: 106
Name: **Port Cargill, Molasses Dock.**
Location: Mile 13.3, right bank, Minnesota River, Savage, approximately 2.4 miles above Interstate Highway 35W Bri Datum: NPE*
Operator: Upper River Services, LLC.
Owner: Cargill, Inc.
Address: 12105 Lynn Avenue South Phone: 952/984-7601
Town: Savage State: MN County: Scott
Railway Connection: None.
Purpose: Mooring towboats.
Depth Alongside (feet): 8 | | Latitude (decimal): 44.7875
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.33333
Remarks: - *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32907 Dock Code: 872 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Minnesota River** Mile: 13 PWD: 101
Name: **Upper River Services, Port Cargill Load Fleet & Credit River Fleet**
Location: Mile 13.2, left bank, Minnesota River, Port Cargill Load Fleet, and mile 13.5, Credit River Fleet; left Datum: NPE*
Operator: Upper River Services, LLC.
Owner: Upper River Services, LLC.
Address: Phone: 651/292-9293
Town: Bloomington State: MN County: Hennepin
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 9 - 10 | 9 - 10 | Latitude (decimal): 44.791111
Total Berthing Space (feet): 20 | 22 | Longitude (decimal): -93.33111
Remarks: Barges in each fleet are arranged in tiers, each 3 barges wide. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32907 Dock Code: 873 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Minnesota River** Mile: 14 PWD: 104
Name: **Port Bunge Slip and Loading Dock**
Location: Mile 14.5, right bank, Minnesota River, Savage, upper side of slip, approximately 0.2 mile above Normand Datum: NPE*
Operator: Bunge North America Inc.
Owner: Bunge North America Inc.
Address: 12100 Yosemite Avenue Phone: 952/890-1010
Town: Savage State: MN County: Scott
Railway Connection: Five surface tracks serve elevator and one car pit at rear; connect with Twin Cities & Western Railroad and Union Pacific Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.784722
Total Berthing Space (feet): 600 | | Longitude (decimal): -93.35417
Remarks: Grain elevator at rear consisting of 29 concrete silos with 14 interstices, and 5 steel tanks, has capacity for 8,250,000 bushels. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32907 Dock Code: 854 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Minnesota River** Mile: 14 PWD: 105
Name: **Superior Minerals Co., Port Richards Dock.**
Location: Mile 14.4, right bank, Minnesota River, Savage, approximately 1,000 feet above Normandale Boulevard Brid Datum: NPE*
Operator: Superior Minerals Co.
Owner: Richards Asphalt Co.
Address: 12051 Yosemite Avenue Phone: 952/894-0323
Town: Savage State: MN County: Scott
Railway Connection: One surface track serves plant at rear; connects with Twin Cities & Western Railroad and Union Pacific Railroad.
Purpose: Aggregate Industries: Receipt of sand, gravel, and crushed stone.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.787222
Total Berthing Space (feet): 250 | | Longitude (decimal): -93.35333
Remarks: Open storage area at rear has capacity for 200,000 cubic yards of material. Koch Materials Co.: One 10- to 8-inch pipeline (blanked at time of survey) extends from wharf to 14 steel storage tanks at rear; total capacity 73,000 barrels. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32907 Dock Code: 856 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Minnesota River** Mile: 15 PWD: 102
Name: **Cargill West, Savage Elevator Wharf.**
Location: Mile 14.7, right bank, Minnesota River, Savage, lower side of slip, and along bank 0.4 mile above Norman Datum: NPE*
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 12100 Dakota Avenue. Phone: 952/890-3220
Town: Savage State: County: Scott
Railway Connection: Twelve surface tracks, total capacity 110 cars, serve undertrack pit, and loading spout at grain elevator in rear; connect with Union Pacific Railroad.
Purpose: Shipment of grain; mooring barges for fleeting (See Remarks).
Depth Alongside (feet): 9 | | Latitude (decimal): 44.786111
Total Berthing Space (feet): 590 | | Longitude (decimal): -93.36056
Remarks: Grain elevator at rear consisting of 68 concrete silos with 60 interstices has total capacity for 5,000,000 bushels. Facility is at the upstream limit of the 9-foot Federal Project for the Minnesota River. Dakota Barge Service operates the 'Continental' fleeting area with capacity for 14 barges arranged 2 abreast along the right bank above slip. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32907 Dock Code: 851 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 306 PWD: 245
Name: **Continental Cement Co. Hannibal Plant Cement Dock.**
Location: Mile 305.8 AOR, right bank, Mississippi River, approximately 3.5 miles below Mark Twain Memorial (U.S. H Datum: NPE*
Operator: Continental Cement Co. LLC.
Owner: Continental Cement Co. LLC.
Address: 10107 Highway 79. Phone: 573/221-1740
Town: Hannibal State: MO County: Ralls
Railway Connection: Trackage serving cement plant in rear; connects with Burlington Northern Santa Fe Railway.
Purpose: Shipment of cement.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.681667
Total Berthing Space (feet): 30 | | Longitude (decimal): -91.30972
Remarks: One 14- and one 12-inch pneumatic pipelines extend to the 2 surge silos on wharf total capacity 4,000 tons from 24 concrete silos with 15 interstices at cement plant in rear, total capacity 60,000 tons.
*NPE = 459.5 MSL
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31306 Dock Code: 001 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 306 PWD: 244
Name: **Continental Cement Co. Hannibal Plant Coal Dock.**
Location: Mile 306.0 AOR, approximately 3.4 miles below Mark Twain Memorial (U.S. Highway 36) Bridge. Datum: NPE*
Operator: Continental Cement Co. LLC.
Owner: Continental Cement Co. LLC.
Address: 10107 Highway 79. Phone: 573/221-1740
Town: Hannibal State: MO County: Ralls
Railway Connection: Trackage serving cement plant in rear; connects with Burlington Northern Santa Fe Railway.
Purpose: Receipt of coal; mooring company-owned barges for maintenance and repair.
Depth Alongside (feet): 6 | | Latitude (decimal): 39.683333
Total Berthing Space (feet): 30 | | Longitude (decimal): -91.3125
Remarks: Coal is trucked to a 30,000 ton capacity open storage area at plant in rear. *NPE = 459.5 MSL
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31306 Dock Code: 002 St. Louis District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 309 PWD: 243
Name: **Mark Twain Riverboat, Center Street Landing.**
Location: Mile 308.9 AOR, right bank, Mississippi River, approximately 1,200 feet below Mark Twain Memorial (U.S.) Datum: NPE*
Operator: Mark Twain Riverboat Excursions.
Owner: Mark Twain Riverboat Excursions.
Address: Foot of Center Street. Phone: 573/221-3222
Town: Hannibal State: MO County: Marion
Railway Connection: None.
Purpose: Landing for river excursion vessel 'Mark Twain.' Boarding passengers.
Depth Alongside (feet): 7 | | Latitude (decimal): 39.711389
Total Berthing Space (feet): 120 | | Longitude (decimal): -91.35389
Remarks: Ticket office and waiting room are located on floating wharf. Parking lot is located in rear. One to four excursions daily are scheduled during the period Memorial Day through Labor Day *NPE = 459.5 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31308 Dock Code: 900 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 310 PWD: 001
Name: **Bunge North America, East Hannibal Grain Elevator Dock.**
Location: Mile 310.0 AOR, left bank, Mississippi River, East Hannibal, approximately 800 feet above Norfolk Southe Datum: NPE
Operator: Bunge North America Inc.
Owner: Bunge North America Inc.
Address: Old Highway 36. Phone: 217/432-8321
Town: East Hannibal State: IL County: Pike
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 13 | | Latitude (decimal): 39.7275
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.36222
Remarks: Grain elevator at rear consisting of 4 concrete silos with 5 interstices and 4 steel tanks has total capacity for 2,768,000 bushels. *NPE = 459.5 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31310 Dock Code: 001 St. Louis District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 320 PWD: 242
Name: **BASF Corp., Hannibal Plant Dock.**
Location: Mile 319.7 AOR, right bank, Mississippi River, Palmyra, approximately 5.3 miles below Lock and Dam No. 2 Datum: NPE*
Operator: BASF Corp.
Owner: BASF Corp.
Address: 3150 County Highway 'JJ'. Phone: 573/769-8745
Town: Palmyra State: MO County: Marion
Railway Connection: Twelve surface tracks serve plant in rear; connect with Burlington Northern Santa Fe Railway.
Purpose: Receipt of orthoxylene.
Depth Alongside (feet): 8 - 9 | | Latitude (decimal): 39.838333
Total Berthing Space (feet): 500 | | Longitude (decimal): -91.43389
Remarks: One 8-inch pipeline extends from wharf to one 1,400,000-gallon orthoxylene storage tank; One 12- and one 8-inch pipelines on wharf were blanked at time of survey. *NPE = 459.5 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31319 Dock Code: 801 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 320 PWD: 240
Name: **MFA, Palmyra Ammonia Terminal Dock.**
Location: Mile 320.4 AOR, right bank, Mississippi River, Palmyra, approximately 4.4 miles below Lock and Dam No. 2 Datum: NPE*
Operator: MFA, Inc.
Owner: CF Industries, Inc.
Address: 2834 County Road 359 Phone: 573/769-2181
Town: Palmyra State: MO County: Marion
Railway Connection: None.
Purpose: Receipt and shipment of anhydrous ammonia.
Depth Alongside (feet): 8 | | Latitude (decimal): 39.8475
Total Berthing Space (feet): 450 | | Longitude (decimal): -91.44
Remarks: One 10-inch pipeline extends from wharf to one 10,544,800 gallon steel storage tank at terminal in rear. One 2-inch vapor return line serves wharf. *NPE = 459.5 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31320 Dock Code: 501 St. Louis District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 320 PWD: 241
Name: **Northeast Missouri Electric Power Cooperative Palmyra, Fertilizer**
Location: Mile 320.0 AOR, right bank, Mississippi River, Palmyra, approximately 5 miles below Lock and Dam No. 21. Datum: NPE*
Operator: MFA Inc.
Owner: Northeast Missouri Electric Power Cooperative.
Address: 2834 County Road 359. Phone: 573/769-2181
Town: Palmyra State: MO County: Marion
Railway Connection: Two surface tracks, capacity 11 cars serve car-loading spout and bulk storage warehouse in rear; connect with Burlington Northern Santa Fe Railway.
Purpose: Receipt of dry bulk fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.843611
Total Berthing Space (feet): 550 | | Longitude (decimal): -91.43861
Remarks: Timber storage warehouse at terminal in rear has capacity for 20,000 tons of dry bulk fertilizer. *NPE = 459.5 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31320 Dock Code: 101 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 326 PWD: 003
Name: **ADM/Quincy, Dock No. 2.**
Location: Mile 325.9 AOR, left bank, Mississippi River, Quincy, approximately one mile above Lock and Dam No. 21. Datum: NPE*
Operator: ADM/Quincy.
Owner: ADM/Quincy.
Address: Foot of Harrison Street Phone: 217/224-1800
Town: Quincy State: IL County: Adams
Railway Connection: None.
Purpose: Receipt and shipment of soybean oil.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.914722
Total Berthing Space (feet): 350 | | Longitude (decimal): -91.41472
Remarks: One 8-inch pipeline extends to wharf from 12 steel storage tanks at processing plant, approximately 3/4 mile in rear; total capacity 22,000 tons (5,500,000 gallons) *NPE = 470.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31326 Dock Code: 402 St. Louis District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 326 PWD: 002
Name: **ADM/Quincy, Meal Dock No. 3.**
Location: Mile 325.8 AOR, left bank, Mississippi River, Quincy, approximately 0.9 mile above Lock and Dam No. 21. Datum: NPE
Operator: ADM/Quincy.
Owner: ADM/Quincy.
Address: Front and Harrison Streets Phone: 217/224-1800
Town: Quincy State: IL County: Adams
Railway Connection: None.
Purpose: Shipment of soybean meal and receipt of grain.
Depth Alongside (feet): 25 | 14 | Latitude (decimal): 39.912778
Total Berthing Space (feet): 320 | 320 | Longitude (decimal): -91.41722
Remarks: Nine concrete, storage silos at plant in rear have total capacity for 5,400 tons (180,800 bushels).
*NPE = 470.0 MSL

Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31326 Dock Code: 402 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 326 PWD: 005
Name: **Canton Marine Towing Co., Quincy Dock and Fleet Moorings.**
Location: Mile 326.2 AOR, left bank, Mississippi River, approximately 0.8 mile below Quincy Memorial Highway Bridg Datum: NPE
Operator: Canton Marine Towing Co. Inc.
Owner: Canton Marine Towing Co. Inc.
Address: 720 South Front Street Phone: 314/288-4486
Town: Quincy State: IL County: Adams
Railway Connection: None.
Purpose: Mooring company-owned floating equipment and barges for fleetting.
Depth Alongside (feet): 10 | 10 - 11 | 3 - 11 Latitude (decimal): 39.9225
Total Berthing Space (feet): 300 | 12 | 50 Longitude (decimal): -91.41472
Remarks: Left bank fleet mooring with capacity for 12 barges moored up to 4-wide is located at shore moorings below wharf. The Right bank fleet mooring with capacity for approximately 50 barges moored 2- and 3-abreast is located between Lock and Dam No. 21 and the Quincy Memorial Bridge. The company operates a 900 ton floating drydock and a marine repair and barge maintenance facility at the Right bank Fleet mooring. *NPE = 470.0 MSL.

Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31326 Dock Code: 502

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 326 PWD: 004
Name: **Quincy Municipal Barge Terminal Wharf.**
Location: Mile 327.0 AOR, left bank, Mississippi River, Quincy, approximately 1.1 miles above Lock and Dam No. 21. Datum: NPE*
Operator: Blick Construction Co. and others.
Owner: City of Quincy.
Address: Foot of Penfield Street Phone: 217/221-3691
Town: Quincy State: IL County: Adams
Railway Connection: None.
Purpose: Receipt and shipment of general cargo and bulk materials including fertilizer, stone, miscellaneous minerals and ores.
Depth Alongside (feet): 13 | | Latitude (decimal): 39.915833
Total Berthing Space (feet): 500 | | Longitude (decimal): -91.415
Remarks: Open storage area at rear has capacity for approximately 1,500 tons of bulk material. *NPE = 470.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31327 Dock Code: 002 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 327 PWD: 006
Name: **ADM/Alliance, Quincy Dock.**
Location: Mile 326.6 AOR, left bank, Mississippi River, approximately 2,000 feet below Quincy Memorial Highway Bri Datum: NPE*
Operator: McNab Trucking Co. and others.
Owner: ADM/Alliance
Address: 510 South Front Street Phone: 217/224-1800
Town: Quincy State: IL County: Adams
Railway Connection: None.
Purpose: Receipt of miscellaneous, bulk minerals and ores.
Depth Alongside (feet): 11 | | Latitude (decimal): 39.925278
Total Berthing Space (feet): 692 | | Longitude (decimal): -91.415
Remarks: *NPE = 470.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31326 Dock Code: 601

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 327 PWD: 007
Name: **ADM/Quincy, Dock No. 1.**
Location: Mile 326.8 AOR, left bank, Mississippi River, approximately 1,000 feet below Quincy Datum: NPE*
Memorial Highway Bri
Operator: Quincy Soybean Co.
Owner: Quincy Soybean Co.
Address: 320 South Front Street Phone: 217/224-1800
Town: Quincy State: IL County: Adams
Railway Connection: None.
Purpose: Shipment of grain and meal; Receipt of vegetable and coconut oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.928889
Total Berthing Space (feet): 640 | | Longitude (decimal): -91.41528
Remarks: One 4-inch pipeline for vegetable oil extends from wharf to a truck loading station in rear. A boiler at rear provides steam through a 3-inch line for heating the product during cold weather. *NPE = 470.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31326 Dock Code: 702 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 336 PWD: 239
Name: **Bunge North America, LaGrange Grain Elevator Dock.**
Location: Mile 335.7 AOR, right bank, Mississippi River, LaGrange, below foot of Lewis Street. Datum: NPE*
Operator: Bunge North America Inc.
Owner: Bunge North America Inc.
Address: 401 South Main Street. Phone: 573/655-2281
Town: LaGrange State: MO County: Lewis
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 40.039444
Total Berthing Space (feet): 525 | | Longitude (decimal): -91.49694
Remarks: Grain elevator at rear consisting of 10 concrete silos with one interstice and one steel tank has total capacity for 1,125,000 bushels. *NPE = 470.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31335 Dock Code: 801 St. Louis District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 342 PWD: 238
Name: **Tri-State Fertilizer Co., Canton Terminal Dock.**
Location: Mile 341.7 AOR, right bank, Mississippi River, Canton, approximately 1.5 miles below Lock and Dam No. 20 Datum: NPE*
Operator: Tri-State Fertilizer Co., Inc.
Owner: Tri-State Fertilizer Co., Inc.
Address: Foot of Green Street Phone: 314/288-3318
Town: Canton State: MO County: Lewis
Railway Connection: None.
Purpose: Receipt of dry bulk fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.1225
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.51333
Remarks: Material is trucked to a 4,000-ton capacity steel and concrete storage warehouse and processing plant located approximately 1/2 mile north of wharf. *NPE = 470.0 MSL
Year of Last Survey: 2003 Corps of Eng'rs Waterway Code: 31341 Dock Code: 701 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 343 PWD: 237
Name: **Ayers Oil Co. Dock.**
Location: Mile 342.6 AOR, right bank, Mississippi River, Canton, approximately 0.6 mile below Lock and Dam No. 20 Datum: NPE*
Operator: Ayers Oil Co.
Owner: Ayers Oil Co.
Address: 401 N. 4th Street. Phone: 537/288-4464
Town: Canton State: MO County: Lewis
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.134444
Total Berthing Space (feet): 96 | | Longitude (decimal): -91.51444
Remarks: Five 6-inch pipelines with two wharf connections extend to 9 steel storage tanks at terminal in rear, total capacity 418,000 barrels. Canton Ferry Landing is located approximately 300 feet below wharf. The vessel 'Paul B' operated by John Baalman agent for Ursa Farmers Cooperative Co. is used mainly to transport grain trucks to the company's grain elevator at Meyer, IL (Ref. No. 8). *NPE = 470.0 MSL
Year of Last Survey: 2003 Corps of Eng'rs Waterway Code: 31342 Dock Code: 601 St. Louis District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 343 PWD: 008
Name: **URSA Farmers Cooperative Co., Meyer Division, Grain Elevator Dock.**
Location: Mile 343.4 AOR, left bank, Mississippi River, Meyer, above Lock and Dam No. 20. Datum: NPE*
Operator: URSA Farmers Cooperative Co.
Owner: URSA Farmers Cooperative Co.
Address: 2625 East 30th Street. Phone: 217/647-3215
Town: Meyer State: IL County: Adams
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.146389
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.50667
Remarks: Grain elevator at rear consisting of 49 concrete silos with
11 interstices, 5 steel tanks and a timber flat storage building has total capacity for 4,000,000 bushels.
Canton Ferry Landing is located approximately one mile below wharf, on opposite side of Lock and
Dam No. 20. (See Ref. No. 237.) *NPE = 480.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31343 Dock Code: 402 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 353 PWD: 236
Name: **Gabe Logsdon & Sons Dock.**
Location: Mile 353.0 AOR, right bank, Mississippi River, Gregory, approximately 7.5 miles Datum: NPE*
below mouth of Des Moine
Operator: Gabe Logsdon & Sons.
Owner: Gabe Logsdon & Sons.
Address: Gregory Landing, County Road F. Phone: 816/754-6417
Town: Gregory State: MO County: Clark
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.275833
Total Berthing Space (feet): 180 | | Longitude (decimal): -91.49694
Remarks: Grain elevator at rear consisting of 12 concrete silos with 14 interstices and 4 steel tanks has capacity
for 2,500,000 bushels. *NPE = 480.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31353 Dock Code: 001 St. Louis District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 360 PWD: 009
Name: **URSA Farmers Cooperative Co., Warsaw Division, Grain Elevator Dock**
Location: Mile 359.6 AOR, left bank, Mississippi River, Warsaw, approximately 1.8 miles below Datum: NPE*
mouth of Des Moines
Operator: URSA Farmers Cooperative Co.
Owner: URSA Farmers Cooperative Co.
Address: 1 North Water Street Phone: 217/256-4215
Town: Warsaw State: IL County: Hancock
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.363889
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.44028
Remarks: Grain elevator at rear consisting of 24 concrete silos with 11 interstices and 2 steel tanks has total capacity for 2,200,000 bushels. *NPE = 480.0 MSL.
Year of Last Survey: 2003 Corps of Eng'rs Waterway Code: 31359 Dock Code: 702 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 362 PWD: 235
Name: **Glencore, Keokuk Wharf.**
Location: Mile 361.9 AOR, right bank, Mississippi River, approximately 0.5 mile above mouth of Datum: NPE*
Des Moines River.
Operator: Not operated.
Owner: Glencore, Inc.
Address: 2301 Twin Rivers Drive. Phone: 412/921-4800 ex
Town: Keokuk State: IA County: Lee
Railway Connection: One surface track along rear of wharf, connects with Burlington Northern Santa Fe Railway.
Purpose: Not used.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 40.384444
Total Berthing Space (feet): 237 | | Longitude (decimal): -91.41083
Remarks: Former reduction plant in rear was being liquidated at time of survey. *NPE = 480.0 MSL
Year of Last Survey: 2003 Corps of Eng'rs Waterway Code: 31362 Dock Code: 001 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 362 PWD: 234
Name: **Iowa Gateway Terminal Dock.**
Location: Mile 361.8 AOR, right bank, Mississippi River, approximately 1.8 miles below Keokuk Datum: NPE*
Municipal (U.S. High
Operator: Iowa Gateway Terminal
Owner: Iowa Gateway Terminal
Address: 2201 Twin Rivers Drive. Phone: 319/524-5426
Town: Keokuk State: IA County: Lee
Railway Connection: One surface track serves terminal in rear connects with Keokuk Junction Railway and Burlington Northern Santa Fe Railway.
Purpose: Receipt and shipment of steel products, unitized and heavy lift general cargo and dry bulk materials including fertilizer, coal, salt, stone, pig iron, scrap metal; receipt of grain and lumber.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.384722
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.40833
Remarks: A 4 acre open storage area for steel products and a concrete surfaced open storage area with capacity for 50,000 tons of coal and other dry bulk commodities are located at rear. Company also operates a food grade storage warehouse with 33,000 square feet of storage space on South Seventh Street in rear; and a towboat for servicing the company's 100 barge capacity fleet located on the right bank approximately one mile downstream on the oppositeside of the Des Moines River. *NPE = 480.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31362 Dock Code: 401

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 362 PWD: 233
Name: **Roquette America, River Terminal, Dock.**
Location: Mile 362.3 AOR, right bank, Mississippi River, approximately 1.6 miles below Keokuk Datum: NPE*
Municipal (U.S. High
Operator: Roquette America, Inc.
Owner: Roquette America, Inc.
Address: 1 Progress Street Phone: 319/526-2257
Town: Keokuk State: IA County: Lee
Railway Connection: Plant trackage in rear connects with Keokuk Junction Railway.
Purpose: Shipment of livestock feed and other grain products.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 40.385556
Total Berthing Space (feet): 155 | | Longitude (decimal): -91.405
Remarks: Private grain elevator at rear consisting of 6 steel silos; and one flat storage building has total capacity for 800,000 bushels and is served by a truck dumper. Facility is used for shipment of grain products manufactured at plant in rear. *NPE = 480.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31362 Dock Code: 301 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 363 PWD: 232
Name: **City of Keokuk, Hubinger Landing Dock.**
Location: Mile 363.2 AOR, right bank, Mississippi River, approximately 0.7 mile below Keokuk Municipal (U.S. Highw) Datum: NPE*
Operator: City of Keokuk, Bridge Department.
Owner: City of Keokuk.
Address: 401 Mississippi Drive. Phone: 319/524-3553
Town: Keokuk State: IA County: Lee
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 40.386944
Total Berthing Space (feet): 250 | | Longitude (decimal): -91.38778
Remarks: Facility was constructed in anticipation of the eventual mooring of a casino boat. A 3 acre parking lot is located in rear *NPE = 480.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31363 Dock Code: 201 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 364 PWD: 231
Name: **U.S. Coast Guard Cutter 'SCIOTO' Moorings.**
Location: Mile 363.6 AOR, right bank, Mississippi River, approximately 1,500 feet below Keokuk Municipal (U.S. Hig) Datum: NPE*
Operator: U. S. Coast Guard Group Upper Mississippi River.
Owner: United States Government.
Address: 221 Mississippi Drive. Phone: 319/524-1657
Town: Keokuk State: IA County: Lee
Railway Connection: None.
Purpose: Mooring U. S. Coast Guard vessels; handling navigational aids.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.389444
Total Berthing Space (feet): 180 | | Longitude (decimal): -91.38083
Remarks: One 4-inch sewage line serves wharf. U. S. Coast Guard Station and buoy storage area are located at rear. *NPE = 480.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31363 Dock Code: 401 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 371 PWD: 230
Name: **ORBA-Johnson Transshipment Co. Dock.**
Location: Mile 371.0 AOR, right bank, Mississippi River, Keokuk, approximately 6.5 miles above Lock and Dam No. 19 Datum: NPE*
Operator: ORBA-Johnson Transshipment Co.
Owner: ORBA-Johnson Transshipment Co.
Address: 3254 Mississippi River Road Phone: 319/524-6841
Town: Keokuk State: IA County: Lee
Railway Connection: One surface track serving rotary dumper, rate 3,000 tons per hour (unit train), connects with Burlington Northern Santa Fe Railway.
Purpose: Shipment of coal, mooring barges for fleetings (See Remarks).
Depth Alongside (feet): 16 | 10 | Latitude (decimal): 40.526944
Total Berthing Space (feet): 1450 | 20 | Longitude (decimal): -91.39417
Remarks: Open storage area at mine atop bluff has capacity for 300,000 tons of coal and is served by a rotary stacker. Matteson Marine Service operates fleetings areas located at breasting barges and revetment on lower side and adjacent to bank on upper side having capacity for 20 loaded and 20 empty barges, respectively. *NPE = 518.2 MSL
Year of Last Survey: 2003 Corps of Eng'rs Waterway Code: 31371 Dock Code: 101 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 375 PWD: 229
Name: **Hydro Merschman, Montrose Elevator Dock.**
Location: Mile 374.8 AOR, right bank, Mississippi River, Montrose, approximately 10 miles above Lock and Dam No. Datum: NPE*
Operator: Not operated.
Owner: Hydro Merschman, LLC.
Address: Spruce and Water Streets. Phone: 319/463-5462
Town: Montrose State: IA County: Lee
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 8 - 9 | | Latitude (decimal): 40.533889
Total Berthing Space (feet): 550 | | Longitude (decimal): -91.41361
Remarks: Grain elevator at rear consisting of 6 steel tanks with capacity for 200,000 bushels was not in operation at time of survey (2003). One 6-inch pipeline, blanked at time of survey, extends from cell to 4 steel fertilizer storage tanks in rear, total capacity 3,700,000 gallons. *NPE = 518.2 MSL
Year of Last Survey: 2003 Corps of Eng'rs Waterway Code: 31374 Dock Code: 901 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 376 PWD: 010
Name: **Colusa River Terminal, Elevator Wharf.**
Location: Mile 376.4 AOR, left bank, Mississippi River, Nauvoo. Datum: NPE*
Operator: Colusa Elevator Co.
Owner: Colusa Elevator Co.
Address: 13 Broadway. Phone: 217/746-3771
Town: Nauvoo State: IL County: Hancock
Railway Connection: None.
Purpose: Shipment of grain; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 40.558056
Total Berthing Space (feet): 260 | | Longitude (decimal): -91.39583
Remarks: Grain elevator at rear consisting of 12 concrete and 8 steel tanks has total capacity for 2,800,000 bushels. Hall Towing Co., Inc. operates a fleeting area with capacity for 15 barges consisting of a block 5 barges long and 3 wide, along 1,000 feet of natural bank with shore moorings below wharf. *NPE = 518.2 MSL.

Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31376 Dock Code: 402 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 382 PWD: 227
Name: **Hall Towing Slip.**
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Burlington Northern Santa Fe Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Santa Fe Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal and coke; mooring fleet service vessels, mooring vessels and barges for repair.
Depth Alongside (feet): 11 | 11 | 11 Latitude (decimal): 40.621111
Total Berthing Space (feet): 150 | 420 | 250 Longitude (decimal): -91.33333
Remarks: Slip varies in width from 150- to 200 feet, however is restricted to 120-feet at the entrance. *NPE = 518.2 MSL

Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31382 Dock Code: 001 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 382 PWD: 226
Name: **Hall Towing, Barge Terminal Upper Wharf.**
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Burlington Datum: NPE*
Northern Santa Fe
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Santa Fe
Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal, coke, crushed
stone; shipment of grain.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.621389
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.33167
Remarks: Bulk storage warehouse at rear has capacity for 18,000 tons of of fertilizer and other bulk commodities.
A total of approximately 14 acres of open storage area is available at various locations throughout
terminal Company operated Upper Fort Madison Fleeting Area located at shore moorings above
wharf has capacity for 15 barges arranged in tiers 3 barges wide.*NPE = 518.2 MSL
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31382 Dock Code: 001 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 382 PWD: 228
Name: **Hall Towing, Barge Terminal, Lower Wharf.**
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Burlington Datum: NPE*
Northern Santa Fe
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Santa Fe
Railway.
Purpose: Mooring floating drydock. Mooring barges for fleeting (See Remarks).
Depth Alongside (feet): 11 | | Latitude (decimal): 40.620833
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.33333
Remarks: One 500 ton floating drydock is moored at wharf. Company-operated Lower Fort Madison Fleeting
Area located at three steel sheet pile cellular breasting dolphins located below wharf provide fleeting
area for 60 barges arranged in tiers 3 barges wide. *NPE = 518.2 MSL
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31382 Dock Code: 001 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 383 PWD: 225
Name: **Fort Madison Casino Boat Dock.**
Location: Mile 383.1 AOR, right bank, Mississippi River, approximately 0.8 mile below Burlington Northern Santa Fe Datum: NPE*
Operator: Catfish Bend Casinos, L.C.
Owner: City of Fort Madison
Address: 902 River Drive. Phone: 319/372-1000
Town: Fort Madison State: IA County: Lee
Railway Connection: None.
Purpose: Mooring casino/excursion boat; boarding passengers.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.628056
Total Berthing Space (feet): 260 | | Longitude (decimal): -91.31417
Remarks: 'Catfish Bend Riverboat Casino II' departs on daily cruises during the period May through October.
*NPE = 518.2 MSL

Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31383 Dock Code: 001 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 385 PWD: 011
Name: **Royster-Clark Nitrogen Co., Niota Terminal Dock.**
Location: Mile 385.1 AOR, left bank, Mississippi River, Niota, approx 1.2 miles above Burlington Northern Santa Fe Datum: NPE*
Operator: Royster-Clark Nitrogen Co.
Owner: Royster-Clark Nitrogen Co.
Address: 1175 East County Road 2920 N Phone: 217/448-4161
Town: Niota State: IL County: Hancock
Railway Connection: None.
Purpose: Receipt and shipment of anhydrous ammonia.
Depth Alongside (feet): 15 - 16 | | Latitude (decimal): 40.628889
Total Berthing Space (feet): 225 | | Longitude (decimal): -91.27167
Remarks: One 6-inch pipeline extends from wharf to one 30,000-ton, (10,530,000 gallon) steel storage tank at rear. *NPE = 518.2 MSL

Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31385 Dock Code: 102 St. Louis District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 390 PWD: 012
Name: **AGRI Grain Marketing, Dallas City Elevator Dock.**
Location: Mile 390.4 AOR, left bank, Mississippi River, Dallas City. Datum: NPE*
Operator: AGRI Grain Marketing, LLC.
Owner: AGRI Grain Marketing LLC.
Address: 377 West First Street Phone: 217/852-3222
Town: Dallas City State: IL County: Hancock
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.636389
Total Berthing Space (feet): 435 | | Longitude (decimal): -91.17444
Remarks: Grain elevator at rear consisting of 4 concrete silos has total capacity for 140,000 bushels. *NPE = 518.2 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31390 Dock Code: 402 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 390 PWD: 224
Name: **Colusa Elevator Co., Green Bay Landing Dock.**
Location: Mile 390.1 AOR, right bank, Mississippi River, Green Bay Landing, 6 miles above Burlington Northern Sant Datum: NPE*
Operator: Colusa Elevator Co.
Owner: Colusa Elevator Co.
Address: 2136 Green Bay Road. Phone: 319/372-7852
Town: Wever State: IA County: Lee
Railway Connection: None.
Purpose: Shipment of grain; mooring barges for fleet (see Remarks).
Depth Alongside (feet): 12 | | Latitude (decimal): 40.645556
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.18778
Remarks: Grain elevator at rear consisting of 7 steel tanks has capacity for 575,000 bushels. Hall Towing Co. maintains the 'Green Bay Fleet' at shore moorings along 3,000 feet of bank below wharf. The fleet has capacity for 45 barges arranged in rows 3 barges wide. *NPE = 518.2 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31390 Dock Code: 401 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 399 PWD: 223
Name: **Alliant Energy, Burlington Generating Station Wharf.**
Location: Mile 399.2 AOR, right bank, Mississippi River, Burlington, approximately 4 miles below Burlington North Datum: NPE*
Operator: Alliant Energy Co.
Owner: Alliant Energy Co.
Address: 4282 Sullivan Slough Road Phone: 319/758-5301
Town: Burlington State: IA County: Des Moines
Railway Connection: Two surface tracks serve undertrack pits at open storage area in rear; connect with Burlington Northern Santa Fe Railway.
Purpose: Receipt of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.743889
Total Berthing Space (feet): 656 | | Longitude (decimal): -91.11444
Remarks: Open storage area located at power plant in rear has capacity for 100,000 tons of coal. *NPE = 518.2 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31399 Dock Code: 421 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 400 PWD: 222
Name: **Koch Fertilizer Storage & Terminal, Burlington Ammonia Terminal Do**
Location: Mile 399.5 AOR, right bank, Mississippi River, Burlington, approximately 4 miles below Burlington North Datum: NPE*
Operator: Not operated.
Owner: Koch Fertilizer Storage & Terminal.
Address: 4384 Sullivan Slough Road Phone: 319/372-0756
Town: Burlington State: IA County: Des Moines
Railway Connection: Two surface tracks serve car loading rack with 16 stations; connect with Burlington Northern Santa Fe Railway.
Purpose: Not used.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.747778
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.11361
Remarks: Wharf formerly was used for receipt of anhydrous ammonia. One 6-inch pipeline, blanked at time of survey, extends from wharf to one 10,530,000 gallon steel storage tank at terminal in rear. One 2-inch steam utility line serves wharf. *NPE = 518.2 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31399 Dock Code: 401 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 403 PWD: 221
Name: **Matteson Marine Service, South Dock.**
Location: Mile 403.4 AOR, right bank, Mississippi River, approximately 0.2 mile above Burlington Northern Santa Fe Datum: NPE*
Operator: Matteson Marine Service.
Owner: Matteson Marine Service.
Address: 900 South Front Street. Phone: 319/754-5318
Town: Burlington State: IA County: Des Moines
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for storage and maintenance; mooring barges for fleeting (See Remarks).
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 40.8
Total Berthing Space (feet): 100 | 100 | Longitude (decimal): -91.0975
Remarks: Company moors fleet service vessels at wharf for attending nearby fleets: Fleet
Mile/Bank Barge Width Capy. (barges) Mile 401 Load 401.3-
401.8/R 35 3 Mile 401 Empty 401.0-401.5/L 35 3 Island mooring Additional
company fleet moorings are described under Ref. Nos. 16, 17, 215, 216 and 230. *NPE = 518.2 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31403 Dock Code: 401 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 404 PWD: 220
Name: **ADM/Growmark, Burlington South Elevator Dock.**
Location: Mile 403.6 AOR, right bank, Mississippi River, approximately 0.4 mile above Burlington Northern Santa Fe Datum: NPE*
Operator: ADM/Growmark, a subsidiary of Archer Daniels Midland Co.
Owner: Burlington Northern Santa Fe Railway.
Address: 600 South Front Street. Phone: 319/753-2857
Town: Burlington State: IA County: Des Moines
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.802778
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.09833
Remarks: Grain elevator at rear consisting of 12 concrete silos with 6 interstices, has capacity for 550,000 bushels. *NPE = 518.2 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31403 Dock Code: 601 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 404 PWD: 013
Name: **ADM/Growmark, Gulfport Elevator Dock.**
Location: Mile 404.2 AOR, left bank, Mississippi River, Gulfport, above MacArthur (U.S. Highway 34) Bridge. Datum: NPE*
Operator: ADM/Growmark, a subsidiary of Archer Daniels Midland Co.
Owner: ADM/Growmark, a subsidiary of Archer Daniels Midland Co.
Address: Broadway Street Phone: 319/753-2857
Town: Gulfport State: IL County: Henderson
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.811389
Total Berthing Space (feet): 500 | | Longitude (decimal): -91.09167
Remarks: Grain elevator at rear consisting of 8 concrete silos with 2 interstices has total capacity for 300,000 bushels. *NPE = 518.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31404 Dock Code: 202 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 404 PWD: 219
Name: **Burlington River Terminal, South Dock.**
Location: Mile 403.7 AOR, right bank, Mississippi River, approximately 0.5 mile above Burlington Northern Santa Fe Datum: NPE*
Operator: Burlington River Terminal.
Owner: Burlington Northern Santa Fe Railway.
Address: 100 South Front Street Phone: 319/753-6533
Town: Burlington State: IA County: Des Moines
Railway Connection: One surface track, capacity 100 cars, serves undertrack pit and one car floor level track serves storage warehouse at rear; connect with main line trackage of Burlington Northern Santa Fe Railway.
Purpose: Receipt and shipment, essentially direct transfer, of miscellaneous dry bulk commodities including gypsum rock and coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.803611
Total Berthing Space (feet): 640 | | Longitude (decimal): -91.09833
Remarks: Open storage area at rear has capacity for 18,000 tons. A 60,000 square foot warehouse at rear can be used for storage of bulk or unitized items. *NPE = 518.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31405 Dock Code: 301 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 405 PWD: 218
Name: **ADM/Growmark, Burlington North Elevator Dock.**
Location: Mile 405.1 AOR, right bank, Mississippi River, Burlington, approximately one mile above MacArthur (U.S) Datum: NPE*
Operator: ADM/Growmark, a subsidiary of Archer Daniels Midland Co.
Owner: ADM/ Growmark, a subsidiary of Archer Daniels Midland Co.
Address: 701 Cash Street. Phone: 319/753-2857
Town: Burlington State: IA County: Des Moines
Railway Connection: One surface track at terminal in rear; connects with Burlington Junction Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.824722
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.09889
Remarks: Grain elevator at rear consisting of 9 concrete silos with 7 interstices has capacity for 450,000 bushels. *NPE = 518.2 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31405 Dock Code: 201 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 406 PWD: 217
Name: **Burlington River Terminal, North Dock.**
Location: Mile 405.9 AOR, right bank, Mississippi River, west side of O'Connell Slough, Burlington, one mile above Datum: NPE*
Operator: Burlington River Terminal
Owner: Hydro Merschman LLC.
Address: 500 Cash Street Phone: 319/753-6533
Town: Burlington State: IA County: Des Moines
Railway Connection: Two surface tracks, total capacity 12 cars, serve terminal in rear; connect with Burlington Junction Railroad.
Purpose: Receipt and shipment of steel products, containerized general cargo, liquid and dry bulk fertilizer; shipment of gypsum rock and coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.826667
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.09917
Remarks: Bulk storage building and storage dome at rear have total capacity for 28,000 tons. A second building not connected by conveyor has additional storage capacity for 500 tons. A concrete-paved, open storage area at terminal has capacity for 3,000 tons of material. One 6-inch pipeline extends from wharf to 4 liquid fertilizer storage tanks, total capacity 382,200 gallons. *NPE = 518.2 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31405 Dock Code: 301 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 406 PWD: 216
Name: **L. W. Matteson, Burlington Dock.**
Location: Mile 405.9 AOR, right bank, Mississippi River, west side of O'Connell Slough, Datum: NPE*
Burlington, 1.7 miles above
Operator: L. W. Matteson, Inc.
Owner: L. W. Matteson, Inc.
Address: Tama Road Phone: 319/754-5318
Town: Burlington State: IA County: Des Moines
Railway Connection: None.
Purpose: Receipt of steel products; Handling contractors equipment and supplies.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 40.837778
Total Berthing Space (feet): 228 | 150 | Longitude (decimal): -91.09889
Remarks: Storage warehouse and contractor's equipment and materials storage yard are located in rear. Matteson Marine Service operates nearby fleeting areas as follows: Fleet
Mile/Bank Barge Width Capy. (barges) Mile 406 Empty 406.3-
406.8/L 20 3 Baby Rush Island 405.4-406.0/R 60 3 Island mooring Moore
Bar 404.6-405.2/L 30 2 Both sides of island *NPE = 518.2 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31405 Dock Code: 901 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 410 PWD: 014
Name: **Twomey Co., River Terminal Dock.**
Location: Mile 409.5 AOR, left bank, Mississippi River, Gladstone, approximately one mile Datum: NPE*
below Lock and Dam No. 1
Operator: Twomey Co.
Owner: Twomey Co.
Address: Lock and Dam No. 18 Road. Phone: 309/873-2526
Town: Gladstone State: IL County: Henderson
Railway Connection: None.
Purpose: Shipment of grain; receipt of dry bulk and liquid fertilizer; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 15 | | Latitude (decimal): 40.873056
Total Berthing Space (feet): 1000 | | Longitude (decimal): -91.03528
Remarks: Grain elevator at rear consisting of 9 steel tanks and 2 flat storage buildings has total storage capacity for 1,590,000 bushels. One 8-inch pipeline extends from wharf to 3 liquid fertilizer storage tanks at rear, total capacity 18,500 tons. Dry bulk fertilizer is trucked to a storage warehouse in Gladstone, approximately three miles east. Matteson Marine Service operates a fleeting area with shore moorings at natural bank, located 2 miles below wharf. The fleeting area has capacity for 40 barges arranged in tiers 2-abreast. *NPE = 518.2 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31409 Dock Code: 602 St. Louis District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 416 PWD: 015
Name: **Altair Trading Corp. Dock.**
Location: Mile 415.5 AOR, left bank, Mississippi River, Oquawka. Datum: NPE*
Operator: Altair Trading Corp.
Owner: Altair Trading Corp.
Address: South end of Front Street. Phone: 309/867-3131
Town: Oquawka State: IL County: Henderson
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.926944
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.95889
Remarks: Grain elevator at rear consisting of 12 concrete silos with 11 interstices has total capacity for 730,000 bushels. At time of survey (2002), facility was in pre-construction stage with expected completion to be in 2005. *NPE = 528.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31415 Dock Code: 602 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 418 PWD: 215
Name: **AGRI Grain Marketing, Meekers Landing Dock.**
Location: Mile 418.2 AOR, right bank, Mississippi River, Meekers Landing, approximately 8 miles above Lock and Dam Datum: NPE*
Operator: AGRI Grain Marketing, LLC.
Owner: AGRI Grain Marketing LLC.
Address: 1477 Meekers Landing Road. Phone: 319/937-6155
Town: Burlington State: IA County: Des Moines
Railway Connection: None.
Purpose: Shipment of grain; Mooring barges for fleet (See Remarks).
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 40.969167
Total Berthing Space (feet): 975 | | Longitude (decimal): -90.95722
Remarks: Grain elevator at rear consisting of 25 concrete silos with 7 interstices has capacity for 862,000 bushels. Matteson Marine Service operates adjacent fleet areas as follows: Fleet
Mile/Bank Barge Width Capy. (barges) Meekers Landing Empty
418.2-418.3/R 15 3 Meekers Landing Load 418.0-418.1/R 15 3 *NPE = 528.0
MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31418 Dock Code: 201 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 428 PWD: 016
Name: **ADM/Growmark, Keithsburg Wharf.**
Location: Mile 427.6 AOR, left bank, Mississippi River, Keithsburg, upper side of 500- by 200- Datum: NPE*
foot, rectangular sl
Operator: ADM/Growmark, a subsidiary of Archer Daniels Midland Co.
Owner: ADM/Growmark, a subsidiary of Archer Daniels Midland Co.
Address: 90 State Hwy No. 17 Phone: 309/374-2252
Town: Keithsburg State: IL County: Mercer
Railway Connection: None.
Purpose: Shipment of grain; Mooring barges for fleetng (See Remarks).
Depth Alongside (feet): 11 | | Latitude (decimal): 41.103056
Total Berthing Space (feet): 4 | | Longitude (decimal): -90.94667
Remarks: Grain elevator at rear consisting of 9 concrete silos with 3 interstices has total capacity for 350,000 bushels. Matteson Marine Service operates Keithsburg Bridge Fleetng area at bank with shore moorings above wharf with capacity for 12 barges in 6 tiers each 2 barges wide. *NPE = 528.0 MSL
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31427 Dock Code: 502 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 433 PWD: 017
Name: **AGRI Grain Marketing, New Boston Dock.**
Location: Mile 433.0 AOR, left bank, Mississippi River, New Boston, approximately 4 miles Datum: NPE*
below Lock and Dam No. 1
Operator: AGRI Grain Marketing, LLC.
Owner: Cargill, Inc.
Address: 100 First Street. Phone: 309/587-8111
Town: New Boston State: IL County: Mercer
Railway Connection: None.
Purpose: Shipment of grain; Mooring barges for fleetng (See Remarks).
Depth Alongside (feet): 12 | | Latitude (decimal): 41.166944
Total Berthing Space (feet): 600 | | Longitude (decimal): -91.00111
Remarks: Grain elevator at rear consisting of one timber, upright storage unit and 2 steel tanks has total capacity for 130,000 bushels. Grain elevator at rear consisting of 9 concrete silos with 3 interstices has total capacity for 350,000 bushels. Matteson Marine Service operates nearby fleetng areas as follows:

Fleet	Mile/Bank	Barge	Width	Capy.
(barges) Mile 430	430.0-430.6/R	40	3New Boston Empty	432.7-432.8/L
12	3 New Boston Load	433.4 433.7/L	20	3 *NPE = 528.0 MSL

Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31433 Dock Code: 002 St. Louis District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 450 PWD: 213
Name: **Agriliance, Muscatine Dock.**
Location: Mile 450.3 AOR, right bank, Mississippi River, approximately 1.5 miles above Muscatine-Louisa County Lin Datum: NPE*
Operator: Agriliance, LLC
Owner: Agriliance, LLC
Address: 2637 Pettibone Avenue. Phone: 563/264-1721
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serving undertrack pit and loading spout at terminal in rear, connect with Iowa, Chicago & Eastern Railroad.
Purpose: Receipt and shipment of miscellaneous dry bulk materials including fertilizer; receipt and occasional shipment of liquid fertilizer;
Depth Alongside (feet): 8 | | Latitude (decimal): 41.356111
Total Berthing Space (feet): 440 | | Longitude (decimal): -91.07111
Remarks: One 25,000 ton capacity storage warehouse and one 8,000 ton capacity concrete storage dome are located at rear. One 6-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 3,030,000 gallons *NPE = 536.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31450 Dock Code: 301 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 450 PWD: 214
Name: **Monsanto Co., Muscatine Plant Barge Dock.**
Location: Mile 450.0 AOR, right bank, Mississippi River, approximately 1.3 miles above Muscatine-Louisa County Lin Datum: NPE*
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: 2500 Wiggens Road. Phone: 563/262-7203
Town: Muscatine State: IA County: Muscatine
Railway Connection: Plant trackage in rear connects with Iowa, Chicago & Eastern Railroad.
Purpose: Not used.
Depth Alongside (feet): 21 | | Latitude (decimal): 41.350556
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.07167
Remarks: Wharf formerly was used for receipt of styrene. Two 8-inch pipelines, blanked at time of survey, extend from wharf to 2 steel storage tanks at plant in rear, total capacity 1,200,000 gallons. *NPE = 536.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31449 Dock Code: 901 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 451 PWD: 210
Name: **Acme Fuel And Material Co. Dock**
Location: Mile 451.2 AOR, right bank, Mississippi River, approximately 4.7 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Acme Fuel and Material Co.
Owner: W. G. Block Co.
Address: 2544 Pettibone Avenue Phone: 563/263-1651
Town: Near Muscatine, State: County: Muscatine
Railway Connection: One surface track serves plant in rear; connects with Iowa, Chicago & Eastern Railroad.
Purpose: Shipment of sand and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.368333
Total Berthing Space (feet): 240 | | Longitude (decimal): -91.0675
Remarks: Open storage area located at sand pit in rear has capacity for 40,000 tons. *NPE = 536.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31451 Dock Code: 251 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 451 PWD: 211
Name: **K. A. Steel Chemicals Dock**
Location: Mile 450.9 AOR, right bank, Mississippi River, approximately 5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: K. A. Steel Chemicals, Inc.
Owner: K. A. Steel Chemicals, Inc.
Address: 2575 Pettibone Avenue Phone: 563/262-8768
Town: Muscatine State: IA County: Muscatine
Railway Connection: One surface track serves plant in rear; connects with Iowa, Chicago & Eastern Railroad.
Purpose: Receipt of 50% sodium hydroxide solution.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.366667
Total Berthing Space (feet): 180 | | Longitude (decimal): -91.06861
Remarks: One 8-inch pipeline extends from wharf to one 1,500,000-gallon steel storage tank at rear. *NPE = 536.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31451 Dock Code: 101 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 451 PWD: 209
Name: **River Terminal Corp./CK Processing Co. Wharf.**
Location: Mile 451.4 AOR, right bank, Mississippi River, approximately 4.5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: River Terminal Corp./CK Processing Co.
Owner: River Terminal Corp./CK Processing Co.
Address: 2579 Pettibone Avenue Phone: 563/263-3095
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks with capacity for 40 cars serve plant in rear; connect with Iowa, Chicago & Eastern Railroad.
Purpose: Receipt of molasses, liquid and dry fertilizer, coal, fish solubles, and miscellaneous dry and liquid bulk materials; shipment of soybean oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.371111
Total Berthing Space (feet): 510 | | Longitude (decimal): -91.06611
Remarks: Two 10-inch pipelines extend from wharf to 4 steel molasses storage tanks, total capacity 1,700,000 gallons, and six 6-inch pipelines extend to 11 storage tanks for miscellaneous liquids, total capacity 3,640,000 gallons. One 3-inch steam line serves wharf. Livestock feed processing plant located in rear. *NPE = 536.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31451 Dock Code: 301 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 451 PWD: 212
Name: **River Trading Co., Muscatine Dock.**
Location: Mile 450.8 AOR, right bank, Mississippi River, approximately 5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: River Trading Co., LLC.
Owner: Hull Enterprises, Inc.
Address: 2579 Pettibone Avenue Phone: 763/569-3566
Town: Muscatine State: IA County: Muscatine
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.366111
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.06889
Remarks: Open storage area at rear has capacity for 300,000 tons of coal.. *NPE = 536.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31450 Dock Code: 801

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 453 PWD: 207
Name: **Grain Processing Corp., South Grain Elevator Dock.**
Location: Mile 453.3 AOR, right bank, Mississippi River, approximately 2.7 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Not operated.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 563/264-4590
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks with storage capacity for 25 cars serve undertrack pit; connect with Iowa, Chicago & Eastern Railroad.
Purpose: Not used.
Depth Alongside (feet): 4 - 12 | | Latitude (decimal): 41.394167
Total Berthing Space (feet): 900 | | Longitude (decimal): -91.05556
Remarks: Grain elevator at rear consisting of 20 concrete silos with 18 interstices having capacity for 1,232,000 bushels is being utilized as storage for grain used internally in the manufacturing process *NPE = 536.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31453 Dock Code: 801 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 453 PWD: 208
Name: **Muscatine Power and Water, Coal Dock.**
Location: Mile 452.9 AOR, right bank, Mississippi River, approximately 3 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Muscatine Power & Water.
Owner: Muscatine Power & Water.
Address: 1700 Industrial Connector. Phone: 563/262-3545
Town: Muscatine State: IA County: Muscatine
Railway Connection: One 55-car capacity surface loop track serves undertrack pit at plant in rear connects with Iowa, Chicago & Eastern Railroad.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 12 | | 15 Latitude (decimal): 41.387222
Total Berthing Space (feet): 800 | | 1200 Longitude (decimal): -91.05389
Remarks: Sections of bulkhead are parallel to shoreline, meeting at a large angle. One concrete and one steel storage silos, total capacity 5.200 tons and a 400,000-ton open storage area served by a radial stacker are located at rear of lower section. Two 5-cubic yard front-end loaders and 3 diesel bulldozers serve open storage area. *NPE = 536.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31452 Dock Code: 901 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 454 PWD: 203
Name: **AGRI Grain Marketing, Muscatine Grain Elevator Dock.**
Location: Mile 454.3 AOR, right bank, Mississippi River, Muscatine, approximately 1.7 miles below State Highway Datum: NPE*
Operator: AGRI Grain Marketing, LLC.
Owner: Cargill, Inc.
Address: 700 Oregon Street Phone: 563/263-1343
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks with capacity for 25 cars serve undertrack pit and loading spout at grain elevator in rear; connect with Iowa, Chicago & Eastern Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.408056
Total Berthing Space (feet): 750 | | Longitude (decimal): -91.05944
Remarks: Grain elevator at rear consisting of 4 concrete silos with 10 interstices and 2 steel tanks has capacity for 1,100,000 bushels. Blackhawk Fleet Inc. maintains the 'Towhead Island Fleet' with capacity for 60 barges arranged in 15 tiers each 4 barges wide at the island on opposite side of the channel *NPE = 536.0 MSL
Year of Last Survey: 2003 Corps of Eng'rs Waterway Code: 31454 Dock Code: 301 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 454 PWD: 204
Name: **Grain Processing Corp., Alcohol Dock.**
Location: Mile 453.9 AOR, right bank, Mississippi River, approximately 2 miles below State Highway 92 Bridge Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 563/264-4590
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve warehouse at plant in rear; connect with Iowa, Chicago & Eastern Railroad.
Purpose: Shipment of grain alcohol.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.401944
Total Berthing Space (feet): 150 | | Longitude (decimal): -91.05972
Remarks: One 6-inch pipeline extends to circular cell from 13 steel storage tanks at plant in rear, total capacity 5,800,000 gallons. One 12-inch steam utility line also serves wharf. *NPE = 536.0 MSL
Year of Last Survey: 2003 Corps of Eng'rs Waterway Code: 31453 Dock Code: 801 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 454 PWD: 206
Name: **Grain Processing Corp., Coal-Unloading Dock.**
Location: Mile 453.5 AOR, right bank, Mississippi River, approximately 2.5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 563/264-4590
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve warehouse at plant in rear; connect with Iowa, Chicago & Eastern Railroad.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.396944
Total Berthing Space (feet): 840 | | Longitude (decimal): -91.05639
Remarks: Open storage area in rear has capacity for 120,000 tons of coal. *NPE = 536.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31453 Dock Code: 801 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 454 PWD: 205
Name: **Grain Processing Corp., Feed Loading Dock.**
Location: Mile 453.7 AOR, right bank, Mississippi River, approximately 2.1 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 563/264-4590
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve warehouse at plant in rear; connect with Iowa, Chicago & Eastern Railroad.
Purpose: Shipment of distillers spent grain, and livestock feed.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400833
Total Berthing Space (feet): 635 | | Longitude (decimal): -91.05917
Remarks: - NPE = 536.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31453 Dock Code: 801 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 468 PWD: 202
Name: **Central Iowa Power Cooperative, Fair Station Wharf.**
Location: Mile 467.7 AOR, right bank, Mississippi River, approximately ? mile below the village of Montpelier. Datum: NPE*
Operator: Central Iowa Power Cooperative.
Owner: Central Iowa Power Cooperative.
Address: 3800 State Highway 22 Phone: 563/381-2062
Town: Montpelier State: IA County: Muscatine
Railway Connection: None.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.456389
Total Berthing Space (feet): 740 | | Longitude (decimal): -90.82028
Remarks: Open storage area at rear has capacity for 120,000 tons of coal. Bulldozers move coal to a ground-level pit served by a conveyor extending to power plant. *NPE = 545.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31468 Dock Code: 001 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 470 PWD: 199
Name: **AGRI Grain Marketing, Buffalo Grain Elevator Dock.**
Location: Mile 469.8 AOR, right bank, Mississippi River, approximately 3 miles below the village of Buffalo. Datum: NPE*
Operator: AGRI Grain Marketing, LLC.
Owner: Cargill, Inc.
Address: 1657 West Front Street Phone: 563/263-1343
Town: Buffalo State: IA County: Scott
Railway Connection: Four surface tracks with total capacity for 30 cars serves undertrack pit and loading spout at grain elevator in rear; connect with Iowa, Chicago & Eastern Railroad.
Purpose: Shipment of grain and grain products.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.454166
Total Berthing Space (feet): 430 | | Longitude (decimal): -90.77917
Remarks: Grain elevator at rear consisting of 6 concrete silos and 3 steel tanks has capacity for 850,000 bushels. *NPE = 545.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31469 Dock Code: 801 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 470 PWD: 201
Name: **Blackhawk Fleet, Buffalo Terminal Dock.**
Location: Mile 469.7 AOR, right bank, Mississippi River, approximately 3.5 miles below Buffalo Datum: NPE*
at Scott-Muscatine
Operator: Blackhawk Fleet Inc.
Owner: Blackhawk Fleet Inc.
Address: 1661 West Front Street Phone: 563/322-3510
Town: Buffalo State: IA County: Scott
Railway Connection: None.
Purpose: Receipt and shipment of coal and other miscellaneous dry bulk materials. Supplying midstream fueling barge.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.455
Total Berthing Space (feet): 450 | | Longitude (decimal): -90.78611
Remarks: Approximately 13 acres of open storage area with capacity for 200,000 tons of material are located at rear. Great River Services operates the mid-stream fueling barge 'Custom Fuel #7' from wharf. A 1,500 gallon diesel fuel storage tank is located on wharf. Blackhawk Fleet Inc. maintains nearby fleeting areas as follows:

Capy.	(barges)	Alter	Fleet	Mile/Bank	Barge	Width
10	5	A- D Load	469.7-469.6/L	20	4	Dr. Merry
30	3	*NPE = 545.0 MSL.				

Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31469 Dock Code: 601 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 470 PWD: 200
Name: **Cargill Buffalo Terminal Dock.**
Location: Mile 469.8 AOR, right bank, Mississippi River, approximately 3 miles below the village Datum: NPE*
of Buffalo.
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 1657 West Front Street Phone: 563/381-2210
Town: Buffalo State: IA County: Scott
Railway Connection: One surface track serves terminal in rear; connects with Iowa, Chicago & Eastern Railroad.
Purpose: Receipt of liquid fertilizer and salt; shipment of vegetable oil.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.453889
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.78083
Remarks: One 6-inch pipeline extends from wharf to one 1,190,200-gallon storage tank, and one 6-inch pipeline extends to wharf from two vegetable oil storage tanks, total capacity 5,000,000 gallons. One 3-inch steam line serves wharf. Open storage area with total capacity for 50,000 tons, and one 6,000 ton capacity concrete storage dome and 2 timber storage buildings with capacities for 22,000 and 6,000 tons of salt are located in rear. *NPE = 545.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31469 Dock Code: 801 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 472 PWD: 198
Name: **Blackhawk Fleet Middle Fleet Moorings.**
Location: Miles 472.1-470.6 AOR, Mississippi River, approximately 2.5 miles below Interstate Highway 280 Bridge. Datum: NPE*
Operator: Blackhawk Fleet Inc.
Owner: Blackhawk Fleet Inc.
Address: - Phone: 563/322-3510
Town: Buffalo State: IA County: Scott
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 8 - 10 | 8 - 10 | 8 - 10 Latitude (decimal): 41.45
Total Berthing Space (feet): 18 | 53 | 48 Longitude (decimal): -90.75
Remarks: Operator maintains fleeting areas as follows: Fleet Mile/Bank Barge
Width Capy. (barges) Buffalo Shores 472.1-471.9/R 18
3 Buffalo Towhead 471.9-471.5/L 30 2 Island Mooring T.J. 471.4/L
18 3 ' #1 Load 471.2/L 5 1-2 ' #1.5 Load 471.1-
471.0/L 18 3 'Maxwell 470.9-470.6/L 30 3 ' *NPE = 545.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31472 Dock Code: 111

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 474 PWD: 197
Name: **Lafarge North America, Davenport Plant Wharf.**
Location: Mile 474.5 AOR, right bank, Mississippi River, approximately 4 miles below Interstate Highway 280 Bridge Datum: NPE*
Operator: Lafarge North America.
Owner: Lafarge North America.
Address: 103 East Front Street Phone: 563/328-6230
Town: Buffalo State: IA County: Scott
Railway Connection: Plant trackage with storage capacity for 80 cars serves cement plant at rear; connects with Iowa, Chicago & Eastern Railroad.
Purpose: Receipt of coal,sand and clay; Shipment of cement.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.4575
Total Berthing Space (feet): 919 | | Longitude (decimal): -90.68806
Remarks: Two surge silos with total capacity for 1,100 tons at rear of wharf are served by an 8-inch pneumatic pipeline extending from additional storage facilities at cement plant in rear, total capacity 80,000 tons. Open storage area at rear has capacity for 100,000 tons of material. *NPE = 545.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31474 Dock Code: 701 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 475 PWD: 195
Name: **Koch Materials Co., Davenport Dock.**
Location: Mile 475.4 AOR, right bank, Mississippi River, approximately 3 miles below Interstate Highway 280 Bridge Datum: NPE*
Operator: Koch Materials Co.
Owner: Koch Materials Co.
Address: 501 East Front Street Phone: 563/324-3766
Town: Davenport State: IA County: Scott
Railway Connection: One surface track serves 6 loading stations at terminal in rear; connects with Iowa, Chicago & Eastern Railroad.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 15 | | Latitude (decimal): 41.4625
Total Berthing Space (feet): 150 | | Longitude (decimal): -90.67778
Remarks: One 6-inch pipeline extends from wharf to 5 steel storage tanks total capacity 345,000 barrels. *NPE = 545.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31475 Dock Code: 401 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 475 PWD: 196
Name: **Linwood Mining & Minerals Corp. Dock.**
Location: Mile 475.2 AOR, right bank, Mississippi River, approximately 3.2 miles below Interstate Highway 280 Brid Datum: NPE*
Operator: Linwood Mining & Minerals Corp.
Owner: Linwood Mining & Minerals Corp.
Address: 401 East Front Street Phone: 563/324-1931
Town: Davenport State: IA County: Scott
Railway Connection: None.
Purpose: Shipment of stone; receipt of coal and coke.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.461667
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.67972
Remarks: Open storage area at rear has capacity for approximately 4,500 tons of material. *NPE = 545.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31475 Dock Code: 301 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 476 PWD: 192
Name: **Blackhawk Fleet Terminal, Wharf.**
Location: Mile 475.8 AOR, right bank, Mississippi River, approximately 2.5 miles below Interstate Highway 280 Bridge Datum: NPE*
Operator: Blackhawk Fleet Inc.
Owner: Blackhawk Fleet Inc.
Address: 10910 South Utah Street Phone: 563/322-3510
Town: Davenport State: IA County: Scott
Railway Connection: One surface track with capacity for 25 cars serves undertrack pit and open storage area at rear; connects with Iowa, Chicago & Eastern Railroad.
Purpose: Receipt of coal, dry bulk fertilizer, steel products, newsprint, lumber; handling heavy-lift items; mooring floating drydock, barges and vessels for repair; mooring barges for fleeting. (See Remarks).
Depth Alongside (feet): 10 | | Latitude (decimal): 41.463056
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.67056
Remarks: Approximately 8 acres of open storage area at rear has capacity for 100,000 tons of bulk materials. One 500- and one 300-ton floating drydocks are moored at terminal. Operator maintains nearby fleeting areas as follows:

(barges)	Fleet	Mile/Bank	Barge	Width	Copy.
Smith Island	475.5-474.8/L	60	8	Dewey Island	474.6-474.2/L
100	8Andalusia	472.6-472.0/L	80	8	*NPE = 545.0 MSL.

Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31476 Dock Code: 100 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 476 PWD: 194
Name: **BP Products North America, Davenport Asphalt Terminal Dock.**
Location: Mile 475.5 AOR, right bank, Mississippi River, approximately 3 miles below Interstate Highway 280 Bridge Datum: NPE*
Operator: BP Products North America LLC.
Owner: BP Products North America LLC.
Address: 601 East Front Street Phone: 563/324-5276
Town: Buffalo State: IA County: Scott
Railway Connection: None.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.463056
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.67556
Remarks: Two 8-inch pipelines extend from wharf to 16 steel asphalt storage tanks, total capacity 320,000 barrels. *NPE = 545.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31475 Dock Code: 501 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 476 PWD: 191
Name: **Harvest States Cooperatives, Davenport East Grain Elevator Dock..**
Location: Mile 475.9 AOR, right bank, Mississippi River, approximately 2.4 miles below Interstate Highway 280 Brid Datum: NPE*
Operator: Harvest States Cooperatives.
Owner: Harvest States Cooperatives.
Address: 6603 South Concord Street Phone: 563/326-3581
Town: Davenport State: IA County: Scott
Railway Connection: Three surface tracks serve undertrack pit; connect with Iowa, Chicago & Eastern Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.463056
Total Berthing Space (feet): 590 | | Longitude (decimal): -90.66972
Remarks: Grain elevator at rear consisting of 10 concrete silos with 4 interstices has capacity for 750,000 bushels. Temporary outside storage area consists of two 4 foot high 300 foot diameter concrete rings covered with plastic sheeting, having total capacity for 2,400,000 bushels *NPE = 545.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31475 Dock Code: 701 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 476 PWD: 193
Name: **Harvest States Cooperatives, Davenport West Grain Elevator Dock..**
Location: Mile 475.7 AOR, right bank, Mississippi River, approximately 2.6 miles below Interstate Highway 280 Brid Datum: NPE*
Operator: Harvest States Cooperatives.
Owner: Harvest States Cooperatives.
Address: 701 East Front Street Phone: 563/326-3581
Town: Davenport State: IA County: Scott
Railway Connection: Three surface tracks with storage capacity for 37 cars serve open storage area at rear; connect with Iowa, Chicago & Eastern Railroad.
Purpose: Receipt and shipment of miscellaneous dry bulk materials, including coal, salt and fertilizer; shipment of grain.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 41.463056
Total Berthing Space (feet): 950 | | Longitude (decimal): -90.67306
Remarks: Grain elevator at rear consisting of 6 concrete silos with 7 interstices has capacity for 350,000 bushels. A flat storage building and open concrete surfaced storage pads at terminal have capacity for an additional 4,000,000 bushels of grain. Open storage area at rear of bulk material handling area has capacity for 100,000 tons. *NPE = 545.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31475 Dock Code: 701 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 480 PWD: 018
Name: **Rock Island River Terminal Corp. Mooring Dock.**
Location: Mile 480.1 AOR, left bank, Mississippi River, Rock Island, approximately 1.1 mile above mouth of Rock Ri Datum: NPE*
Operator: Rock Island River Terminal Corp.
Owner: Rock Island River Terminal Corp.
Address: 1600 Mill Street Phone: 309/788-7683
Town: Rock Island State: IL County: Rock Island
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.496944
Total Berthing Space (feet): 520 | | Longitude (decimal): -90.60111
Remarks: Barges are moored awaiting berth at Rock Island River Terminal Corp. (Dock Ref. No. 19) *NPE = 545.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31480 Dock Code: 902 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 481 PWD: 019
Name: **Rock Island River Terminal Corp. Dock.**
Location: Mile 480.8 AOR, left bank, Mississippi River, Rock Island, approx. 0.6 mi below Burlington Northern Sant Datum: NPE*
Operator: Rock Island River Terminal Corp.
Owner: Rock Island River Terminal Corp.
Address: 700 Mill Street Phone: 309/788-7683
Town: Rock Island State: IL County: Rock Island
Railway Connection: Two surface tracks serve terminal in rear; connect with the Iowa Interstate Railroad.
Purpose: Receipt and shipment of steel products and miscellaneous, dry bulk materials including fertilizer, ores, salt, coal, and pig iron; and shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.504167
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.59833
Remarks: Three bulk storage buildings and one storage dome at terminal have total capacity for 30,400 tons. Open storage area at rear of upper end is served by a portable, radial stacker and has capacity for 130,000 tons. Another building at rear contains a bagging plant and storage area for packaged material. Illinois Oil Products, Inc.: One unused 6-inch pipeline extends from wharf to one 3,000-ton-capacity, liquid fertilizer storage tank at rear. *NPE = 545.0 MSL
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31480 Dock Code: 902 St. Louis District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 482 PWD: 190
Name: **Rhythm City, Casino Boat Dock.**
Location: Mile 482.5 AOR, right bank, Mississippi River, approximately 1,500 feet below Dam Datum: NPE*
No. 15.
Operator: Rhythm City, Casino (Isle of Capri, Davenport)
Owner: Rhythm City, Casino (Isle of Capri, Davenport)
Address: 101 West River Drive Phone: 563/328-8251
Town: Davenport State: IA County: Scott
Railway Connection: None.
Purpose: Mooring casino/excursion boat; boarding passengers.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.518333
Total Berthing Space (feet): 295 | | Longitude (decimal): -90.57556
Remarks: Daily river excursions normally are operated during the period April through October. *NPE = 545.0
MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31482 Dock Code: 402 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 483 PWD: 189
Name: **Builders Sand and Cement Co. Wharf.**
Location: Mile 483.1 AOR, right bank, Mississippi River, above and opposite Locks and Dam Datum: NPE*
No. 15.
Operator: Builders Sand and Cement Co.
Owner: City of Davenport.
Address: 615 East River Drive Phone: 563/322-1757
Town: Davenport State: IA County: Scott
Railway Connection: None.
Purpose: Receipt of sand, gravel, and crushed stone.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.522222
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.56472
Remarks: Open storage area at rear has capacity for 15,000 tons of material. Plans call for operator to vacate
property upon expiration of lease in 2007. *NPE = 561.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31483 Dock Code: 201 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 483 PWD: 188
Name: **River/Gulf Grain Co., Davenport Dock.**
Location: Mile 483.2 AOR, right bank, Mississippi River, Davenport approximately 1,000 feet above Locks and Dam 15 Datum: NPE*
Operator: River/Gulf Grain Co.
Owner: City of Davenport.
Address: 725 East River Drive Phone: 563/324-2114
Town: Davenport State: IA County: Scott
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.522778
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.56278
Remarks: Grain elevator at rear consisting of 5 steel tanks has capacity for 151,500 bushels. Plans call for operator to vacate property upon expiration of lease in 2007. *NPE = 561.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31483 Dock Code: 302 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 483 PWD: 187
Name: **W. G. Block Co., Davenport Dock.**
Location: Mile 483.3 AOR, right bank, Mississippi River, Davenport, approximately 0.3 mile above Locks and Dam 15. Datum: NPE*
Operator: W. G. Block Co.
Owner: W. G. Block Co.
Address: 903 East River Drive Phone: 563/322-6010
Town: Davenport State: IA County: Scott
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.523056
Total Berthing Space (feet): 450 | | Longitude (decimal): -90.56167
Remarks: Open storage area at rear has capacity for approximately 75,000 tons of material. Company's office is located at 317 East Fourth Street approximately ? mile south of wharf. *NPE = 561.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31483 Dock Code: 301 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 486 PWD: 021
Name: **Celebration River Cruises Dock.**
Location: Mile 486.4 AOR, left bank, Mississippi River, Moline, approximately 0.5 mile above Iowa-Illinois Memoria Datum: NPE*
Operator: Celebration River Cruises Inc.
Owner: Captain Joseph Schadler.
Address: 2501 River Drive. Phone: 309/764-1952
Town: Moline State: IL County: Rock Island
Railway Connection: None.
Purpose: Mooring for excursion boat 'Celebration Belle'; boarding passengers.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.513889
Total Berthing Space (feet): 250 | | Longitude (decimal): -90.50222
Remarks: Cruise schedule varies throughout the year. *NPE = 561.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31486 Dock Code: 403 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 486 PWD: 022
Name: **Channel Cat Water Taxi, Dock.**
Location: Mile 486.5 AOR, left bank, Mississippi River, Moline, approximately 0.4 mile above Iowa-Illinois Memoria Datum: NPE*
Operator: Channel Cat Water Taxi.
Owner: Captain Joseph Schadler.
Address: 2501 River Drive. Phone: 309/788-3360
Town: Moline State: IL County: Rock Island
Railway Connection: None.
Purpose: Mooring for commuter boats; boarding passengers.
Depth Alongside (feet): 8 | | Latitude (decimal): 41.513889
Total Berthing Space (feet): | | Longitude (decimal): -90.50167
Remarks: Commuter parking is located in rear. Vessels transport passengers to four separate landings within the Quad-Cities area: Ben Butterworth Park; Leach Park; Lindsay Park and John Deere Commons. *NPE = 561.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31486 Dock Code: 405

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 486 PWD: 020
Name: **Riverstone Group Moline Dock.**
Location: Mile 486.3 AOR, left bank, Mississippi River, Moline, approximately 0.4 mile above Iowa-Illinois Memoria Datum: NPE*
Operator: Riverstone Group, Inc.
Owner: Riverstone Group Inc.
Address: 200 Twenty-third Street. Phone: 309/757-8250
Town: Moline State: IL County: Rock Island
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 8 | | Latitude (decimal): 41.513611
Total Berthing Space (feet): 1000 | | Longitude (decimal): -90.50333
Remarks: Ready-mix concrete plant and open storage area for 70,000 tons of material are located in rear. *NPE = 561.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31486 Dock Code: 402 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 487 PWD: 182
Name: **Bettendorf Terminal Co. Wharf.**
Location: Mile 487.5 AOR, right bank, Mississippi River, Bettendorf, 1.7 miles above Iowa-Illinois Memorial (Inter Datum: NPE*
Operator: Bettendorf Terminal Co.
Owner: Riverstone Group, Inc.
Address: 3623 Elm Street Phone: 563/289-4214
Town: Bettendorf State: IA County: Scott
Railway Connection: None.
Purpose: Receipt and shipment of sand.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.521944
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.48333
Remarks: Open storage area at rear has capacity for 60,000 tons of material. *NPE = 561.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31487 Dock Code: 501 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 487 PWD: 184
Name: **BP Products North America, Bettendorf Dock.**
Location: Mile 487.1 AOR, right bank, Mississippi River, approximately 1.3 miles above Iowa- Datum: NPE*
Illinois Memorial (Int)
Operator: Not operated.
Owner: BP Products North America LLC.
Address: 75 Thirty-first Street Phone: 563/355-2686
Town: Bettendorf State: IA County: Scott
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.521111
Total Berthing Space (feet): 228 | | Longitude (decimal): -90.48861
Remarks: One 8- and three 6-inch pipelines, blanked at time of survey, extend from wharf to 9 steel storage tanks
at terminal in rear, total capacity 237,000 barrels. *NPE = 561.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31487 Dock Code: 101 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 487 PWD: 186
Name: **Continental Cement Co., Bettendorf Terminal Dock.**
Location: Mile 486.8 AOR, right bank, Mississippi River, Bettendorf, 1.1 miles above Iowa- Datum: NPE*
Illinois Memorial (Inter)
Operator: Continental Cement Co.
Owner: Continental Cement Co. LLC.
Address: 2871 Depot Street Phone: 563/359-8237
Town: Bettendorf State: IA County: Scott
Railway Connection: None.
Purpose: Receipt of bulk cement.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.521389
Total Berthing Space (feet): 245 | | Longitude (decimal): -90.49278
Remarks: One 10-inch pneumatic pipeline extends from wharf to 6 storage bins at rear, total capacity 10,000 tons.
Cement barges are unloaded at an average rate of 160 tons per hour. One 8-inch compressed air
pipeline serves wharf. Two truck- loading spouts are located at terminal in rear. *NPE = 561.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31486 Dock Code: 801 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 487 PWD: 183
Name: **Phillips Pipe Line Co., Bettendorf Terminal Barge Dock.**
Location: Mile 487.2 AOR, right bank, Mississippi River, approximately 1.4 mile above Iowa- Datum: NPE*
Illinois Memorial (Inte
Operator: Phillips Pipe Line Co.
Owner: Phillips Pipe Line Co.
Address: 2925 Depot Street. Phone: 563/355-2654
Town: Bettendorf State: IA County: Scott
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.521111
Total Berthing Space (feet): 350 | | Longitude (decimal): -90.48722
Remarks: Three 8-inch pipelines extend from wharf to 17 steel storage tanks at terminal in rear, total capacity
550,000 barrels. *NPE = 561.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31487 Dock Code: 201 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 487 PWD: 185
Name: **Phillips Pipe Line Co., Bettendorf West Terminal Barge Dock.**
Location: Mile 487.0 AOR, right bank, Mississippi River, Bettendorf, 1.2 miles above Iowa- Datum: NPE*
Illinois Memorial (Inter
Operator: Phillips Pipe Line Co.
Owner: Phillips Pipe Line Co.
Address: 2925 Depot Street Phone: 563/355-2654
Town: Bettendorf State: IA County: Scott
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.521389
Total Berthing Space (feet): 350 | | Longitude (decimal): -90.49167
Remarks: Two 8- and one 6-inch pipelines, blanked at time of survey (2003) extend from wharf to 8 steel storage
tanks at terminal in rear, total capacity 313,000 barrels. *NPE = 561.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31487 Dock Code: 201 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 488 PWD: 180
Name: **Citgo Petroleum Corp., Bettendorf Terminal Dock.**
Location: Mile 488.5 AOR, right bank, Mississippi River, Bettendorf, 2.3 miles above Iowa- Illinois Memorial (Inter Datum: NPE*
Operator: Not operated.
Owner: Citgo Petroleum Corp.
Address: 312 South Bellingham Street Phone: 563/355-2931
Town: Riverdale State: IA County: Scott
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.525556
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.46361
Remarks: Wharf formerly was used for receipt of petroleum products. One 8- and one 6-inch pipelines (blanked at time of survey (2003), extend from wharf to 7 steel storage tanks at terminal in rear total capacity 166,700 barrels. *NPE = 561.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31488 Dock Code: 501 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 488 PWD: 181
Name: **Flint Hills Resources, Bettendorf Dock.**
Location: Mi 487.7 AOR, right bank, Mississippi River, Bettendorf, 2.0 miles above Iowa-Illinois Memorial (Interst Datum: NPE*
Operator: Koch Pipeline Co.
Owner: Flint Hills Resources
Address: 4100 Elm Street Phone: 563/359-1304
Town: Bettendorf State: IA County: Scott
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.523056
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.47722
Remarks: One 8- and two 6-inch pipelines extend from wharf to 6 steel storage tanks at terminal in rear, total capacity 150,000 barrels. *NPE = 561.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31487 Dock Code: 701 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 498 PWD: 179
Name: **Riverstone Group, LeClaire Quarry, Barge Dock.**
Location: Mile 498.2 AOR, right bank, Mississippi River, LeClaire, approximately 2.8 miles above Interstate Highway Datum: NPE*
Operator: Riverstone Group, Inc.
Owner: Riverstone Group, Inc.
Address: 400 Territorial Road. Phone: 563/289-4214
Town: LeClaire State: IA County: Scott
Railway Connection: None.
Purpose: Receipt of sand; shipment of stone.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.533333
Total Berthing Space (feet): 325 | | Longitude (decimal): -90.455
Remarks: Open storage area at rear has capacity for approximately 75,000 tons of sand. Additional open storage area for stone is available at quarry on opposite side of Highway in rear. *NPE = 572.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31498 Dock Code: 201 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 509 PWD: 023
Name: **Westway Trading Corp., Cordova Terminal Dock.**
Location: Mile 508.6 AOR, left bank, Mississippi River, approximately 5 miles north of Cordova, Illinois. Datum: NPE*
Operator: Westway Trading Corp.
Owner: Westway Trading Corp.
Address: 22220 State Highway 84 Phone: 309/654-2211
Town: Cordova State: IL County: Rock Island
Railway Connection: Three surface tracks serve terminal in rear; connect with Iowa, Chicago & Eastern Railroad.
Purpose: Receipt of molasses.
Depth Alongside (feet): 15 | | Latitude (decimal): 41.749722
Total Berthing Space (feet): 150 | | Longitude (decimal): -90.29889
Remarks: One 8-inch pipeline extends from wharf to 5 steel, molasses storage tanks at terminal in rear; total capacity 5,000,000 gallons. *NPE = 572.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31507 Dock Code: 012 St. Louis District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 510 PWD: 025
Name: **CF Industries, Inc., North Cordova Upper Dock.**
Location: Mile 509.9 AOR, left bank, Mississippi River, Albany, approximately 3.5 miles below Albany, Illinois. Datum: NPE*
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: Phone: 309/654-2276
Town: Albany State: IL County: Rock Island
Railway Connection: None.
Purpose: Occasional mooring of craft serving Ref. No. 24.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 41.7625
Total Berthing Space (feet): 270 | | Longitude (decimal): -90.28056
Remarks: Wharf formerly was used for receipt of petroleum products, however pipelines have been removed.
*NPE = 572.0 MSL.

Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31509 Dock Code: 502 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 510 PWD: 024
Name: **CF Industries, Inc., North Cordova Warehouse Dock.**
Location: Mile 509.8 AOR, left bank, Mississippi River, Albany, approximately 3.5 miles below Albany. Datum: NPE*
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: 23300 River Road Phone: 309/654-2276
Town: Albany State: IL County: Rock Island
Railway Connection: One surface track serving storage building and one serving four ammonia-loading positions; connect with Iowa, Chicago & Eastern Railroad.
Purpose: Receipt of dry bulk fertilizer; receipt and shipment of liquid fertilizer and anhydrous ammonia.
Depth Alongside (feet): 15 - 34 | | Latitude (decimal): 41.760833
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.28472
Remarks: Bulk fertilizer storage building at rear has capacity for 50,000 tons. One 10-inch pipeline extends from wharf to 3 steel, ammonia storage tanks, total capacity 60,000 tons, and one 12-inch pipeline extends to one 30,000-ton, liquid fertilizer storage tank. *NPE = 572.0 MSL.

Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31509 Dock Code: 502 St. Louis District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 512 PWD: 177
Name: **Artco Fleeting Services, Camanche Fleet Moorings.**
Location: Miles 512.3-513.3 AOR, right bank, Mississippi, River, and Beaver Slough Channels, Datum: NPE*
Camanche.
Operator: Artco Fleeting Services.
Owner: Determann Industries, Inc.
Address: 1425 North Washington Boulevard Phone: 608/725-2311
Town: Camanche State: IA County: Clinton
Railway Connection: None.
Purpose: Mooring barges for fleeting, maintenance and repair; mooring floating drydock
Depth Alongside (feet): 9 | 9 - 11 | 12 Latitude (decimal): 41.791667
Total Berthing Space (feet): 70 | 22 | 30 Longitude (decimal): -90.24472
Remarks: One 500 ton floating drydock is moored in Determan Pond. Operator maintains fleeting areas as follows:

Fleet	Mile/Bank	Barge	Width	Capy.
(barges) Lower Beaver Slough	512.3-513.3/R	84	3	Determan Pond
50	2*	* At Entrance, end to- in basin.		*NPE = 572.0 MSL.

Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31512 Dock Code: 401 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 512 PWD: 178
Name: **Determann Industries Dock.**
Location: Mile 512.4 AOR, right bank, Mississippi River, Camanche, lower side of dredged slip. Datum: NPE*
Operator: Determann Industries, Inc.
Owner: Determann Industries, Inc.
Address: 1425 North Washington Boulevard Phone: 563/259-2474
Town: Camanche State: IA County: Clinton
Railway Connection: One surface track serving undertrack pit on apron and two serving warehouses in rear connect with Burlington Northern Santa Fe Railway, Union Pacific Railroad and Iowa, Chicago & Eastern Railroad.
Purpose: Receipt of coal; receipt and shipment of steel products and miscellaneous bulk materials; shipment of grain.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 41.788056
Total Berthing Space (feet): 100 | 200 | Longitude (decimal): -90.24667
Remarks: Open storage area at terminal has capacity for approximately 60,000 tons of coal; one warehouse at terminal has capacity for 6,000 tons of bulk material; 4 other storage buildings at terminal have a total of 146,000 square feet of storage space and at time of survey were being used to store packaged products. *NPE = 572.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31512 Dock Code: 231 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 514 PWD: 026
Name: **Bunge North America, Albany Elevator Dock.**
Location: Mile 514.5 AOR, left bank, Mississippi River, Albany, approximately 3.5 miles below Union Pacific Railro Datum: NPE*
Operator: Bunge North America Inc.
Owner: Bunge North America Inc.
Address: 1002 North Main Street. Phone: 309/887-4371
Town: Albany State: IL County: Whiteside
Railway Connection: One surface track serves undertrack pit; connects with Iowa, Chicago & Eastern Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 41.795556
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.20861
Remarks: Grain elevator at rear consisting of 8 steel tanks has total capacity for 5,000,000 bushels. *NPE = 572.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31514 Dock Code: 302 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 514 PWD: 175
Name: **Interstate Power & Light Co., M. L. Kapp Plant Wharf.**
Location: Mile 513.7 AOR, right bank, Mississippi River, Clinton, approximately 1.5 mile above lower end of Beaver Datum: NPE*
Operator: Interstate Power & Light Co.
Owner: Alliant Energy Co.
Address: 2001 Beaver Channel Parkway Phone: 563/241-1501
Town: Clinton State: IA County: Clinton
Railway Connection: None.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 16 | | Latitude (decimal): 41.806667
Total Berthing Space (feet): 835 | | Longitude (decimal): -90.23111
Remarks: Open storage area at rear has maximum capacity for 290,000 tons. *NPE = 572.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31514 Dock Code: 211 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 514 PWD: 176
Name: **Vertex Chemical Corp., Camanche Plant, Dock.**
Location: Mile 513.7 AOR, right bank, Mississippi River, Clinton, approximately 1.3 miles above lower end of Beave Datum: NPE*
Operator: Vertex Chemical Corp.
Owner: Vertex Chemical Corp.
Address: 2619 Camanche Industrial Park Drive Phone: 563/243-2000
Town: Camanche State: IA County: Clinton
Railway Connection: Plant trackage in rear connects with Burlington Northern Santa Fe Railway, Union Pacific Railroad and Iowa, Chicago & Eastern Railroad.
Purpose: Receipt of caustic soda.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.803889
Total Berthing Space (feet): 220 | | Longitude (decimal): -90.235
Remarks: One steam-traced 6-inch pipeline extends from wharf to 3 steel storage tanks in rear, total capacity 3,197,500 gallons. *NPE = 572.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31513 Dock Code: 901 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 515 PWD: 174
Name: **ADM Corn Processing, Clinton Plant, Corn- Pellet-Loading Dock**
Location: Mile 515.3 AOR, right bank, Mississippi River, Clinton, approximately one mile below upper end of Beaver Datum: NPE*
Operator: ADM Corn Processing, a division of Archer Daniels Midland Co.
Owner: Archer Daniels Midland Co.
Address: 1251 Beaver Channel Parkway Phone: 563/244-5268
Town: Clinton State: IA County: Clinton
Railway Connection: Plant trackage in rear connects with Burlington Northern Santa Fe Railway, Union Pacific Railroad and Iowa, Chicago & Eastern Railroad.
Purpose: Shipment of corn pellets.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 41.819167
Total Berthing Space (feet): 1000 | | Longitude (decimal): -90.21
Remarks: Grain elevator at rear consisting of 3 concrete silos has total capacity for 1,200 tons. *NPE = 572.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31515 Dock Code: 301

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 516 PWD: 173
Name: **ADM Corn Processing, Clinton Plant, Liquid-Handling Dock.**
Location: Mile 515.5 AOR, right bank, Mississippi River, Clinton, approximately 1.2 miles below upper end of Beave Datum: NPE*
Operator: ADM Corn Processing, a division of Archer Daniels Midland Co.
Owner: Archer Daniels Midland Co.
Address: 1251 Beaver Channel Parkway Phone: 563/244-5268
Town: Clinton State: IA County: Clinton
Railway Connection: Plant trackage in rear connects with Burlington Northern Santa Fe Railway, Union Pacific Railroad and Iowa, Chicago & Eastern Railroad.
Purpose: Receipt of caustic soda, receipt and shipment of industrial and beverage alcohol, ethanol and crude and refined vegetable oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.823056
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.2025
Remarks: Pipelines connect wharf with storage tanks at plant in rear: Product Pipeline Tanks
Capacity (gallons) Ethanol 8-inch 3 12,000,000 Beverage
alcohol 4-inch 2 2,000,000 Corn oil (crude) 4-inch 2 300,000 Corn oil refined) 6-
inch 4 1,300,000 Caustic soda 6-inch 1 850,000 *NPE = 572.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31515 Dock Code: 501 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 517 PWD: 172
Name: **ADM/Growmark, Clinton River Terminal Dock.**
Location: Mile 517.1 AOR, right bank, Mississippi River, Clinton, 0.5 mile below upper end of Beaver Slough Channe Datum: NPE*
Operator: ADM/Growmark, a subsidiary of Archer Daniels Midland Co.
Owner: ADM/Growmark, a subsidiary of Archer Daniels Midland Co.
Address: 1811 South 4th Street Phone: 563/242-5251
Town: Clinton State: IA County: Clinton
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.827222
Total Berthing Space (feet): 650 | | Longitude (decimal): -90.19
Remarks: Grain elevator at rear consisting of 4 concrete silos with 5 interstices and 3 steel tanks has total capacity for 700,000 bushels. *NPE = 572.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31517 Dock Code: 201 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 517 PWD: 171
Name: **Artco Fleeting Services, Service, Dock**
Location: Mile 517.3 AOR, right bank, Mississippi River, Clinton, 0.3 mile below upper end of Beaver Slough Channel Datum: NPE*
Operator: Artco Fleeting Services.
Owner: Artco Fleeting Services.
Address: 204 Fifteenth Avenue South Phone: 608/725-2311
Town: Clinton State: IA County: Clinton
Railway Connection: None.
Purpose: Mooring barges for cleaning, maintenance and repair; mooring barges for fleeting (See Remarks).
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 41.828333
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.18833
Remarks: Offices for barge fleeting and repair serve is located at 204 Fifteenth Avenue South at rear. Operator maintains nearby fleeting areas as follows: Fleet Mile/Bank Barge
Width Capy. (barges) Little Rock Island 517.6-518.0/R 42
3Beaver Island 516.5-517.4/R 30 3 Main Channel 516.0-517.0/L 63
3 Upper Beaver Slough 516.9-517.4/L* 50 4 Beaver Slough Channel *NPE = 572.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31517 Dock Code: 705 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 518 PWD: 170
Name: **Clinton Municipal Loading Dock.**
Location: Mile 517.5 AOR, right bank, Mississippi River, Clinton at upper end of Beaver Slough Channel Datum: NPE*
Operator: Clinton Municipal Dock A Division of Archer Daniels Midland Co.
Owner: City of Clinton.
Address: 204 Fifteenth Avenue, South Phone: 563/242-0962
Town: Clinton State: IA County: Clinton
Railway Connection: Two surface tracks serve rail receiving pits in rear; connect with trackage serving Unloading Dock (Ref. No. 169).
Purpose: Shipment of miscellaneous dry bulk materials, including fertilizer, clay, grain, feed pellets, salt, and ferrous sulphate; shipment of liquid chemical (DAC), vegetable oil and ethanol.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.828889
Total Berthing Space (feet): 650 | | Longitude (decimal): -90.18667
Remarks: Vegetable oil and ethanol are loaded directly from railroad tank car to barge. One 6-inch pipeline for the chemical DAC (a benzene-hydrocarbon mixture), handled for Equistar Chemicals, extends to wharf from one 600,000-gallon storage tank in rear. *NPE = 572.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31517 Dock Code: 531 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 518 PWD: 169
Name: **Clinton Municipal Unloading Dock.**
Location: Mile 517.7 AOR, right bank, Mississippi River, Clinton approximately 0.5 mile below Union Pacific Railro Datum: NPE*
Operator: Clinton Municipal Dock A Division of Archer Daniels Midland Co.
Owner: City of Clinton.
Address: 204 Fifteenth Avenue, South Phone: 563/242-0962
Town: Clinton State: IA County: Clinton
Railway Connection: Two surface tracks with total capacity for 90 cars, serves loading spout and terminal in rear; connects with Union Pacific Railroad and Iowa, Chicago & Eastern Railroad.
Purpose: Receipt of grain; receipt of miscellaneous dry bulk materials including fertilizer; Mooring barges for fleeting (see Remarks).
Depth Alongside (feet): 15 | | Latitude (decimal): 41.830556
Total Berthing Space (feet): 285 | | Longitude (decimal): -90.18528
Remarks: Timber frame storage building at rear has capacity for 20,000 tons of fertilizer. Two additional steel frame storage buildings at terminal are served by truck and have total capacity for 15,000 tons. Artco Fleeting Services operates a fleeting area for 30 barges arranged in tiers 3 barges wide along lower portion of Little Rock Island on opposite side of channel. *NPE = 572.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31517 Dock Code: 501 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 518 PWD: 168
Name: **Clinton Showboat Landing.**
Location: Mile 518.5 AOR, right bank, Mississippi River, Clinton, approximately 0.4 mile above U.S. Highway 30 Bri Datum: NPE*
Operator: Mississippi Belle II
Owner: Mississippi Belle II
Address: 311 Riverview Drive Phone: 563/243-9000
Town: Clinton State: IA County: Clinton
Railway Connection: None.
Purpose: Mooring Casino Boat; boarding passengers
Depth Alongside (feet): 10 | | Latitude (decimal): 41.842778
Total Berthing Space (feet): 150 | 232 | Longitude (decimal): -90.18361
Remarks: The vessel 'Mississippi Belle' maintains a regular excursion schedule, during the period mid-May through mid-October. Company office is located on a steel float moored to upper side of upper float.
*NPE = 572.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31518 Dock Code: 501 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 519 PWD: 027
Name: **AGRI Grain Marketing, Fulton Dock.**
Location: Mile 519.4 AOR, left bank, Mississippi River, Fulton, approximately 0.7 mile below North Clinton (State) Datum: NPE*
Operator: AGRI Grain Marketing, LLC.
Owner: AGRI Industries.
Address: 2630 South Third Street Phone: 815/589-4400
Town: Fulton State: IL County: Whiteside
Railway Connection: Six surface tracks with total storage capacity for 250 cars serve loading hopper and warehouse in rear; connect with Union Pacific Railroad.
Purpose: Receipt of dry bulk fertilizer; shipment of grain.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 41.854444
Total Berthing Space (feet): 550 | 550 | Longitude (decimal): -90.16944
Remarks: Two steel tanks and an A-frame, timber storage warehouse in rear have total capacity for 30,000 tons of fertilizer. Grain elevator at rear, consisting of 8 concrete silos with 3 interstices, has total capacity for 535,000 bushels. *NPE = 572.0 MSL
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31520 Dock Code: 099 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 520 PWD: 028
Name: **Fulton River Terminal Dock.**
Location: Mile 520.4 AOR, left bank, Mississippi River, Fulton, above North Clinton (State Highway 136) Bridge. Datum: NPE*
Operator: Fulton River Terminal, Division of Hydro Merschman LLC.
Owner: Fulton River Terminal, Division of Hydro Merschman LLC.
Address: 110 Eleventh Avenue Phone: 319/753-6533
Town: Fulton State: IL County: Whiteside
Railway Connection: None.
Purpose: Receipt and occasional shipment of liquid fertilizer.
Depth Alongside (feet): 20 | | Latitude (decimal): 41.866111
Total Berthing Space (feet): 230 | | Longitude (decimal): -90.16944
Remarks: One 8-inch pipelines extends from wharf to 11 steel storage tanks at rear; total capacity 45,700 tons (8,317,400 gallons). *NPE = 572.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31520 Dock Code: 102 St. Louis District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 537 PWD: 029
Name: **Consolidated Grain & Barge Co., Savanna Grain Elevator Dock.**
Location: Mile 537.2 AOR, left bank, Mississippi River, Savanna, approximately 0.5 mile below U.S. Highway 52 Brid Datum: NPE*
Operator: Consolidated Grain and Barge Co.
Owner: Savanna Township, Carroll County, Illinois.
Address: 561 Broderick Drive. Phone: 815/273-4439
Town: Savanna State: IL County: Carroll
Railway Connection: None.
Purpose: Shipment of grain. Mooring barges for fleetng (See Remarks).
Depth Alongside (feet): 20 | | Latitude (decimal): 42.095556
Total Berthing Space (feet): 380 | | Longitude (decimal): -90.15917
Remarks: Grain elevator at rear consisting of 5 concrete silos has capacity for 127,500 bushels. Osage Marine Fleetng Co. Fleet located at various islands below wharf has capacity for 25 barges *NPE = 583.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31537 Dock Code: 102 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 537 PWD: 030
Name: **Newt Marine Service, Savanna Dock.**
Location: Mile 537.3 AOR, left bank, Mississippi River, Savanna, approximately 0.4 mile below U.S. Highway 52 Brid Datum: NPE*
Operator: Newt Marine Service.
Owner: Savanna Township, Carroll County, Illinois.
Address: 565 Broderick Drive. Phone: 563/557-1855
Town: Savanna State: IL County: Carroll
Railway Connection: None.
Purpose: Mooring service vessels; Handling equipment and supplies.
Depth Alongside (feet): 15 | | Latitude (decimal): 42.095833
Total Berthing Space (feet): 320 | | Longitude (decimal): -90.15917
Remarks: *NPE = 583.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31537 Dock Code: 105

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 573 PWD: 031
Name: **Royster-Clark Nitrogen Co., East Dubuque Plant Dock.**
Location: Mile 572.9 AOR, left bank, Mississippi River, East Dubuque, approximately 6.5 miles below Julien Dubuque Datum: NPE*
Operator: Royster-Clark Nitrogen Co.
Owner: Royster-Clark Nitrogen Co.
Address: 16675 U.S. Highway 20, West Phone: 815/747-3101
Town: East Dubuque State: IL County: Jo Daviess
Railway Connection: One surface track serves plant in rear; connects with Canadian National Railroad.
Purpose: Shipment of anhydrous ammonia and liquid fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 42.44
Total Berthing Space (feet): 225 | | Longitude (decimal): -90.56139
Remarks: One 6-inch pipeline extends to wharf from 2 anhydrous ammonia storage tanks, total capacity 40,000 tons (14,040,000 gallons), and one 12-inch pipeline extends to wharf from 2 liquid fertilizer storage tanks, total capacity 80,000 tons (14,560,000 gallons). *NPE = 592.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31572 Dock Code: 900 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 574 PWD: 032
Name: **Aggregate Materials Co. Inc., East Dubuque Wharf.**
Location: Mile 574.5 AOR, left bank, Mississippi River, East Dubuque, inner upper side of slip 5 miles below Julien Datum: NPE*
Operator: Aggregate Materials Co. Inc.
Owner: Salmonson Materials Co. Inc.
Address: 18525 U.S. Highway 20, West Phone: 563/583-6642
Town: East Dubuque State: IL County: Jo Daviess
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 16 | | Latitude (decimal): 42.455833
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.58972
Remarks: The rectangular slip is 2,000 feet long by 450 feet wide, with a 1,300- by 200-foot, entrance channel 33 feet deep. Open storage area at rear has capacity for 60,000 tons of sand and gravel. *NPE = 592.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31574 Dock Code: 501

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 574 PWD: 035
Name: **Consolidated Grain and Barge Co., East Dubuque, Grain Elevator Wha**
Location: Mile 574.5 AOR, left bank, Mississippi River, East Dubuque, inner upper side of slip 5 Datum: NPE*
miles below Julien
Operator: Consolidated Grain and Barge Co.
Owner: I.E.I. Barge Services Inc..
Address: 18525 U.S. Highway 20 West Phone: 815/747-3161
Town: East Dubuque State: IL County: Jo Daviess
Railway Connection: One surface track serves undertrack pit at rear; connects with Canadian National Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 14 | | Latitude (decimal): 42.456944
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.59139
Remarks: Grain elevator at rear consisting of 3 steel tanks has total capacity for 324,000 bushels. *NPE = 592.0
MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31574 Dock Code: 508 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 574 PWD: 033
Name: **I.E.I. Barge Services, Bulk Materials Wharf.**
Location: Mile 574.5 AOR, left bank, Mississippi River, East Dubuque, center of lower side of Datum: NPE*
slip 5 miles below J
Operator: I.E.I. Barge Services, Inc.
Owner: I.E.I. Barge Services, Inc..
Address: 18525 U.S. Highway 20, West Phone: 815/747-3161
Town: East Dubuque State: IL County: Jo Daviess
Railway Connection: One surface track served by a loading spout joins additional terminal trackage; connects
with Canadian National Railroad.
Purpose: Receipt and shipment of miscellaneous, dry bulk materials including, coal, pig iron, and fish meal.
Depth Alongside (feet): 16 | | Latitude (decimal): 42.456389
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.58972
Remarks: One timber-, and 3 steel, bulk storage buildings at terminal have total capacity for approximately 20,000
tons of bulk material. Open storage area at rear has capacity for 50,000 tons of miscellaneous, bulk
materials. *NPE = 592.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31574 Dock Code: 502 St. Louis District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 574 PWD: 034
Name: **I.E.I. Barge Services, Coal Wharf.**
Location: Mile 575.5 AOR, left bank, Mississippi River, East Dubuque, at head of slip located 5 miles below Julien Datum: NPE*
Operator: I.E.I. Barge Services, Inc.
Owner: I.E.I. Barge Services, Inc.
Address: 8525 U.S. Highway 20, West Phone: 815/747-3161
Town: East Dubuque State: IL County: Jo Daviess
Railway Connection: One surface track serves undertrack pit at rear, joins additional terminal trackage; connects with Canadian National Railroad.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 42.459444
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.59056
Remarks: Open storage area at rear of wharf has capacity for 100,000 tons of coal. *NPE = 592.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31574 Dock Code: 502 St. Louis District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 574 PWD: 036
Name: **I.E.I. Barge Services, Inc., Fertilizer Wharf.**
Location: Mile 574.5 AOR, left bank, Mississippi River, East Dubuque, outer upper side of slip 5 miles below Julien Datum: NPE*
Operator: I.E.I. Barge Services, Inc.
Owner: I.E.I. Barge Services Inc..
Address: 18525 U.S. Highway 20 West Phone: 815/747-3161
Town: East Dubuque State: IL County: Jo Daviess
Railway Connection: Terminal trackage connects with Canadian National Railroad.
Purpose: Receipt of dry bulk fertilizer, salt and coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 42.455278
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.59139
Remarks: Open storage area at rear of wharf has capacity for 50,000 tons of coal. *NPE = 592.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31574 Dock Code: 502 St. Louis District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 576 PWD: 166
Name: **Artco Fleeting Services, Mines of Spain Fleet**
Location: Miles 576.4 - 576.7 AOR, right bank, Mississippi River, approximately 3 miles below Julien Dubuque (U.S.) Datum: NPE*
Operator: Artco Fleeting Services.
Owner: Artco Fleeting Services.
Address: - Phone: 608/725-2311
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 42.457778
Total Berthing Space (feet): 48 | | Longitude (decimal): -90.625
Remarks: Barges are arranged in 8 tiers each 6 barges wide. *NPE = 592.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31576 Dock Code: 401

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 576 PWD: 167
Name: **Newt Marine Service, Catfish Fleet**
Location: Mile 575.6-576.4 AOR, Mississippi River, West side of Island 228, approximately 3.3 miles below Julien D Datum: NPE*
Operator: Newt Marine Service.
Owner: Newt Marine Service.
Address: 200 Terminal Street Phone: 563/557-1855
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 42.456667
Total Berthing Space (feet): 75 | | Longitude (decimal): -90.61667
Remarks: Barges are arranged in 12 tiers each up to 6 barges wide. *NPE = 592.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31575 Dock Code: 601

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 580 PWD: 157
Name: **AGRI Grain Marketing, Dubuque, Wharf.**
Location: Mile 580.2 AOR, right bank, Mississippi River, inner end, upper side and head of Dove Harbor. Datum: NPE*
Operator: AGRI Grain Marketing, LLC.
Owner: AGRI Grain Marketing LLC.
Address: 1050 Kerper Boulevard Phone: 563/556-4532
Town: Dubuque State: IA County: Dubuque
Railway Connection: Five surface tracks, total capacity 50 cars, serve undertrack pit, and loading spouts; connect with Canadian National Railroad.
Purpose: Receipt of miscellaneous dry bulk materials including fertilizer and salt; receipt of steel coils; shipment of grain.
Depth Alongside (feet): 9 | 9 | Latitude (decimal): 42.505833
Total Berthing Space (feet): 375 | 254 | Longitude (decimal): -90.65528
Remarks: Three bulk fertilizer storage warehouses at rear have total capacity for 45,000 tons. Open storage area at rear of lower side bulkhead has capacity for 15,000 tons of salt, Grain elevator at head of slip consisting of 2 steel tanks has capacity for 54,000 bushels. *NPE = 592.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31580 Dock Code: 301 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 580 PWD: 161
Name: **Dubuque Casino Boat Dock.**
Location: Mile 579.6 AOR, right bank, Mississippi River, center portion, upper side of Dubuque (Ice) Harbor. Datum: NPE*
Operator: Dubuque Racing Association; and Peninsula Gaming Co.
Owner: City of Dubuque.
Address: 400 East Third Street Phone: 563/582-3647
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Mooring Casino Boat; boarding passengers.
Depth Alongside (feet): 10 | | Latitude (decimal): 42.495556
Total Berthing Space (feet): 450 | | Longitude (decimal): -90.65972
Remarks: Casino boat 'Diamond Jo' operates periodically from wharf during the warm weather months. *NPE = 592.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31579 Dock Code: 501 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 580 PWD: 165
Name: **Dubuque Terminals, Dock A.**
Location: Mile 579.4 AOR, right bank, Mississippi River, at lower side of entrance to Dubuque (Ice) Harbor. Datum: NPE*
Operator: Dubuque Terminals, Inc.
Owner: Dubuque Terminals, Inc.
Address: 5 Jones Street Phone: 563/557-1855
Town: Dubuque State: IA County: Dubuque
Railway Connection: One surface track serving loading spout at rear connects with Canadian National Railroad.
Purpose: Receipt of molasses, liquid and dry bulk fertilizer, salt and steel products.
Depth Alongside (feet): 9 - 16 | | Latitude (decimal): 42.493056
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.65778
Remarks: Approximately 6? acres of open storage area are located at rear. *NPE = 592.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31579 Dock Code: 403 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 580 PWD: 163
Name: **Dubuque Terminals, Dock B.**
Location: Mile 579.4 AOR, right bank, Mississippi River, center portion, lower side of Dubuque (Ice) Harbor. Datum: NPE*
Operator: Dubuque Terminals, Inc.
Owner: Dubuque Terminals, Inc.
Address: 25 East First Street Phone: 563/557-1855
Town: Dubuque State: IA County: Dubuque
Railway Connection: One surface track along street in rear connects with Canadian National Railroad.
Purpose: Shipment of lignin.
Depth Alongside (feet): 10 | | Latitude (decimal): 42.494167
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.66
Remarks: One 6-inch pipeline extends from pier to 10 steel storage tanks, total capacity 4,000,000 gallons.
*NPE = 592.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 31579 Dock Code: 403 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 580 PWD: 158
Name: **Interstate Power & Light Co., Dubuque Plant Coal Dock.**
Location: Mile 580.0 AOR, right bank, Mississippi River, center portion, lower side of Dove Harbor. Datum: NPE*
Operator: Interstate Power & Light Co.
Owner: Alliant Energy Co.
Address: 920 Kerper Boulevard. Phone: 563/587-6204
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 9 | | Latitude (decimal): 42.503056
Total Berthing Space (feet): 450 | | Longitude (decimal): -90.65639
Remarks: Open storage area at rear has capacity for 176,000 tons of coal. *NPE = 592.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31580 Dock Code: 001 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 580 PWD: 155
Name: **Koch Materials Co., Dubuque Terminal, Dock.**
Location: Mile 580.2 AOR, right bank, Mississippi River, Dubuque, upper side of Dove Harbor at entrance. Datum: NPE*
Operator: Koch Materials Co.
Owner: Koch Materials Co.
Address: 1550 Koch Court. Phone: 563/556-1304
Town: Dubuque State: IA County: Dubuque
Railway Connection: One surface track serves 8- car capacity asphalt loading rack, connects with Canadian National Railroad.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 8 | | Latitude (decimal): 42.503611
Total Berthing Space (feet): 550 | | Longitude (decimal): -90.65278
Remarks: One steam traced 10-inch pipeline extends from cell to 8 asphalt storage tanks at rear, total capacity 300,000 barrels. *NPE = 592.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31580 Dock Code: 101 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 580 PWD: 164
Name: **Newt Marine Service Dock.**
Location: Mile 579.6 AOR, right bank, Mississippi River, outer portion, lower side of Dubuque (Ice) Harbor. Datum: NPE*
Operator: Newt Marine Service.
Owner: Newt Marine Service.
Address: 15 East First Street Phone: 563/557-1855
Town: Dubuque State: IA County: Dubuque
Railway Connection: One surface track along street in rear connects with Canadian National Railroad.
Purpose: Mooring company-owned vessels; mooring vessels and barges for repair; mooring floating drydock.
Depth Alongside (feet): 10 | | Latitude (decimal): 42.493889
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.65889
Remarks: One 250-ton floating drydock is moored at inner end. *NPE = 592.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31579 Dock Code: 404 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 580 PWD: 156
Name: **Newt Marine Service, Dove Fleet Mooring.**
Location: Mile 580.1 AOR, right bank, Mississippi River, center portion, upper side of Dove Harbor. Datum: NPE*
Operator: Newt Marine Service.
Owner: AGRI Grain Marketing LLC.
Address: Kerper Boulevard. Phone: 563/557-1855
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 42.503333
Total Berthing Space (feet): 18 | | Longitude (decimal): -90.65472
Remarks: Fleeting area has capacity for 18 barges arranged in 2 tiers 5-barges wide and one tier 3-barges wide.
*NPE = 592.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31579 Dock Code: 401 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 580 PWD: 159
Name: **Peavey, Dubuque Bulk Materials, Wharf.**
Location: Mile 580.0 AOR, right bank, Mississippi River, lower side of Dove Harbor at entrance. Datum: NPE*
Operator: Peavey, a ConAgra Co. and Artco Fleeting Services.
Owner: Peavey, a ConAgra Co.
Address: 505 East 7th Street Phone: 563/556-4245
Town: Dubuque State: IA County: Dubuque
Railway Connection: Five surface tracks, total capacity 45 cars, serve undertrack pit, and loading spout; connect with Canadian National Railroad
Purpose: Receipt of miscellaneous bulk materials, including fertilizer, coal, salt, oats and occasionally steel products; shipment of grain; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 9 | 9 | Latitude (decimal): 42.501111
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.65361
Remarks: Grain elevator at rear consisting of 4 concrete silos and 2 steel tanks has total capacity for 300,000 bushels. Fertilizer storage warehouse at terminal has capacity for 30,000 tons. Open asphalt paved storage area at rear has capacity for 10,000 tons of material. Artco Fleeting Services, Peavey Mooring, located at outer end of facility has capacity for 12 barges arranged in 2 tiers, each 6 barges wide. *NPE = 592.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31580 Dock Code: 011 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 580 PWD: 160
Name: **Spirit of Dubuque/Miss Dubuque River Cruises, Dock.**
Location: Mile 579.6 AOR, right bank, Mississippi River, outer portion, upper side of Dubuque (Ice) Harbor. Datum: NPE*
Operator: Spirit of Dubuque/Miss Dubuque River Cruises.
Owner: City of Dubuque.
Address: 400 East Third Street Phone: 563/583-8093
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Mooring excursion vessels; boarding passengers.
Depth Alongside (feet): | 9 | 9 | Latitude (decimal): 42.495278
Total Berthing Space (feet): | 104 | 80 | Longitude (decimal): -90.65944
Remarks: River excursion vessels 'Spirit of Dubuque' and 'Miss Dubuque' operate from wharf daily during the warm weather months. *NPE = 592.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31579 Dock Code: 601

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 580 PWD: 162
Name: **U.S. Coast Guard Cutter 'WYACONDA' Moorings.**
Location: Mile 579.4 AOR, right bank, Mississippi River, inner portion, lower side of Dubuque (Ice) Harbor. Datum: NPE*
Operator: U.S. Coast Guard.
Owner: United States Government.
Address: 60 East First Street Phone: 563/582-1965
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Mooring Coast Guard vessel 'Wyaconda'; handling navigation aids.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 42.494722
Total Berthing Space (feet): 205 | | Longitude (decimal): -90.66111
Remarks: *NPE = 592.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31579 Dock Code: 402 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 581 PWD: 154
Name: **Peavey, Dubuque, Fertilizer, Dock.**
Location: Mile 580.6 AOR, right bank, Mississippi River, Dubuque. Datum: NPE*
Operator: Peavey, a ConAgra Co.
Owner: Peavey, a ConAgra Co.
Address: 12th Street Extension. Phone: 563/588-2019
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk materials, principally salt and fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 42.508056
Total Berthing Space (feet): 205 | | Longitude (decimal): -90.64917
Remarks: Timber storage warehouse at rear has capacity for 7,000 tons of fertilizer. Open storage area at rear consisting of 3 asphalt-paved, storage pads has total capacity for 176,000 tons of bulk materials.
*NPE = 592.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31580 Dock Code: 601 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 606 PWD: 037
 Name: **Mid-American Power, E. J. Stoneman Plant Dock.**
 Location: Mile 606.2 AOR, left bank, Mississippi River, foot of Crawford Street. Datum: NPE*
 Operator: Mid-American Power, LLC.
 Owner: Mid-American Power, LLC.
 Address: 716 Jack Oak Road. Phone: 608/725-5141
 Town: Cassville State: WI County: Grant
 Railway Connection: None.
 Purpose: Receipt of coal.
 Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 42.706667
 Total Berthing Space (feet): 1250 | | Longitude (decimal): -90.98444
 Remarks: Open storage area at rear has capacity for 250,000 tons. Cassville Ferry operated by the Village of Cassville maintains a regular schedule Wednesday through Sunday between ramp located ? mile upstream, (foot of Denniston Street extended) and opposite bank.
 Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31606 Dock Code: 202 St. Paul District

Port: **Upper Mississippi R**
 Waterway: **Mississippi River** Mile: 608 PWD: 039
 Name: **Artco Fleeting Services Cassville Terminal Slip.**
 Location: Mile 608.3 AOR, left bank, Mississippi River, approximately 1.3 mile above Cassville. Datum: NPE*
 Operator: Artco Fleeting Services.
 Owner: Artco Fleeting Services.
 Address: 12111 County Road VV Phone: 608/725-2311
 Town: Cassville State: WI County: Grant
 Railway Connection: None.
 Purpose: Mooring barges for cleaning; maintenance and repair; mooring barges for fleeting. (See Remarks.)
 Depth Alongside (feet): 8 - 10 | 8 - 10 | Latitude (decimal): 42.725
 Total Berthing Space (feet): | | Longitude (decimal): -91.01278
 Remarks: Artco Marine Services maintains nearby fleeting areas: Fleet

Mile/Bank	Barge	Width		Capy.	(barges)	Fleet
636.5/R	30	5	'B'	636.0-636.1/L	24	4 'A' 636.3-632.0-633.0/L
60	4	Island mooring	NPE = 603.0 MSL			

 Year of Last Survey: 2003 Corps of Engrs Waterway Code: 31608 Dock Code: 142 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 608 PWD: 038
Name: **Wisconsin Power & Light Co., Nelson Dewey Generating Station Dock.**
Location: Mile 608.0 AOR, left bank, Mississippi River, approximately one mile above Cassville. Datum: NPE*
Operator: Wisconsin Power & Light Co.
Owner: Alliant Energy Co.
Address: 11999 County Road VV Phone: 608/725-2230
Town: Cassville State: WI County: Grant
Railway Connection: Two surface tracks serve plant in rear; connect with Burlington Northern Santa Fe Railway.
Purpose: Receipt of coal; shipment of slag.
Depth Alongside (feet): 16 | | 16 Latitude (decimal): 42.722778
Total Berthing Space (feet): 885 | | 195 Longitude (decimal): -91.00972
Remarks: Open storage area at rear has capacity for 350,000 tons of coal and 100,000 tons of slag. *NPE = 603.0 MSL
Year of Last Survey: 2003 Corps of Eng'rs Waterway Code: 31607 Dock Code: 802 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 623 PWD: 153
Name: **Pattison Brothers, Dock No. 3 and Fleeting area.**
Location: Mile 623.4 AOR, right bank, Mississippi River, approximately one mile below the municipality of Clayton. Datum: NPE*
Operator: Pattison Brothers, Mississippi River Terminal, Inc.
Owner: Bernard Pattison.
Address: 703 First Street Phone: 563/873-3436
Town: Fayette State: IA County: Grant
Railway Connection: Trackage with capacity for 50 cars serving terminal in rear, connects with Iowa, Chicago & Eastern Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 15 | | Latitude (decimal): 42.642222
Total Berthing Space (feet): 80 | | Longitude (decimal): -90.74111
Remarks: Two concrete grain storage tanks at rear have total capacity for 300,000 bushels. An additional 7,500,000 bushels can be stored inside a former mine on bluff in rear. Operator maintains a fleeting area between miles 622.1 and 623.4 (below wharf) for 100 barges arranged in tiers up to 4 wide at 10 steel breasting dolphins and at shore moorings. *NPE = 611.0 MSL.
Year of Last Survey: 2003 Corps of Eng'rs Waterway Code: 32592 Dock Code: 501

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 624 PWD: 152
Name: **Pattison Brothers, Dock No. 2.**
Location: Mile 623.5 AOR, right bank, Mississippi River, approximately one mile below the municipality of Clayton. Datum: NPE*
Operator: Pattison Brothers, Mississippi River Terminal, Inc.
Owner: Bernard Pattison.
Address: 703 First Street Phone: 563/873-3436
Town: Fayette State: IA County: Grant
Railway Connection: Trackage with capacity for 50 cars serving terminal in rear, connects with Iowa, Chicago & Eastern Railroad.
Purpose: Receipt of dry bulk and liquid fertilizer; Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 42.898889
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.13806
Remarks: Open storage area in rear has capacity for 50,000 tons of material. One 6-inch pipeline extends from wharf to 2 steel storage tanks in rear, total capacity 906,000 gallons. *NPE = 611.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32623 Dock Code: 501 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 624 PWD: 151
Name: **Pattison Brothers, Mississippi River Terminal, North Dock.**
Location: Mile 624.1 AOR, right bank, Mississippi River, approximately 0.5 mile below the municipality of Clayton. Datum: NPE*
Operator: Pattison Brothers, Mississippi River Terminal, Inc.
Owner: Bernard Pattison.
Address: 703 First Street Phone: 563/964-2651
Town: Clayton State: IA County: Grant
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 42.903889
Total Berthing Space (feet): 25 | | Longitude (decimal): -91.14583
Remarks: Grain elevator at rear consisting of 3 steel tanks has capacity for 300,000 bushels. *NPE = 611.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32624 Dock Code: 311 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 633 PWD: 150
Name: **AGRI Grain Marketing, McGregor River Terminal Dock.**
Location: Mile 633.4 AOR, right bank, Mississippi River, McGregor, approximately 1.3 miles below U.S. Highway 18 B Datum: NPE*
Operator: AGRI Grain Marketing, LLC.
Owner: AGRI Grain Marketing LLC.
Address: 311 East B Street Phone: 563/873-3436
Town: McGregor State: IA County: Crawford
Railway Connection: Four surface tracks, total capacity 25 cars, serve undertrack pit and loading spout; connect with Iowa, Chicago & Eastern Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 | | Latitude (decimal): 43.024444
Total Berthing Space (feet): 780 | | Longitude (decimal): -91.17194
Remarks: Grain elevator at rear consisting of 27 concrete silos with 7 interstices has total capacity for 1,250,000 bushels. *NPE = 611.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32633 Dock Code: 311 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 634 PWD: 149
Name: **Isle of Capri Casino, Dock**
Location: Mile 634.5 AOR, right bank, Mississippi River, Marquette, below U.S. Highway 18 Bridge. Datum: NPE*
Operator: Isle of Capri Casinos LLP.
Owner: Isle of Capri Casinos LLP.
Address: 100 Anti Monopoly Road Phone: 563/873-3531
Town: Marquette State: IA County: Clayton
Railway Connection: None.
Purpose: Mooring Casino boat; Boarding passengers.
Depth Alongside (feet): 10 | | Latitude (decimal): 43.043056
Total Berthing Space (feet): 228 | | Longitude (decimal): -91.175
Remarks: Casino Boat 'Miss Marquette' provides daily cruises during the summer. *NPE = 611.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32634 Dock Code: 501

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 635 PWD: 040
Name: **Prairie du Chien, Municipal Dock.**
Location: Mile 634.8 AOR, left bank, Mississippi River, Prairie du Chien, above U.S. Highway 18 Bridge. Datum: NPE*
Operator: Not operated
Owner: City of Prairie du Chien.
Address: South Water Street Phone: 608/326-6406
Town: Prairie du Chien State: WI County: Crawford
Railway Connection: Two surface tracks at rear; connect with Wisconsin & Southern Railroad.
Purpose: Not used.
Depth Alongside (feet): 8 - 9 | | Latitude (decimal): 43.048889
Total Berthing Space (feet): 1200 | | Longitude (decimal): -91.15778
Remarks: Facility formerly was used for handling grain and salt between rail and barge. *NPE = 611.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32635 Dock Code: 202 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 636 PWD: 044
Name: **Prairie Sand & Gravel, Dillman Harbor Dock.**
Location: East of Mile 636.5, Mississippi River, left bank of Marais de Saint Feriole, Prairie du Chien. Datum: NPE*
Operator: Prairie Sand & Gravel Inc.
Owner: Prairie Sand & Gravel Inc.
Address: County Highway K North Phone: 608/326-6471
Town: Prairie du Chien State: WI County: Crawford
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk materials including fertilizer and salt.
Depth Alongside (feet): 12 | | Latitude (decimal): 43.069167
Total Berthing Space (feet): 800 | | Longitude (decimal): -91.15389
Remarks: One timber A-frame fertilizer storage warehouse at rear has capacity for 340,000 tons. Open storage area has capacity for approximately 1,000,000 tons of miscellaneous bulk materials. *NPE = 611.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32636 Dock Code: 003 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 636 PWD: 043
Name: **Prairie Sand & Gravel, Prairie du Chien, North Grain Dock.**
Location: East of Mile 636.3, Mississippi River, Sawmill Slough, Prairie du Chien. Datum: NPE*
Operator: AGRO Distribution LLC.
Owner: Prairie Sand & Gravel Inc.
Address: 800 Villa Louis Drive. Phone: 608/326-6471
Town: Prairie du Chien State: WI County: Crawford
Railway Connection: One surface track at rear serves undertrack pit; connects with Wisconsin & Southern Railroad and Burlington Northern Santa Fe Railway.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 43.0675
Total Berthing Space (feet): 800 | | Longitude (decimal): -91.15361
Remarks: One 60,000 bushel capacity storage silo is located at rear. Artco Fleeting Services operates an adjacent fleeting area (See Ref. No. 41). *NPE = 611.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32636 Dock Code: 002 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 636 PWD: 042
Name: **Prairie Sand & Gravel, South Grain Dock.**
Location: Mile 636.0 East Channel, left bank, Mississippi River, Prairie du Chien, approximately 1.4 miles above U Datum: NPE*
Operator: Peavey, a ConAgra Co.
Owner: Prairie Sand & Gravel Inc.
Address: 800 Villa Louis Drive. Phone: 608/326-2455
Town: Prairie du Chien State: WI County: Crawford
Railway Connection: Two surface tracks with holding capacity for 15 cars serve undertrack pit; connect with Wisconsin & Southern Railroad and Burlington Northern Santa Fe Railway.
Purpose: Shipment of grain
Depth Alongside (feet): 12 | | Latitude (decimal): 43.064167
Total Berthing Space (feet): 320 | | Longitude (decimal): -91.1525
Remarks: One 60,000 bushel capacity storage silo is located at rear. *NPE = 611.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32636 Dock Code: 002 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 636 PWD: 041
Name: **Prairie Sand & Gravel, St. Feriole Island West Dock.**
Location: Mile 636.0 East Channel, left bank, Mississippi River, Prairie du Chien, approximately 1.3 miles above U Datum: NPE*
Operator: Prairie Sand & Gravel Inc.
Owner: Prairie Sand & Gravel Inc.
Address: 800 Villa Louis Drive. Phone: 608/326-6471
Town: Prairie du Chien State: WI County: Crawford
Railway Connection: Four surface tracks at rear; connect with Wisconsin & Southern Railroad and Burlington Northern Santa Fe Railway.
Purpose: Receipt of miscellaneous dry bulk materials including coal, salt, crushed stone and fertilizer; Mooring barges for fleetings (See Remarks).
Depth Alongside (feet): 12 | | Latitude (decimal): 43.065
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.15833
Remarks: One 60,000 bushel capacity storage silo is located at rear of adjacent grain loading facility (Ref. No. 42). Open storage area at rear has capacity for 500,000 tons of material. Artco Fleetings Services operates 3 fleets in the area:

Width	Capcy.	(barges)	Fleet	Mile/Bank	Barge	
Island) 'B'	636.0-636.3/R	24	4 'A'	632.5-633.0/L	60	4 (Bergman
Ref. No.43)			4 'C'	636.3-636.4/L	30	5 (adjacent to

Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32636 Dock Code: 003 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 660 PWD: 148
Name: **Brennan Marine, Lansing Fleet Mooring.**
Location: Mile 659.4 AOR, right bank, Mississippi River, Lansing, approximately 4 miles below State Highway 82 Bri Datum: NPE*
Operator: Brennan Marine, Inc.
Owner: Alliant Energy Co.
Address: Power Plant Road Phone: 608/782-3670
Town: Lansing State: IA County: Crawford
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 13 | | Latitude (decimal): 43.335556
Total Berthing Space (feet): 15 | | Longitude (decimal): -91.16222
Remarks: *NPE = 620.0 MS� Fleeting
area has capacity for 24 barges arranged in tiers up to 5 barges wide. *NPE = 620.0 MS�
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32659 Dock Code: 401 Rock Island District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 660 PWD: 147
Name: **Interstate Power & Light Co., Lansing Plant Coal Dock.**
Location: Mile 660.3 AOR, right bank, Mississippi River, Lansing, approximately 3 miles below State Highway 82 Bri Datum: NPE*
Operator: Interstate Power & Light Co.
Owner: Alliant Energy Co.
Address: 2320 Power Plant Road Phone: 319/538-3110
Town: Lansing State: IA County: Allamakee
Railway Connection: One unused surface track at plant in rear connects with CP Rail System.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 13 | | Latitude (decimal): 43.338056
Total Berthing Space (feet): 24 | | Longitude (decimal): -91.17
Remarks: Open storage area at rear served by radial stacker has total capacity for 685,000 tons. Brennan Marine, Inc. uses lower 2 cells for mooring barges for cleaning prior to transferring to fleet described under Ref. No. 148. *NPE = 620.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32660 Dock Code: 001 Rock Island District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 678 PWD: 045
Name: **Dairyland Power Cooperative, Genoa Plant No. 3 Wharf.**
Location: Mile 678.5 AOR, Left bank, Mississippi River, Genoa, approximately 0.7 mile below Lock and Dam No. 8. Datum: NPE*
Operator: Dairyland Power Cooperative
Owner: Dairyland Power Cooperative.
Address: S4651 State Road. Phone: 608/689-4386
Town: Genoa State: WI County: Vernon
Railway Connection: One surface track serves plant; connects with Burlington Northern Santa Fe Railway.
Purpose: Receipt of coal; mooring barges for fleetings.
Depth Alongside (feet): 10 | 10 | 8 Latitude (decimal): 43.558056
Total Berthing Space (feet): 3060 | 1270 | 450 Longitude (decimal): -91.23444
Remarks: Stacker served open storage area at rear has capacity for 1,500,000 tons of coal. Company operates a fleetings area with capacity for 45 barges arranged in tiers 3 barges wide at lower dolphins. *NPE = 620.0 MSL
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32678 Dock Code: 702 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 696 PWD: 046
Name: **City of La Crosse, Isle LaPlume Dock and Fleet Mooring.**
Location: Mile 696.4 AOR, left bank, Mississippi River, approximately one mile below State Highway 61 Bridge. Datum: NPE*
Operator: Brennan Marine, Inc.
Owner: City of La Crosse.
Address: 1900 Marco Drive Phone: 608/782-3670
Town: La Crosse State: WI County: La Crosse
Railway Connection: None.
Purpose: mooring barges for fleetings.
Depth Alongside (feet): 12 | | Latitude (decimal): 43.795556
Total Berthing Space (feet): 1600 | | Longitude (decimal): -91.25972
Remarks: Brennan Marine, Inc. operates the 'Isle LaPlume Fleet' with capacity for 32 barges arranged in 8 tiers each 3 barges wide at breasting dolphins and 'Harold E Craig Fleet' with capacity for 15 barges arranged in 5 tiers each 3 barges wide on opposite bank Mile 696.5. *NPE = 631.0 MSL
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32696 Dock Code: 402 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 696 PWD: 047
Name: **Hanke Terminals Dock.**
Location: Mile 696.5 AOR, left bank, Mississippi River, approximately 0.9 mile below State Highway 61 Bridge. Datum: NPE*
Operator: Hanke Terminals Inc.
Owner: Hanke Terminals Inc.
Address: 1700 Marco Drive Phone: 608/784-6313
Town: LaCrosse State: WI County: LaCrosse
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk materials including pig iron, coke coal and salt; Shipment of sand and gravel.
Depth Alongside (feet): 20 | | Latitude (decimal): 43.795556
Total Berthing Space (feet): 210 | | Longitude (decimal): -91.25972
Remarks: Open storage area at rear has capacity for approximately 100,000 tons of bulk materials.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32696 Dock Code: 502 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 697 PWD: 048
Name: **First Supply, La Crosse, Dock.**
Location: Mile 697.3 AOR, left bank, Mississippi River, approximately 600 feet below State Highway 61 Bridge. Datum: NPE*
Operator: First Supply, La Crosse, Inc.
Owner: First Supply, La Crosse, Inc.
Address: 106 Cameron Avenue. Phone: 608/784-3839
Town: La Crosse State: WI County: La Crosse
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 9 | | Latitude (decimal): 43.806667
Total Berthing Space (feet): 60 | | Longitude (decimal): -91.25778
Remarks: *NPE = 631.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32697 Dock Code: 422 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 697 PWD: 049
Name: **Holcim, LaCrosse Cement Terminal Dock.**
Location: Mile 697.4 AOR, left bank, Mississippi River, approximately 200 feet below State Highway 61 Bridge. Datum: NPE*
Operator: Holcim (US),Inc.
Owner: Holcim (US),Inc.
Address: 617 Cross Street Phone: 608/784-0964
Town: La Crosse State: WI County: La Crosse
Railway Connection: None.
Purpose: Receipt of cement.
Depth Alongside (feet): 12 | | Latitude (decimal): 43.807778
Total Berthing Space (feet): 325 | | Longitude (decimal): -91.25778
Remarks: One 14-inch pneumatic pipeline extends from wharf to two 25-ton surge silos at rear served by a 14-inch pneumatic pipeline extending to 3 steel storage silos at terminal in rear, total capacity 11,900 tons.
*NPE = 631.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32697 Dock Code: 612 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 698 PWD: 050
Name: **AGRI Grain Marketing, La Crosse Grain Elevator Dock.**
Location: Mile 697.5 AOR, left bank, Mississippi River, approximately 500 feet above State Highway 61 Bridge. Datum: NPE*
Operator: AGRI Grain Marketing, LLC.
Owner: Cargill, Inc.
Address: 416 South Front Street Phone: 608/782-5126
Town: La Crosse State: WI County: La Crosse
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 18 | | Latitude (decimal): 43.810833
Total Berthing Space (feet): 275 | | Longitude (decimal): -91.25778
Remarks: Grain elevator at rear consisting of 19 concrete silos with 4 interstices and 4 brick silos with one interstice has capacity for 650,000 bushels. *NPE = 631.0 MSL
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32697 Dock Code: 732 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 698 PWD: 052
Name: **Riverside Park, Excursion Boat Dock.**
Location: Mile 698.2 AOR, left bank, Mississippi River, at entrance to Black River. Datum: NPE*
Operator: Skipperliner Marine Inc..
Owner: City of LaCrosse
Address: Veterans Memorial Drive Phone: 608/784-8523
Town: La Crosse State: WI County: La Crosse
Railway Connection: None.
Purpose: Landing for excursion vessel 'La Crosse Queen'.
Depth Alongside (feet): 8 | | 2 Latitude (decimal): 43.818056
Total Berthing Space (feet): 110 | | 75 Longitude (decimal): -91.25611
Remarks: Vessels maintain daily excursion schedule during the period May through October. *NPE = 631.0 MSL
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32698 Dock Code: 104 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 698 PWD: 051
Name: **Riverside Park, Levee Dock.**
Location: Mile 697.8 AOR, left bank, Mississippi River, at entrance to Black River. Datum: NPE*
Operator: Great River Steamboat Co.
Owner: City of LaCrosse
Address: Foot of State Street Phone: 608/784-4882
Town: La Crosse State: WI County: La Crosse
Railway Connection: None.
Purpose: Landing for excursion vessel 'Julia Belle Swain'.
Depth Alongside (feet): 8 | | Latitude (decimal): 43.815278
Total Berthing Space (feet): 250 | | Longitude (decimal): -91.25611
Remarks: Vessels maintain weekly excursion schedules to Prairie du Chein and Winona during the period June through September. *NPE = 631.0 MSL
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32698 Dock Code: 104 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 724 PWD: 144
Name: **Modern Transport Terminal, Lower Wharf.**
Location: Mile 724.2 AOR, right bank, Mississippi River, Winona, approximately 1.5 miles below State Highway 54 Br Datum: NPE*
Operator: Harvest States Cooperative.
Owner: Modern Transport Inc.
Address: 850 East Front Street Phone: 507/452-3918
Town: Winona State: MN County: Winona
Railway Connection: One surface track serving undertrack pit; connects with Dakota Minnesota & Eastern Railroad, Union Pacific Railroad and CP Rail System.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.048889
Total Berthing Space (feet): 380 | | Longitude (decimal): -91.61306
Remarks: Grain Elevator at rear consisting of 2 concrete silos has total capacity for 250,000 bushels. *NPE = 645.5 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32724 Dock Code: 401 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 724 PWD: 143
Name: **Modern Transport Terminal, Upper Wharf.**
Location: Mile 724.3 AOR, right bank, Mississippi River, Winona, approximately 1.4 miles below State Highway 54 Br Datum: NPE*
Operator: Modern Transport Inc.
Owner: Modern Transport Inc.
Address: 850 East Front Street Phone: 507/452-3918
Town: Winona State: MN County: Winona
Railway Connection: One surface track in rear; connects with Dakota Minnesota & Eastern Railroad, Union Pacific Railroad and CP Rail System.
Purpose: Receipt of dry bulk materials including fertilizer, cottonseed, salt and magnesium oxide (animal feed additive).
Depth Alongside (feet): 12 | | Latitude (decimal): 44.05
Total Berthing Space (feet): 1230 | | Longitude (decimal): -91.615
Remarks: Steel storage building in rear has capacity for 6,500 tons of fertilizer and 3,000 tons of cottonseed.
*NPE = 645.5 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32724 Dock Code: 401 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 724 PWD: 145
Name: **ST Services, Winona Terminal Dock.**
Location: Mile 724.2 AOR, right bank, Mississippi River, Winona, approximately 1.7 miles below State Highway 54 Br Datum: NPE*
Operator: ST Services.
Owner: ST Services.
Address: 1020 East 2nd Street Phone: 507/452-2045
Town: Winona State: MN County: Winona
Railway Connection: One surface track serves terminal in rear; connects with CP Rail System.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.046944
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.60972
Remarks: One 8-inch pipeline extends from wharf to 8 steel storage tanks at terminal in rear, total capacity 9,755,200 gallons. *NPE = 645.5 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32724 Dock Code: 021 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 724 PWD: 146
Name: **Winona River & Rail Barge Wharf.**
Location: Mile 724.0 AOR, right bank, Mississippi River, Winona, approximately 1.8 miles below State Highway 54 Br Datum: NPE*
Operator: Winona River & Rail Inc.
Owner: Rosen Diversified Inc.
Address: 1000 East 3rd Street Phone: 507/452-9205
Town: Winona State: MN County: Winona
Railway Connection: Four surface tracks with total capacity for 50 cars serve undertrack pit and shipping conveyors; connect with CP Rail System and Union Pacific Railroad.
Purpose: Receipt and shipment of fertilizer and other miscellaneous dry bulk materials.
Depth Alongside (feet): 10 | | Latitude (decimal): 44.046389
Total Berthing Space (feet): 225 | | Longitude (decimal): -91.60861
Remarks: 2 timber and concrete storage buildings and 2 concrete storage domes at rear have total capacity for 39,000 tons of fertilizer. *NPE = 745.5 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32724 Dock Code: 012 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 725 PWD: 142
Name: **Bay State Milling Co. Dock.**
Location: Mile 725.3 AOR, right bank, Mississippi River, Winona, approximately 0.5 mile below State Highway 54 Bri Datum: NPE*
Operator: Not operated.
Owner: Bay State Milling Co.
Address: 55 Franklin Street Phone: 507/452-1770
Town: Winona State: MN County: Winona
Railway Connection: Three surface tracks serve plant in rear; connect with Dakota Minnesota & Eastern Railroad, Union Pacific Railroad and CP Rail System.
Purpose: Not used.
Depth Alongside (feet): 14 | 14 | 14 Latitude (decimal): 44.054167
Total Berthing Space (feet): 285 | | Longitude (decimal): -91.63222
Remarks: Wharf formerly used for receipt of grain was in poor condition at time of survey. Processing plant at rear maintains a concrete grain elevator with storage capacity for 1,000,000 bushels. *NPE = 645.5 MSL
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32725 Dock Code: 203 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 726 PWD: 141
Name: **City Of Winona, Levee Park Dock.**
Location: Mile 725.6 AOR, right bank, Mississippi River, Winona, approximately 1,000 feet below State Highway 54 B Datum: NPE*
Operator: City of Winona.
Owner: City of Winona.
Address: Levee Park Drive. Phone: 507/457-8258
Town: Winona State: MN County: Winona
Railway Connection: None.
Purpose: Mooring vessels on exhibition and occasionally river excursion vessels.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.055278
Total Berthing Space (feet): 900 | | Longitude (decimal): -91.63639
Remarks: *NPE = 645.5 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32725 Dock Code: 602 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 727 PWD: 137
Name: **ADM/Growmark, Winona Grain Elevator Dock.**
Location: Mile 727.1 AOR, right bank, Mississippi River, Winona, south side of Crooked Slough Channel. Datum: NPE*
Operator: ADM/Growmark a subsidiary of Archer Daniels Midland Co.
Owner: Archer Daniels Midland Co.
Address: 1155 River View Drive Phone: 507/452-3562
Town: Winona State: MN County: Winona
Railway Connection: Two surface tracks with total capacity for 50 cars serve undertrack pit; connect with Dakota Minnesota & Eastern Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 - 13 | | Latitude (decimal): 44.059444
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.66528
Remarks: Grain elevator at rear consisting of 4 concrete silos with 4 interstices has capacity for 300,000 bushels. *NPE = 645.5 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32726 Dock Code: 501 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 727 PWD: 140
Name: **Artco Fleeting Services, City Fleet Mooring.**
Location: Miles 727.2-726.3 AOR, right bank, Mississippi River, Winona, south side of Crooked Slough Channel. Datum: NPE*
Operator: Artco Fleeting Services.
Owner: City of Winona.
Address: Phone: 507/452-7703
Town: Winona State: MN County: Winona
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 6 - 9 | 6 - 9 | 6 - 10 Latitude (decimal): 44.059444
Total Berthing Space (feet): 30 | 30 | 30 Longitude (decimal): -91.65417
Remarks: Fleets are arranged in tiers up to 4 barges wide and have total capacity for 90 barges. *NPE = 645.5 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32725 Dock Code: 501 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 727 PWD: 139
Name: **Harvest States Cooperatives, Winona Terminal Barge-Loading Dock.**
Location: Mile 726.9 AOR, right bank, Mississippi River, Winona, south side of Crooked Slough Channel. Datum: NPE*
Operator: Harvest States Cooperatives.
Owner: Harvest States Cooperatives.
Address: 988 River View Drive Phone: 507/452-1992
Town: Winona State: MN County: Winona
Railway Connection: Five surface tracks with total capacity for 50 cars serve undertrack pit; connect with Dakota Minnesota & Eastern Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 44.059444
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.66306
Remarks: Grain elevator at rear consisting of 8 concrete silos with 21 interstices has total capacity for 350,000 bushels. *NPE = 645.5 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32726 Dock Code: 901 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 727 PWD: 138
Name: **Kujak Brothers, Dock.**
Location: Mile 727.0 AOR, right bank, Mississippi River, Winona, south side of Crooked Slough Datum: NPE*
Channel.
Operator: Kujak Brothers Corp.
Owner: City of Winona.
Address: 978 River View Drive Phone: 507/454-5421
Town: Winona State: MN County: Winona
Railway Connection: One surface track on opposite side of road; connects with Dakota Minnesota & Eastern
Railroad.
Purpose: Receipt of miscellaneous dry bulk materials, including coal, fertilizer, and salt.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.059444
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.66417
Remarks: Open storage area at rear has capacity for approximately 100,000 tons of material. Two concrete
storage silos at rear have total capacity for 1,500 tons of fertilizer. *NPE = 645.5 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32726 Dock Code: 951 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 728 PWD: 136
Name: **Artco Fleeting Services, Winona Fleet Moorings.**
Location: Miles 727.3-727.1 & 726.6-726.3 AOR, Winona, right bank, Mississippi River, south Datum: NPE*
side of Crooked Slough
Operator: Artco Fleeting Services.
Owner: City of Winona.
Address: 1155 River View Drive Phone: 507/452-7703
Town: Winona State: MN County: Winona
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 7 - 9 | | 7 - 9 Latitude (decimal): 44.06
Total Berthing Space (feet): 20 | | 24 Longitude (decimal): -91.66778
Remarks: Upper fleet is arranged in 4 tiers up to 6 barges wide. Lower fleet is arranged in 8 tiers each 3 barges
wide. *NPE = 645.5 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32725 Dock Code: 202 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 734 PWD: 061
Name: **U.S. Army Corps of Engineers, Fountain City Service Base Dock.**
Location: Mile 733.5 AOR, left bank, Mississippi River, Fountain City, approximately one half mile above Fountain Datum: NPE*
Operator: U. S. Army Corps of Engineers.
Owner: United States Government.
Address: 431 North Shore Drive. Phone: 608/687-8526
Town: Fountain City State: WI County: Buffalo
Railway Connection: None.
Purpose: Handling construction materials, machinery, and equipment, including Lock and Dam apparatus; mooring government-owned floating equipment.
Depth Alongside (feet): 15 | | Latitude (decimal): 44.136389
Total Berthing Space (feet): 1450 | | Longitude (decimal): -91.72639
Remarks: Timber launching ways for dredging equipment and pipeline storage area are located at upper end. Corps of Engineers repair shop for Lock and Dam apparatus and floating equipment is located in rear.
*NPE = 660.0 MSL
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32733 Dock Code: 302 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 751 PWD: 062
Name: **Dairyland Power Cooperative, Alma Power Plant Dock.**
Location: Mile 751.4 AOR, left bank, Mississippi River, Alma, approximately 1.5 miles below Lock and Dam No. 4. Datum: NPE*
Operator: Dairyland Power Cooperative.
Owner: Dairyland Power Cooperative.
Address: 1430 Main Street South. Phone: 608/685-6501
Town: Alma State: WI County: Buffalo
Railway Connection: None.
Purpose: Receipt of coal; mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.306667
Total Berthing Space (feet): 1675 | | Longitude (decimal): -91.91222
Remarks: Open storage area in rear served by a rotary stacker has capacity for 1,000,000 tons. Company operates fleeting areas adjacent to wharf at natural bank with shore moorings on lower side with capacity for 12 loaded barges arranged in tiers 3- barges wide and on upper side for 6 empty barges (2-wide). *NPE = 660.0 MSL
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32751 Dock Code: 502 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 789 PWD: 135
Name: **Red Wing Port Authority Barge Wharf.**
Location: Mile 789.3, right bank, Mississippi River, approximately one mile below U.S. Highway 63 Bridge. Datum: NPE*
Operator: Red Wing Port Authority.
Owner: Red Wing Port Authority.
Address: 801 East Fifth Street Phone: 651/385-3623
Town: Red Wing State: MN County: Goodhue
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk materials including slag and petroleum coke. Mooring barges for fleeting (See Remarks).
Depth Alongside (feet): 9 | | Latitude (decimal): 44.569444
Total Berthing Space (feet): 1100 | | Longitude (decimal): -92.51333
Remarks: Approximately 20,00 square feet of concrete surfaced open storage area is located at rear Artco Fleeting Services maintains the Colville Fleet with capacity for 27 barges arranged in blocks each 3 barges wide at shore moorings on opposite bank approximately 0.3 mile below wharf NPE = 667.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32789 Dock Code: 401 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 791 PWD: 134
Name: **Archer Daniels Midland Co., Red Wing Plant Dock.**
Location: Mile 790.7 AOR, right bank, Mississippi River, approximately 500 feet above U.S. Highway 63 Bridge. Datum: NPE*
Operator: Archer Daniels Midland Co.
Owner: City of Red Wing.
Address: 126 LaGrange Street Phone: 651/388-7111
Town: Red Wing State: MN County: Goodhue
Railway Connection: Four surface tracks serve 2 undertrack pits and plant in rear; connect with CP Rail System.
Purpose: Shipment of grain, meal, sunflower oil, and linseed oil.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.568611
Total Berthing Space (feet): 565 | | Longitude (decimal): -92.53417
Remarks: One 6-inch pipeline extends to wharf from 3 storage tanks at plant in rear, total capacity 3,100,000 gallons. Grain elevator at rear consisting of 21 concrete silos has capacity for 650,000 bushels. *NPE = 667.0 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32790 Dock Code: 702 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 791 PWD: 132
Name: **Red Wing Grain Elevator Dock.**
Location: Mile 791.1 AOR, right bank, Mississippi River, Red Wing, approximately 0.5 mile above U.S. Highway 63 Br Datum: NPE*
Operator: Red Wing Grain LLC.
Owner: Red Wing Grain LLC.
Address: 810 Levee Road Phone: 651/388-0731
Town: Red Wing State: MN County: Goodhue
Railway Connection: Two surface tracks serve undertrack pit; connect with CP Rail System.
Purpose: Shipment of grain, Fleeting barges (See Remarks).
Depth Alongside (feet): 14 | | Latitude (decimal): 44.565833
Total Berthing Space (feet): 800 | | Longitude (decimal): -92.54083
Remarks: Grain elevator at rear, consisting of 18 concrete silos with 8 interstices, two steel tanks, and 18 head-house bins, has capacity for 2,500,000 bushels. Artco Fleeting Services maintains Red Wing Fleet with capacity for 6 barges arranged in tiers 3 wide at breasting dolphins. *NPE = 667.0 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32791 Dock Code: 031 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 791 PWD: 133
Name: **Red Wing Levee Wall Dock.**
Location: Mile 790.9 AOR, right bank, Mississippi River, approximately 0.5 mile above U.S. Highway 63 Bridge. Datum: NPE*
Operator: Various operators.
Owner: City of Red Wing Port Authority
Address: Phone: 651/385-3623
Town: Red Wing State: MN County: Goodhue
Railway Connection: None.
Purpose: Landing for river excursion vessels; Mooring transient vessels.
Depth Alongside (feet): 4 - 10 | | Latitude (decimal): 44.567222
Total Berthing Space (feet): 600 | | Longitude (decimal): -92.53778
Remarks: *NPE = 667.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32790 Dock Code: 901 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 823 PWD: 131
Name: **CF Industries, Rosemount Fertilizer Warehouse, Dock No. 1.**
Location: Mile 823.4 AOR, right bank, Mississippi River, Rosemount, inner end, lower side at head of dredged inlet Datum: NPE*
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: 5300 Pine Bend Trail Phone: 651/437-6191
Town: Rosemount State: MN County: Dakota
Railway Connection: Five surface tracks, total capacity 100 cars, serving 3 undertrack receiving pits; connect with Union Pacific Railroad and CP Rail System.
Purpose: Receipt of dry bulk fertilizer.
Depth Alongside (feet): 11 | | Latitude (decimal): 44.764167
Total Berthing Space (feet): 600 | | Longitude (decimal): -93.00222
Remarks: - *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32823 Dock Code: 811 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 823 PWD: 130
Name: **CF Industries, Rosemount Fertilizer Warehouse, Dock No. 2.**
Location: Mile 823.4 AOR, right bank, Mississippi River, Rosemount, inner end, upper side at head of dredged inlet Datum: NPE*
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: 5300 Pine Bend Trail Phone: 651/437-6191
Town: Rosemount State: MN County: Dakota
Railway Connection: Five surface tracks, total capacity 100 cars, serving 3 undertrack receiving pits; connect with Union Pacific Railroad and CP Rail System.
Purpose: Receipt of dry bulk fertilizer.
Depth Alongside (feet): 11 | | Latitude (decimal): 44.764167
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.00444
Remarks: Five timber storage warehouses at terminal in rear have total storage capacity for 200,000 tons of fertilizer. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32823 Dock Code: 811 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 824 PWD: 129
Name: **CF Industries, Pine Bend Ammonia Terminal Dock.**
Location: Mile 823.6 AOR, right bank, Mississippi River, Rosemount, inner end of 250 foot wide dredged rectangular Datum: NPE*
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: 13040 Pine Bend Trail Phone: 651/437-6366
Town: Rosemount State: MN County: Dakota
Railway Connection: One surface track serves loading rack with 6 car stations at terminal in rear; connects with Union Pacific Railroad and CP Rail System.
Purpose: Receipt of anhydrous ammonia and liquid fertilizer (urea ammonium nitrate solution).
Depth Alongside (feet): 16 | | Latitude (decimal): 44.765278
Total Berthing Space (feet): 3 | | Longitude (decimal): -93.00806
Remarks: One 12-inch pipeline extends from wharf to 2 steel ammonia storage tanks, total capacity 60,000 tons, and one 12-inch pipeline extends to one 25,000 ton liquid fertilizer storage tank. *NPE = 687.2 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32823 Dock Code: 821 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 824 PWD: 127
Name: **Flint Hills Resources, Dock No. 3.**
Location: Mile 824.2 AOR, right bank, Mississippi River, Pine Bend, inner portion, upper side of rectangular slip. Datum: NPE*
Operator: Flint Hills Resources
Owner: Flint Hills Resources
Address: Junction of State Highways 52 and 55 Phone: 651/437-0878
Town: Inver Grove Hgts State: MN County: Dakota
Railway Connection: Plant trackage in rear; connects with Union Pacific Railroad and CP Rail System.
Purpose: Shipment of asphalt.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.774722
Total Berthing Space (feet): 195 | | Longitude (decimal): -93.02111
Remarks: One 10-inch pipeline extends from wharf to 20 asphalt storage tanks, total capacity 1,723,380 barrels. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32824 Dock Code: 211 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 824 PWD: 126
Name: **Flint Hills Resources, Docks Nos. 1 and 2.**
Location: Mile 824.0 AOR, right bank, Mississippi River, Pine Bend, outer portion, upper side of Datum: NPE*
rectangular slip.
Operator: Flint Hills Resources
Owner: Flint Hills Resources
Address: Junction of State Highways 52 and 55 Phone: 651/437-0878
Town: Inver Grove Hgts State: MN County: Dakota
Railway Connection: Plant trackage in rear; connects with Union Pacific Railroad and CP Rail System.
Purpose: Shipment of petroleum products.
Depth Alongside (feet): 12 | | 12 Latitude (decimal): 44.774167
Total Berthing Space (feet): 402 | | 287 Longitude (decimal): -93.01833
Remarks: One 8-inch pipeline at Dock No. 1 extends from 20 steel storage tanks at refinery in rear, total capacity
873,000 barrels. Additional pipelines at wharves were blanked at time of survey. Slip is 1,300 feet long
by 450 feet wide extending upstream at a 50? angle to river. A steel sheet pile, retaining wall extends
along head of slip and along lower side. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32824 Dock Code: 211 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 824 PWD: 128
Name: **Flint Hills Resources, Docks Nos. 5 and 6.**
Location: Mile 824.2 AOR, right bank, Mississippi River, Pine Bend, lower side of rectangular Datum: NPE*
slip.
Operator: Flint Hills Resources
Owner: Flint Hills Resources
Address: Junction of State Highways 52 and 55 Phone: 651/437-0878
Town: Inver Grove Hgts State: MN County: Dakota
Railway Connection: Plant trackage in rear; connects with Union Pacific Railroad and CP Rail System.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.773611
Total Berthing Space (feet): 1620 | | Longitude (decimal): -93.01861
Remarks: One 10-inch pipeline with a 16-inch connection on Dock No. 5 and a 12-inch connection on Dock No. 6
extends to the storage tanks described under Ref. No. 126. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32824 Dock Code: 211 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 825 PWD: 066
Name: **Aggregate Industries, Nelson Plant Dock.**
Location: East of Mile 825.0 AOR, Mississippi River, northwest shore of Baldwin Lake, Lower Grey Cloud Island, Cot Datum: NPE*
Operator: Aggregate Industries.
Owner: Aggregate Industries.
Address: 11250 Grey Cloud Trail. Phone: 651/459-5343
Town: Cottage Grove State: MN County: Washington
Railway Connection: None.
Purpose: Shipment of sand, gravel, and crushed stone.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 44.786944
Total Berthing Space (feet): 1600 | | Longitude (decimal): -93.00194
Remarks: Open storage area at rear has capacity for approximately 300,000 tons of material. Additional storage area at quarry in rear is virtually unlimited.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32825 Dock Code: 201 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 827 PWD: 067
Name: **Aggregate Industries, Larson Plant Dock.**
Location: Mile 826.6 AOR, left bank, Mississippi River, west shore, Upper Grey Cloud Island, St. Paul Park. Datum: NPE*
Operator: Aggregate Industries.
Owner: Aggregate Industries.
Address: 10120 Grey Cloud Island Drive South. Phone: 651/459-0607
Town: St. Paul Park State: MN County: Washington
Railway Connection: None.
Purpose: Shipment of crushed stone.
Depth Alongside (feet): 10 | | Latitude (decimal): 44.805
Total Berthing Space (feet): 1200 | | Longitude (decimal): -93.01333
Remarks: Plant has open storage area for approximately 1,000,000 tons of material. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32826 Dock Code: 612 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 830 PWD: 068
Name: **Marathon/Ashland Petroleum, St. Paul Refinery Dock.**
Location: Mile 830.0 AOR, left bank, Mississippi River, St. Paul Park, above foot of Broadway Avenue extended. Datum: NPE*
Operator: Marathon/Ashland Petroleum, LLC.
Owner: Marathon/Ashland Petroleum, LLC.
Address: 300 Third Street Phone: 651/458-6490
Town: St. Paul Park State: MN County: Washington
Railway Connection: Two surface tracks serve refinery at rear; connect with Twin Cities & Western Railroad.
Purpose: Receipt and shipment of asphalt and petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 44.848056
Total Berthing Space (feet): 440 | | Longitude (decimal): -93.00806
Remarks: One 8-inch pipeline extends from wharf to 5 petroleum products storage tanks, total capacity 208,000 barrels; and one 8-inch pipeline extends to 5 asphalt storage tanks, total capacity 350,000 barrels. One unused 14-inch pipeline extends from wharf to 10 crude oil storage tanks, total capacity 928,000 barrels. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 005 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 831 PWD: 125
Name: **Dakota Bulk Terminal, Wharf**
Location: Mile 831.2 AOR, right bank, Mississippi River, South St. Paul approximately 1.2 mile below Interstate Hi Datum: NPE*
Operator: Dakota Bulk Terminal, Inc..
Owner: Kinder Martin Energy Partners LLP.
Address: 925 Hardman Avenue South. Phone: 651/451-1414
Town: South St. Paul State: MN County: Dakota
Railway Connection: Five surface tracks, one serving undertrack pit on north side of slip, total capacity 75 cars; connect with Union Pacific Railroad, Burlington Northern Santa Fe Railway and CP Rail System.
Purpose: Receipt and shipment of general cargo; receipt of steel, lumber, paper products, twine, coal, shell, aggregate, and salt; shipment of grain, livestock feed and pelletized sugar beets.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 44.853333
Total Berthing Space (feet): 800 | 800 | 1000 Longitude (decimal): -93.01833
Remarks: One 48,000 square foot steel frame transit shed/warehouse with masonry walls
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 020 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 832 PWD: 069
Name: **Erickson Petroleum Corp. Dock.**
Location: Mile 832.2 AOR, left bank, Mississippi River, Newport, approximately 1,000 feet below Interstate Highway Datum: NPE*
Operator: Not operated.
Owner: Erickson Petroleum Corp.
Address: 50 Twenty-first Street Phone: 651/459-9588
Town: Newport State: MN County: Washington
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 44.878056
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.01306
Remarks: Three 8-inch pipelines blanked at time of survey extend from wharf to 10 steel storage tanks at rear, total capacity 350,000 barrels. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32840 Dock Code: 025 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 833 PWD: 078
Name: **Upper River Services, Red Rock and Pig's Eye West Fleet Moorings.**
Location: Mile 833.4-834.0, left bank, Mississippi River, West side of Pig's Eye Island No. 2 and Mile 833.9-834.1 Datum: NPE*
Operator: Upper River Services, LLC.
Owner: Port Authority of the City of St. Paul.
Address: Pig's Eye Island No. 2. Phone: 651/292-9293
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 9 - 10 | 9 - 10 | Latitude (decimal): 44.901667
Total Berthing Space (feet): 27 | 39 | Longitude (decimal): -93.02306
Remarks: Barges are arranged in tiers, 2 to 4 barges wide in each fleet. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32840 Dock Code: 146 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 834 PWD: 074
Name: **AMG Resources Corp., Dock**
Location: East of Mile 834.4 AOR, left bank, Mississippi River, Red Rock Channel, St. Paul. Datum: NPE*
Operator: AMG Resources Corp.
Owner: St. Paul Terminals Inc.
Address: 1303 Red Rock Road Phone: 651/739-6080
Town: St. Paul State: MN County: Ramsey
Railway Connection: One surface track serves terminal in rear; connects with CP Rail System.
Purpose: Receipt of steel billets; Shipment of structural steel shapes.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.9025
Total Berthing Space (feet): 195 | | Longitude (decimal): -93.02111
Remarks: Steel warehouse is located in rear. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 075 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 834 PWD: 072
Name: **Barton Enterprises Dock.**
Location: East of Mile 834.2 AOR, left bank, Mississippi River, Red Rock Channel, St. Paul. Datum: NPE*
Operator: Barton Enterprises, Inc.
Owner: Port Authority of the City of St. Paul.
Address: 1359 Red Rock Road, Phone: 763/315-6052
Town: St. Paul State: MN County: Ramsey
Railway Connection: One surface track serves tank car rack at plant in rear; connects with CP Rail System.
Purpose: Occasional receipt of asphalt.
Depth Alongside (feet): 10 | | Latitude (decimal): 44.900278
Total Berthing Space (feet): 180 | | Longitude (decimal): -93.02083
Remarks: One 10-inch pipeline extends from upper dolphin to 10 steel asphalt storage tanks, total capacity
523,800 barrels, and one unused 8-inch pipeline extends to one 95,200 barrel petroleum storage tank.
Pipelines were blanked at time of survey. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 147 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 834 PWD: 070
Name: **Hawkins, Red Rock Terminal No. 3 Dock.**
Location: East of Mile 833.6 AOR, left bank, Mississippi River, Red Rock Channel, St. Paul. Datum: NPE*
Operator: Hawkins, Inc.
Owner: Port Authority of the City of St. Paul.
Address: 1425 Red Rock Road Phone: 651/730-115
Town: St. Paul State: MN County: Ramsey
Railway Connection: One surface track serves plant in rear connects with CP Rail System.
Purpose: Receipt of caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 44.898611
Total Berthing Space (feet): 100 | | Longitude (decimal): -93.02111
Remarks: One 6-inch pipeline extends from wharf to one 1,500,000 gallon storage tank in rear.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 035

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 834 PWD: 071
Name: **Lafarge North America, Red Rock Cement Terminal Dock.**
Location: East of Mile 833.8 AOR, left bank, Mississippi River, Red Rock Channel, St. Paul. Datum: NPE*
Operator: Lafarge North America.
Owner: Port Authority of the City of St. Paul.
Address: 1363 Red Rock Road Phone: 651/739-2743
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Receipt of cement.
Depth Alongside (feet): 10 | | Latitude (decimal): 44.899444
Total Berthing Space (feet): 312 | | Longitude (decimal): -93.02139
Remarks: Four steel storage silos and one concrete storage dome at terminal in rear have total capacity for
45,800 tons. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 040 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 834 PWD: 079
Name: **Upper River Services, Kaposia Fleet Mooring.**
Location: Miles 833.9-834.1, left bank, Mississippi River, West side of Pig's Eye Island No. 2.island Datum: NPE*
Operator: Upper River Services, LLC.
Owner: Port Authority of the City of St. Paul.
Address: Pig's Eye Island No. 2. Phone: 651/292-9293
Town: St. Paul. State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring barges for fleetting.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.898333
Total Berthing Space (feet): 39 | | Longitude (decimal): -93.02806
Remarks: Barges in fleet are arranged in tiers, each 3 barges wide. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Eng'rs Waterway Code: 32840 Dock Code: 146 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 834 PWD: 073
Name: **Upper River Services, Office Boat Mooring.**
Location: East of Mile 834.4 AOR, left bank, Mississippi River, Red Rock Channel, St. Paul. Datum: NPE*
Operator: Upper River Services, LLC.
Owner: St. Paul Terminals Inc.
Address: 1303 Red Rock Road Phone: 651/292-9293
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring towboats for fueling, pumping bilges, and repair.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.902222
Total Berthing Space (feet): 245 | | Longitude (decimal): -93.02139
Remarks: Fuel is furnished by tank truck. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Eng'rs Waterway Code: 32840 Dock Code: 076

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 834 PWD: 075
Name: **Upper River Services, Repair Yard Wharf.**
Location: East of Mile 834.5 AOR, left bank, Mississippi River, Red Rock Channel, St. Paul. Datum: NPE*
Operator: Upper River Services, LLC.
Owner: St. Paul Terminals Inc.
Address: 1303 Red Rock Road. Phone: 651/292-9293
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring vessels and barges for maintenance and repair.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.903611
Total Berthing Space (feet): 403 | | Longitude (decimal): -93.02194
Remarks: One 600-ton marine railway is located on upper side. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 076

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 835 PWD: 123
Name: **Dakota Barge Service, Concord Street Fleet Moorings.**
Location: Mile 835.3 AOR, right bank, Mississippi River, South St. Paul. approximately one mile below Union Pacific Datum: NPE*
Operator: Upper River Services, LLC.
Owner: Dakota Barge Service, Inc.
Address: Central Avenue Phone: 651/292-9293
Town: South St. Paul State: MN County: Dakota
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 44.900833
Total Berthing Space (feet): 15 | | Longitude (decimal): -93.03889
Remarks: Barges are arranged in tiers, each 3 barges wide. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 073 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 835 PWD: 076
Name: **Peavey, Red Rock River Terminal, Loading Dock.**
Location: East of Mile 834.6 AOR, left bank, Mississippi River, Red Rock Channel, St. Paul. Datum: NPE*
Operator: Peavey, a ConAgra Co.
Owner: Port Authority of the City of St. Paul.
Address: 1061 Red Rock Road Phone: 651/735-8583
Town: St. Paul State: MN County: Ramsey
Railway Connection: Seven surface tracks serve plant join 2 additional holding tracks, total capacity 110 cars, connect with CP Rail System.
Purpose: Shipment of grain and potash
Depth Alongside (feet): 10 - 12 | 10 - 12 | Latitude (decimal): 44.907222
Total Berthing Space (feet): 466 | 466 | Longitude (decimal): -93.02083
Remarks: Four concrete silos at rear have total capacity for 240,000 bushels of grain. Potash is handled directly from truck to barge via the truck pit. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Eng'rs Waterway Code: 32840 Dock Code: 077 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 835 PWD: 077
Name: **Peavey, Red Rock River Terminal, Unloading Dock.**
Location: East of Mile 834.7 AOR, left bank, Mississippi River, Red Rock Channel, St. Paul. Datum: NPE*
Operator: Peavey, a ConAgra Co.
Owner: Port Authority of the City of St. Paul.
Address: 1061 Red Rock Road Phone: 651/735-8583
Town: St. Paul State: MN County: Ramsey
Railway Connection: Seven surface tracks serve plant join 2 additional holding tracks, total capacity 110 cars, connect with CP Rail System.
Purpose: Receipt of dry bulk commodities including fertilizer, coal, feed grade phosphates and pig iron, shipment of steel products and petroleum coke.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 44.908889
Total Berthing Space (feet): 500 | | Longitude (decimal): -93.02222
Remarks: Two connected buildings at rear of wharf, each 400 by 100 feet, and two additional connected buildings, each 200 by 100 feet, have capacities for 32,000 tons of fertilizer, and 16,000 tons of feed grade phosphates, respectively. Buildings are served by a 30-inch, electric belt-conveyor system which extends from wharf hopper, 3 rail pits and 2 truck dumpers. In addition, there is open storage area for 75,000 tons of coal and other bulk materials *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Eng'rs Waterway Code: 32840 Dock Code: 077 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 835 PWD: 124
Name: **Upper River Services, South St. Paul Fleet Mooring.**
Location: Mile 834.6 AOR, right bank, Mississippi River, South St. Paul. approximately 1.7 miles below Union Pacif Datum: NPE*
Operator: Upper River Services, LLC.
Owner: Upper River Services, LLC.
Address: Central Avenue Phone: 651/292-9293
Town: South St. Paul State: MN County: Dakota
Railway Connection: None.
Purpose: Mooring barges for fleetling.
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 44.900278
Total Berthing Space (feet): 15 | | Longitude (decimal): -93.03861
Remarks: Barges are arranged in tiers, each 3 barges wide. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32840 Dock Code: 072

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 835 PWD: 080
Name: **Upper River Services, Valley Line and Beltline Fleet Moorings.**
Location: Mile 834.8 - 835.6 AOR, left bank, Mississippi River, Pigs Eye Island No. 1, St. Paul, below Union Pacif Datum: NPE*
Operator: Upper River Services, LLC.
Owner: Port Authority of the City of St. Paul.
Address: Phone: 651/292-9293
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring barges for fleetling.
Depth Alongside (feet): 9 - 10 | 9 - 10 | Latitude (decimal): 44.912222
Total Berthing Space (feet): 33 | 27 | Longitude (decimal): -93.045
Remarks: Barges are arranged in tiers, each 2 or 3 barges wide. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32840 Dock Code: 074 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 836 PWD: 122
Name: **Alter River Terminals, St. Paul Terminal Wharf.**
Location: Mile 836.0 AOR, right bank, Mississippi River, lower side of Southport Industrial Slip, St. Paul. Datum: NPE*
Operator: Not operated.
Owner: Port Authority of the City of St. Paul.
Address: 781 Barge Channel Road Phone: 309/788-7683
Town: St Paul State: MN County: Ramsey
Railway Connection: Four unused surface tracks in rear connect with Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.922778
Total Berthing Space (feet): 1400 | | Longitude (decimal): -93.05556
Remarks: Terminal was vacant at time of survey (2002). *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 142

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 836 PWD: 121
Name: **Hawkins, Terminal No. 2 Dock.**
Location: Mile 836.0 AOR, right bank, Mississippi River, inner end, lower side of Southport Industrial Slip, St. P. Datum: NPE*
Operator: Hawkins, Inc.
Owner: Port Authority of the City of St. Paul.
Address: 701 Barge Channel Road Phone: 651/224-1903
Town: St. Paul State: MN County: Ramsey
Railway Connection: One surface track serves plant and tank car rack at rear; connects with Union Pacific Railroad.
Purpose: Receipt of caustic soda, and occasionally caustic potash.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.923889
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.05833
Remarks: Three 6-inch pipelines extend from wharf 4 steel storage tanks, total capacity 2,500,000 gallons.
*NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 152 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 836 PWD: 120
Name: **Lametti & Sons Dock**
Location: Mile 836.0 AOR, right bank, Mississippi River, head of Southport Industrial Slip. Datum: NPE*
Operator: Lametti & Sons
Owner: Port Authority of the City of St. Paul.
Address: 637 Barge Channel Road Phone: 651/426-1380
Town: St Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.924444
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.05861
Remarks: Contractor's storage area is located at rear. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 080 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 836 PWD: 119
Name: **Upper River Services, Southport Slip Fleet Mooring.**
Location: Mile 836.0 AOR, right bank, Mississippi River, upper side of slip 2.8 miles below Lafayette Freeway (Sta Datum: NPE
Operator: Upper River Services, LLC.
Owner: Port Authority of the City of St. Paul.
Address: Barge Channel Access Road. Phone: 651/292-9293
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring barges for fleetting.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.923889
Total Berthing Space (feet): 15 | | Longitude (decimal): -93.0525
Remarks: Barges are arranged in tiers, each 3 barges wide. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 079 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 836 PWD: 081
Name: **Westway Terminal Co., St. Paul Terminal No. 2 Wharf.**
Location: Mile 836.5 AOR, left bank, Mississippi River, St. Paul, 0.6 mile above Union Pacific Railroad Bridge. Datum: NPE*
Operator: Westway Terminal Co. Inc.
Owner: Port Authority of the City of St. Paul.
Address: 2225 Childs Road Phone: 651/774-6600
Town: St. Paul State: County: Ramsey
Railway Connection: One surface track serves plant at rear; connects with Union Pacific Railroad.
Purpose: Receipt and occasional shipment of molasses.
Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 44.928889
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.04778
Remarks: One 8-inch and one 6- inch pipelines extend from wharf to 6 storage tanks at rear, total capacity 7,000,000 gallons. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 148 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 837 PWD: 085
Name: **Aggregate Industries, Yard A Wharf.**
Location: Mile 836.9 AOR, left bank, Mississippi River, St. Paul, approximately 1.6 miles below Lafayette Freeway Datum: NPE*
Operator: Aggregate Industries.
Owner: Port Authority of the City of St. Paul.
Address: 1177 Childs Road Phone: 651/776-5103
Town: St. Paul State: MN County: Ramsey
Railway Connection: One surface track serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt of sand, gravel, and crushed stone.
Depth Alongside (feet): 12 | | Latitude (decimal): 44.934167
Total Berthing Space (feet): 1250 | | Longitude (decimal): -93.04778
Remarks: Open storage area at rear has capacity for approximately 400,000 tons of material. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 153 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 837 PWD: 087
Name: **Great Western Dock & Terminal Co., Barge Wharf.**
Location: Mile 837.3 AOR, left bank, Mississippi River, St. Paul, approximately 1.4 miles below Datum: NPE*
Lafayette Freeway
Operator: Great Western Dock & Terminal Co.
Owner: Port Authority of the City of St. Paul.
Address: 1031 Childs Road Phone: 651/774-5937
Town: St. Paul State: MN County: Ramsey
Railway Connection: One surface track at rear of upper portion of wharf and 7 surface tracks at rear, one serving car pit, have total capacity for 45 cars; connect with Union Pacific Railroad.
Purpose: Receipt of steel products, and dry bulk commodities, including coal, coke, salt, and slag; shipment of coal, petroleum coke and fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.939167
Total Berthing Space (feet): 1600 | | Longitude (decimal): -93.05111
Remarks: Two quonset type storage buildings at rear are operated by Morton Salt Co. and have total capacity for 50,000 tons of salt; one 100- by 80-foot storage shed has 8,000 square feet of storage space for bulk materials; and open storage area has capacity for 100,000 tons of coal and other dry bulk commodities. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 156 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 837 PWD: 088
Name: **Harvest States Cooperatives, Terminal No. 2 Wharf.**
Location: Mile 837.4 AOR, left bank, Mississippi River, St. Paul, approximately 1.3 miles below Datum: NPE*
Lafayette Freeway
Operator: Harvest States Cooperatives.
Owner: Port Authority of the City of St. Paul.
Address: 935 Childs Road Phone: 651/774-1404
Town: St. Paul State: County: Ramsey
Railway Connection: Two surface tracks serve elevator and car pit at rear, capacity 11 full and 11 empty cars; connect with Union Pacific Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 14 | | Latitude (decimal): 44.942222
Total Berthing Space (feet): 585 | | Longitude (decimal): -93.05417
Remarks: Grain elevator at rear consisting of 19 steel silos, has capacity for 1,465,000 bushels. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 167 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 837 PWD: 086
Name: **Hawkins, Terminal No. 1 Dock.**
Location: Mile 837.1 AOR, left bank, Mississippi River, St. Paul, approximately 1.5 miles below Lafayette Freeway Datum: NPE*
Operator: Hawkins, Inc.
Owner: Port Authority of the City of St. Paul.
Address: 1125 Childs Road Phone: 651/774-9604
Town: St. Paul State: MN County: Ramsey
Railway Connection: Three surface tracks serving 5 unloading stations at plant in rear; connect with Union Pacific Railroad.
Purpose: Receipt of liquid caustic soda.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 44.9375
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.04972
Remarks: Six 6-inch pipelines, one from each unloading station, extend to 6 steel storage tanks at plant in rear, total capacity 4,800,000 gallons. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 152 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 837 PWD: 082
Name: **Koch Materials Co., St. Paul Wharf.**
Location: Mile 836.8 AOR, left bank, Mississippi River, St. Paul, 0.8 mile above Union Pacific Railroad, Bridge. Datum: NPE*
Operator: Koch Materials Co.
Owner: Port Authority of the City of St. Paul.
Address: 2209 Childs Road Phone: 651/774-9763
Town: St. Paul State: MN County: Ramsey
Railway Connection: One surface track serves plant at rear; connects with Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 44.930556
Total Berthing Space (feet): 245 | | Longitude (decimal): -93.04778
Remarks: Two 10-inch pipelines, blanked at time of survey, extend from wharf to 3 steel storage tanks at rear, total capacity 59,500 barrels. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 154 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 837 PWD: 084
Name: **Lafarge North America, St. Paul Cement Terminal Dock.**
Location: Mile 837.1 AOR, left bank, Mississippi River, St. Paul, 1.7 miles below Lafayette Datum: NPE*
Freeway (State Highway)
Operator: Lafarge North America.
Owner: Port Authority of the City of St. Paul.
Address: 2145 Childs Road Phone: 651/772-2497
Town: St. Paul State: MN County: Ramsey
Railway Connection: One surface track serving terminal at rear connects with Union Pacific Railroad.
Purpose: Shipment of fly ash.
Depth Alongside (feet): 10 | | Latitude (decimal): 44.932222
Total Berthing Space (feet): 150 | | Longitude (decimal): -93.0475
Remarks: One 10-inch pneumatic pipeline extends to wharf from six steel fly ash storage silos at rear, total capacity 5,100 tons. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 155 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 837 PWD: 083
Name: **Westway Terminal Co., St. Paul Terminal No. 1 Wharf.**
Location: Mile 836.9 AOR, left bank, Mississippi River, St. Paul, 1.8 miles below Lafayette Datum: NPE*
Freeway (State Highway)
Operator: Westway Terminal Co. Inc.
Owner: Port Authority of the City of St. Paul.
Address: 2175 Childs Road Phone: 651/774-6600
Town: St. Paul State: MN County: Ramsey
Railway Connection: Two surface tracks serve 8-car-capacity tank car rack at rear; connect with Union Pacific Railroad.
Purpose: Receipt of vegetable oils, propylene glycol and caustic soda.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.931389
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.04722
Remarks: Two 8- and five 6-inch pipelines extend from wharf to 9 steel storage tanks at terminal in rear, total capacity 7,860,000 gallons. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 148 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 838 PWD: 118
Name: **Upper River Services, Hangar, Airport and Dakota Fleet Moorings.**
Location: Mile 837.5 - 836.1 AOR, right bank, Mississippi River, approximately 1.5 miles below Lafayette Freeway (Datum: NPE*
Operator: Upper River Services, LLC.
Owner: Port Authority of the City of St. Paul.
Address: Ridder Circle Phone: 651/292-9293
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 9 - 12 | 9 - 12 | 9 - 12 Latitude (decimal): 44.942222
Total Berthing Space (feet): 15 | 60 | 21 Longitude (decimal): -93.05889
Remarks: Barges in each fleet are arranged in tiers, each 3 barges wide. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32840 Dock Code: 823 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 838 PWD: 089
Name: **Upper River Services, Northport and Mid-America Fleet Moorings.**
Location: Mile 837.5-838.3 AOR, left bank, Mississippi River, St. Paul, below Lafayette Freeway (State Highway 56) Datum: NPE*
Operator: Upper River Services, LLC.
Owner: Port Authority of the City of St. Paul.
Address: 825 Warner Road Phone: 651/292-9293
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 9 | 9 | Latitude (decimal): 44.9475
Total Berthing Space (feet): 66 | 30 | Longitude (decimal): -93.06667
Remarks: Barges are arranged in tiers, each 3 barges wide. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32840 Dock Code: 190 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 838 PWD: 117
Name: **Upper River Services, Twin City Fleet Mooring.**
Location: Mile 838.4 AOR, right bank, Mississippi River, approximately 0.4 mile below Lafayette Datum: NPE*
Freeway (State Hig
Operator: Upper River Services, LLC.
Owner: Port Authority of the City of St. Paul.
Address: 91 Ridder Circle Phone: 651/292-9293
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring barges for fleetling.
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 44.945833
Total Berthing Space (feet): 38 | | Longitude (decimal): -93.0675
Remarks: Barges are arranged in tiers, each 3 barges wide. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32840 Dock Code: 822 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 839 PWD: 116
Name: **Agriliance, St. Paul, Wharf**
Location: Mile 838.7 AOR, right bank, Mississippi River, approximately 0.1 mile below Lafayette Datum: NPE*
Freeway (State Hig
Operator: Agriliance, LLC
Owner: Agriliance, LLC
Address: 50 Chester Street Phone: 651/227-8358
Town: St. Paul State: MN County: Ramsey
Railway Connection: One surface track at rear of warehouse connects with Union Pacific Railroad.
Purpose: Receipt of dry bulk fertilizer.
Depth Alongside (feet): 14 | | Latitude (decimal): 44.946111
Total Berthing Space (feet): 195 | | Longitude (decimal): -93.07639
Remarks: One 300- by 175-foot steel frame, composite siding, concrete floor warehouse in rear has capacity for
approximately 13,000 tons of fertilizer. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32840 Dock Code: 818 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 839 PWD: 090
Name: **Lambert's Landing**
Location: Mile 839.0 AOR, left bank, Mississippi River, St. Paul, between Lafayette Freeway (State Highway 56) Bri Datum: NPE*
Operator: Port Authority of the City of St. Paul.
Owner: Port Authority of the City of St. Paul.
Address: Foot of Jackson Street. Phone: 612/224-5686
Town: St. Paul State: County: Ramsey
Railway Connection: None.
Purpose: Mooring towboats, excursion vessels, and vessels on exhibit.
Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 44.946389
Total Berthing Space (feet): 640 | | Longitude (decimal): -93.08361
Remarks: Landing is used as temporary mooring for visiting vessels. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32840 Dock Code: 197 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 839 PWD: 114
Name: **Upper River Services, Robert Street Fleet Mooring.**
Location: Mile 839.0 AOR, right bank, Mississippi River, below Robert Street Bridge, St. Paul. Datum: NPE*
Operator: Upper River Services, LLC.
Owner: Port Authority of the City of St. Paul.
Address: 40 State Street Phone: 651/292-9293
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring barges for fleetting.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.944167
Total Berthing Space (feet): 15 | | Longitude (decimal): -93.08444
Remarks: Barges are arranged in tiers, each 3 barges wide. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32840 Dock Code: 790 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 839 PWD: 115
Name: **Upper River Services, State Street Yard, Dock.**
Location: Mile 838.8 AOR, right bank, Mississippi River, under Lafayette Freeway (State Highway 3) Bridge, St. Pau Datum: NPE*
Operator: Upper River Services, LLC.
Owner: Upper River Services, LLC.
Address: 40 State Street Phone: 651/292-9293
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring barges for cleaning and repair; mooring floating drydock.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.945278
Total Berthing Space (feet): 1316 | | Longitude (decimal): -93.08028
Remarks: One 500- ton floating drydock is moored at wharf. Marine repair plant is located at rear. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 802 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 840 PWD: 112
Name: **Harriet Island Regional Park Excursion Boat Dock.**
Location: Mile 839.8 AOR, right bank, Mississippi River, St Paul 0.2 mile above Wabasha Street Bridge. Datum: NPE*
Operator: Padelford Packet Boat Co., Inc.
Owner: City of St Paul.
Address: Ohage Boulevard; Harriet Island Phone: 651/227-1100
Town: St Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring excursion boats; boarding passengers.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.936111
Total Berthing Space (feet): 345 | | Longitude (decimal): -93.11222
Remarks: Excursion vessels 'Harriet Bishop' and 'Johnathan Paddleford' operate from wharf *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 785

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 840 PWD: 113
Name: **Harriet Island Regional Park Showboat Dock.**
Location: Mile 839.7 AOR, right bank, Mississippi River, St Paul 0.1 mile above Wabasha Street Bridge. Datum: NPE*
Operator: Padelford Packet Boat Co., Inc.
Owner: City of St Paul.
Address: Ohage Boulevard; Harriet Island Phone: 651/227-1100
Town: St Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring Minnesota Centennial Showboat 'Captain Frank M Whiting'.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.936667
Total Berthing Space (feet): 300 | | Longitude (decimal): -93.11111
Remarks: *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32840 Dock Code: 785

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 840 PWD: 091
Name: **Upper River Services, Harvest States No.1; High Bridge and Omaha F**
Location: Miles 839.8 and 840.9, left bank, Mississippi River, St. Paul, below and above High Bridge (State Highw) Datum: NPE*
Operator: Upper River Services, LLC.
Owner: Port Authority of the City of St. Paul.
Address: Phone: 651/292-9293
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 - 11 | 9 - 11 | 9 - 11 Latitude (decimal): 44.935833
Total Berthing Space (feet): 12 | 21 | 12 Longitude (decimal): -93.10361
Remarks: Barges are arranged in tiers, each 2 or 3 barges wide. *NPE = 687.2 MSL
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32840 Dock Code: 220 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 841 PWD: 111
Name: **Upper River Services, Water Street Fleet Mooring.**
Location: Mile 840.6 AOR, right bank, Mississippi River, above High Bridge (State Highway 49), St. Paul. Datum: NPE*
Operator: Upper River Services, LLC.
Owner: Port Authority of the City of St. Paul.
Address: 415 W. Water Street Phone: 651/292-9293
Town: St. Paul State: MN County: Ramsey
Railway Connection: None.
Purpose: Mooring barges for fleetling.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.930556
Total Berthing Space (feet): 15 | | Longitude (decimal): -93.105
Remarks: Barges are arranged in tiers, each 3 barges wide. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 779 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 842 PWD: 092
Name: **ADM/Growmark, St. Paul Elevator D Wharf.**
Location: Mile 841.7 AOR, left bank, Mississippi River, St. Paul, 0.3 mile above Union Pacific Railroad Bridge. Datum: NPE*
Operator: ADM/Growmark, a subsidiary of Archer Daniels Midland Co.
Owner: ADM/Growmark, a subsidiary of Archer Daniels Midland Co.
Address: 575 Drake Street Phone: 651/292-9796
Town: St. Paul State: MN County: Ramsey
Railway Connection: Four surface tracks serve 2 car pits at grain elevator in rear; connect with Union Pacific Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 44.9225
Total Berthing Space (feet): 580 | | Longitude (decimal): -93.12389
Remarks: Grain elevator at rear on opposite side of Shepard Road consisting of 26 silos with 34 interstices has total capacity for 2,000,000 bushels. *NPE = 687.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32840 Dock Code: 256 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 855 PWD: 093
Name: **Boom Park, Excursion Boat Dock.**
Location: Mile 854.9 AOR, left bank, Mississippi River, Minneapolis, below Plymouth (NE 8th) Avenue Bridge. Datum: NPE*
Operator: Padelford Packet Boat Co., Inc.
Owner: City of Minneapolis.
Address: 720 Sibley Street. Phone: 651/227-1100
Town: Minneapolis State: MN County: Hennepin
Railway Connection: None.
Purpose: Mooring excursion boats; boarding passengers.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.978889
Total Berthing Space (feet): 250 | | Longitude (decimal): -93.24222
Remarks: Excursion vessels 'Anson Northrup' and 'Betsey Northrup' operate from wharf *NPE = 799.2 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32853 Dock Code: 090

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 856 PWD: 100
Name: **Aggregate Industries, Yard D Wharf.**
Location: Mile 856.1 AOR, right bank, Mississippi River, Minneapolis, approximately 2,000 feet below Lowry Avenue Datum: NPE*
Operator: Aggregate Industries.
Owner: Aggregate Industries.
Address: 65 North 26th Avenue Phone: 651/776-5103
Town: Minneapolis State: MN County: Hennepin
Railway Connection: None.
Purpose: Receipt of sand, gravel, and crushed stone.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 45.0007
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.27758
Remarks: Open storage area at rear has capacity for approximately 60,000 tons of material. *NPE = 799.2 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32853 Dock Code: 690 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 856 PWD: 099
Name: **American Iron and Supply Co. Dock.**
Location: Mile 856.2 AOR, right bank, Mississippi River, Minneapolis, approximately 1,000 feet below Lowry Avenue Datum: NPE*
Operator: American Iron and Supply Co.
Owner: American Iron and Supply Co.
Address: 2800 Pacific Street, North Phone: 612/529-9221
Town: Minneapolis State: MN County: Hennepin
Railway Connection: One surface track serves scrap metal storage area at rear; connects with CP Rail System.
Purpose: Receipt and shipment of scrap metal.
Depth Alongside (feet): 10 | | Latitude (decimal): 45.01
Total Berthing Space (feet): 520 | | Longitude (decimal): -93.27553
Remarks: Open storage area at rear has capacity for approximately 3,000 tons of scrap metal. *NPE = 799.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32853 Dock Code: 699 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 857 PWD: 095
Name: **Holcim, Minneapolis Cement Terminal Dock.**
Location: Mile 857.0 AOR, right bank, Mississippi River, Minneapolis, approximately 0.2 mile below CP Rail System Datum: NPE*
Operator: Holcim (US),Inc.
Owner: Holcim (US),Inc.
Address: 3939 First Street, North Phone: 612/529-7704
Town: Minneapolis State: MN County: Hennepin
Railway Connection: Three surface tracks serve undertrack pit at terminal in rear; connect with CP Rail System.
Purpose: Receipt of cement.
Depth Alongside (feet): 10 | | Latitude (decimal): 45.028056
Total Berthing Space (feet): 390 | | Longitude (decimal): -93.28167
Remarks: Two 12-inch, pneumatic pipelines (one of which is not in use) extend from wharf to 4 concrete cement storage silos at rear, total capacity 6,000 tons. *NPE = 799.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32853 Dock Code: 665 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 857 PWD: 097
Name: **River Services, Minneapolis Bulk-Loading Dock.**
Location: Mile 857.0 AOR, right bank, Mississippi River, Minneapolis, approximately 0.6 mile below CP Rail System Datum: NPE*
Operator: River Services, Inc.
Owner: City of Minneapolis.
Address: 3750 Washington Avenue, North Phone: 612/588-8141
Town: Minneapolis State: MN County: Hennepin
Railway Connection: One surface track along bank joins 7 surface tracks serving terminal at rear; total capacity 150 cars; connects CP Rail System.
Purpose: Shipment of grain, and miscellaneous dry bulk commodities including coal, potash, feed products,
Depth Alongside (feet): 9 | | Latitude (decimal): 45.022778
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.27861
Remarks: Grain elevator at rear, consisting of 4 steel tanks has total capacity for 300,000 bushels. *NPE = 799.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32853 Dock Code: 676 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 857 PWD: 096
Name: **River Services, Minneapolis North Dock.**
Location: Mile 857.1 AOR, right bank, Mississippi River, Minneapolis, approximately 0.4 mile below CP Rail System Datum: NPE*
Operator: River Services, Inc.
Owner: City of Minneapolis.
Address: 3750 Washington Avenue, North Phone: 612/588-8141
Town: Minneapolis State: MN County: Hennepin
Railway Connection: One surface track along bank joins 7 surface tracks serving terminal at rear; total capacity 150 cars; connects with CP Rail System.
Purpose: Receipt and shipment of general cargo, steel, paper, lumber, grain and dry bulk items including coal, salt, potash, and fertilizer; mooring barges.
Depth Alongside (feet): 9 - 12 | 9 - 12 | Latitude (decimal): 45.025278
Total Berthing Space (feet): 350 | 12 | Longitude (decimal): -93.28
Remarks: Three concrete storage domes at terminal in rear have total capacity for 39,000 tons of fertilizer or potash. A total of 11 acres of asphalt-paved open storage area are available at terminal. Barges are moored in tiers 4 wide at upper breasting dolphins. The 400 horsepower towboat 'Rose Bee' is used for shifting and fleeting barges. One 6-inch pipeline extends from upper cell to 2 steel storage tanks at rear, total capacity 190,500 barrels. Pipeline was blanked and storage tanks formerly used for asphalt, were empty at time of survey *NPE = 799.2 MSL.
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32853 Dock Code: 676 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 857 PWD: 098
Name: **River Services, Minneapolis South Dock.**
Location: Mile 856.8 AOR, right bank, Mississippi River, approximately 0.8 miles below CP Rail Datum: NPE*
System Bridge.
Operator: River Services, Inc.
Owner: City of Minneapolis.
Address: 3750 Washington Avenue, North Phone: 612/588-8141
Town: Minneapolis State: MN County: Hennepin
Railway Connection: One surface track along bank joins 7 surface tracks serving terminal at rear; total capacity
150 cars; connects CP Rail System.
Purpose: Receipt and shipment of general cargo and heavy-lift items; receipt of steel, paper and lumber products,
grain, dry bulk commodities: coal, salt, potash, and fertilizers; mooring barges for fleetings.
Depth Alongside (feet): 9 - 12 | 9 - 12 | Latitude (decimal): 45.020278
Total Berthing Space (feet): 200 | 16 | Longitude (decimal): -93.27806
Remarks: A 100,000 square foot transit shed/warehouse is located at rear. Terminal occupies 30 acres, 25 of
which are asphalt-surfaced. Barges are moored 4 wide at lower shore moorings. *NPE = 799.2 MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32853 Dock Code: 676 St. Paul District

Port: **Upper Mississippi R**
Waterway: **Mississippi River** Mile: 857 PWD: 094
Name: **XCel Energy, Riverside Power Plant Dock.**
Location: Mile 857.1 AOR, left bank, Mississippi River, Minneapolis, approximately 0.7 mile Datum: NPE
above Lowry Avenue Bri
Operator: Not operated.
Owner: Northern States Power Co. dba XCel Energy.
Address: 3100 Marshall Street, N.E. Phone: 651/520-6831
Town: Minneapolis State: MN County: Hennepin
Railway Connection: One main track with 4 spur tracks total capacity 70 cars, serves 2 undertrack pits at
building in rear; connects with Burlington Northern Santa Fe Railway.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 45.025833
Total Berthing Space (feet): 16 | | Longitude (decimal): -93.27806
Remarks: Open storage area at rear has capacity for 150,000 tons of coal, all received by rail. *NPE = 799.2
MSL.
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 32853 Dock Code: 222 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **St.Croix River** Mile: 0 PWD: 063
Name: **Steamboat Inn, Wharf**
Location: Mile 0.4, Left bank, St Croix River, above St Croix River (U.S. Highway 10) Bridge, Datum: NPE*
above Mile 811.3 Miss
Operator: River Charters Corp.
Owner: Steamboat Inn.
Address: U.S. Highway 10 @ St Croix River Brid Phone: 651/480-8222
Town: Prescott State: WI County: Pierce
Railway Connection: None.
Purpose: Mooring river excursion vessels and small craft; Boarding passengers.
Depth Alongside (feet): 9 | | Latitude (decimal): 44.75
Total Berthing Space (feet): 65 | | Longitude (decimal): -92.80389
Remarks: -
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32905 Dock Code: 001

Port: **Upper Mississippi R**
Waterway: **St.Croix River** Mile: 22 PWD: 065
Name: **Xcel Energy, Allen S. King Power Plant Dock.**
Location: Mile 21.6, right bank, St. Croix River, Oak Park Heights, approxi- mately 1.8 miles Datum: NPE*
below Minnesota-Wisc
Operator: Not operated.
Owner: Northern States Power Co. dba XCel Energy.
Address: 1103 King Plant Road Phone: 651/731-5707
Town: Stillwater State: MN County: Washington
Railway Connection: Seven surface tracks serving rotary dumper for unit trains connects with Union Pacific
Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 45.035
Total Berthing Space (feet): 2521 | | Longitude (decimal): -92.78028
Remarks: Coal is reclaimed from either tunnel, each of which is equipped with a traveling, electric plow-feeder and
36-inch belt-conveyor system extending to a transfer house; conveyor system continues to a crusher
house, thence to power plant at rear, working rate approximately 300 tons per hour each. Coal from
dead storage is reclaimed by scrapers and deposited into reclaim hoppers served by A 36-inch belt-
conveyor system extending to transfer house serving stacker, and deposited over tunnels as live
storage. Storage over tunnels is 10,000 tons of coal each; total storage at plant is approximately
1,500,000 tons. Normal storage capacity is approximately 144,000 tons. *NPE = 675.0 MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32905 Dock Code: 023 St. Paul District

Port Series No. 69
Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860
AOR

Port: **Upper Mississippi R**
Waterway: **St.Croix River** Mile: 23 PWD: 064
Name: **Stillwater Municipal Dock.**
Location: Mile 23.2, Right bank, St Croix River, Stillwater, approximately 1,000 feet below Datum: NPE*
Minnesota- Wisconsin I
Operator: Andiamo Enterprises, LLC.
Owner: St Croix Boat & Packet Co.
Address: 225 East Nelson Street Phone: 612/430-1234
Town: Stillwater State: MN County: Washington
Railway Connection: None.
Purpose: Landing for excursion vessels 'Andiamo Show Boat', 'Andiamo Empress'; 'Avalon' and 'Jubilee'; Boarding passengers.
Depth Alongside (feet): 13 | 9 | 12 Latitude (decimal): 45.053889
Total Berthing Space (feet): 210 | 6 | 150 Longitude (decimal): -92.80278
Remarks: Vessels maintain daily excursion schedule through the period May through October. *NPE = 676.0
MSL
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 32905 Dock Code: 887 St. Paul District
