

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 026
Name: **ADM Growmark River Systems, Memphis Dock.**
Location: Mile 5.5, right bank, Industrial Channel, 250 feet below foot of Dock Street; and mile 725.5 AHP, left bank Datum: LWRP
Operator: ADM Growmark River Systems, Inc.
Owner: ADM Growmark River Systems, Inc.
Address: 1811 Dock Street. Phone: 901-946-2593
Town: Memphis State: TN County: Shelby
Railway Connection: One surface track with spur serves railcar pit at rear; connects with CN, Union Pacific, and Burlington Northern Santa Fe Railroads.
Purpose: Shipment of grain, grain by-products, and aggregate.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.094444
Total Berthing Space (feet): 250 | | Longitude (decimal): -90.1045
Remarks: Grain elevator at rear, consisting of 10 concrete silos and eight steel tanks, has total capacity for 2,400,000 bushels. Grain by-products and aggregate are loaded by direct truck transfer.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 953 Memphis District

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 018
Name: **ADM River Port Corp., Memphis Dock.**
Location: Mile 6.3, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: ADM River Port Corp.
Owner: Archer Daniels Midland Co.
Address: 1245 Channel Avenue. Phone: 901-948-5581
Town: Memphis State: TN County: Shelby
Railway Connection: Two surface tracks serve terminal at rear, connect with CN, Union Pacific, Norfolk Southern, CSX Transportation, and Burlington Northern Santa Fe Railroads.
Purpose: Receipt and shipment of liquid bulk commodities, including ethanol and vegetable oils.
Depth Alongside (feet): 20 | | Latitude (decimal): 35.100389
Total Berthing Space (feet): 372 | | Longitude (decimal): -90.09419
Remarks: Terminal operates as a public, liquid-bulk storage facility. Wharf has five deck levels for operating at varying stages of water. Four 8-inch pipelines extend from wharf to 13 steel storage tanks at rear, total capacity 19,950,000 gallons.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 905 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
 Waterway: **McKellar Lake** Mile: 726 PWD: 033
 Name: **Agriliance, Memphis Terminal Dock.**
 Location: Mile 4.7, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
 Operator: Agriliance, LLC.
 Owner: Agriliance, LLC.
 Address: 2256 Wharf Street. Phone: 901-378-9039
 Town: Memphis State: TN County: Shelby
 Railway Connection: Three surface tracks serving undertrack pit and elevator at rear can hold up to 30 cars and connects with CN, Union Pacific, and Burlington Northern Santa Fe Railroads.
 Purpose: Receipt and shipment of agricultural bulk and liquid fertilizers.
 Depth Alongside (feet): 9 | | Latitude (decimal): 35.084389
 Total Berthing Space (feet): 320 | | Longitude (decimal): -90.11106
 Remarks: Storage for bulk fertilizer includes a 100- by 100-foot building used for bagged fertilizers and a concrete building divided into 11 bays with capacity for 36,500 tons of dry fertilizer. One 6-inch pipeline extends from wharf to two steel tanks, total capacity 2,370,000 gallons. At time of survey (2004), elevator was not in operation, however, equipment was operable. Grain elevator at rear consists of four concrete bins.
 Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 984 Memphis District

Port: **Memphis**
 Waterway: **McKellar Lake** Mile: 726 PWD: 044
 Name: **Barnhart Crane & Rigging Co., Memphis Wharf.**
 Location: Mile 2.4, right bank, Tennessee Chute; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
 Operator: Barnhart Crane & Rigging Co.
 Owner: Memphis and Shelby County Port Commission.
 Address: 2680 Channel Avenue. Phone: 901-775-3000
 Town: Memphis State: TN County: Shelby
 Railway Connection: Surface track at 137 1/2-foot radius from "Ichabod" extends from lower side of crane to building at rear. Additional surface track at rear connects with CN, Union Pacific, and Burlington Northern Santa Fe Rail
 Purpose: Receipt and shipment of heavy-lift items. (See Remarks.)
 Depth Alongside (feet): 13 | | Latitude (decimal): 35.084444
 Total Berthing Space (feet): 614 | | Longitude (decimal): -90.14392
 Remarks: "Ichabod" has the following capacities:

	Load	Radius	Reach	Ring (1)	Outboard (2)	
(tons)	(feet)	(feet)				
1,250	105	36	-	-	1,112	140 71 34 -
800	160	91	54	-	631	180 111 74 - 500 200 131
94	-	355	220	151	114	- 230 240 171 134- 150 255
186	149	-	(1) From circumference of truck-ring. (2) From face of wharf. Crane has whip line having capacity of 100 tons at any radius.			

 Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 995 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 042
Name: **Brenntag Mid-South, Memphis Dock.**
Location: Mile 2.9, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Brenntag Mid-South, Inc.
Owner: Brenntag Mid-South, Inc.
Address: 2701 Channel Avenue Phone: 901-775-2100
Town: Memphis State: TN County: Shelby
Railway Connection: One surface track at rear connects with CN, Union Pacific, and Burlington Northern Santa Fe Railroads.
Purpose: Receipt of liquid bulk commodities, including petroleum products and chemicals.
Depth Alongside (feet): 9 | | Latitude (decimal): 35.081333
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.13839
Remarks: Terminal operates as a public liquid bulk storage facility. Three 6-inch pipelines extend from wharf to seven steel storage tanks at rear, total capacity 64,000 barrels. One 200- by 120-foot building is used for storing drummed products.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 993 Memphis District

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 027
Name: **Cargill AgHorizons, Memphis Terminal Elevator Dock.**
Location: Mile 5.4, right bank, Industrial Channel, 800 feet below foot of Dock Street; and mile 725.5 AHP, left b Datum: LWRP
Operator: Cargill AgHorizons, Grain Division
Owner: Cargill AgHorizons, Grain Division
Address: 1877 Channel Avenue. Phone: 901-775-3700
Town: Memphis State: TN County: Shelby
Railway Connection: Surface tracks serving elevator and railcar pit at rear; connect with CN, Union Pacific, and Burlington Northern Santa Fe Railroads.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): 11 | 11 | Latitude (decimal): 35.093222
Total Berthing Space (feet): 200 | 400 | Longitude (decimal): -90.10533
Remarks: Grain elevator located at rear, consisting of eight steel storage tanks, has total capacity for 4,800,000 bushels.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 954 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 041
Name: **Cargill North American Sweeteners, Memphis Grain Dock.**
Location: Mile 3.2, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Cargill North American Sweeteners, Division of Cargill, Inc.
Owner: Cargill North American Sweeteners, Division of Cargill, Inc.
Address: 2330 Buoy Street. Phone: 901-775-5951
Town: Memphis State: TN County: Shelby
Railway Connection: Surface tracks serving plant at rear connect with CN, Union Pacific, and Burlington Northern Santa Fe Railroads.
Purpose: Receipt of grain (corn); shipment of feed products.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.080208
Total Berthing Space (feet): 600 | | Longitude (decimal): -90.13414
Remarks: Grain elevator at rear, consisting of nine concrete silos with three interstices and one steel storage tank, has total capacity for 1,250,000 bushels. Barge hatch-covers are handled by floating cranes based at nearby Wepfer Marine, Inc. (P.W.D. Ref. No. 39).
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 992 Memphis District

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 040
Name: **Cargill North American Sweeteners, Memphis Liquid Dock.**
Location: Mile 3.3 right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Cargill North American Sweeteners, Division of Cargill, Inc.
Owner: Cargill North American Sweeteners, Division of Cargill, Inc.
Address: 2330 Buoy Street. Phone: 901-775-5951
Town: Memphis State: TN County: Shelby
Railway Connection: Surface tracks serving plant at rear connect with CN, Union Pacific, and Burlington Northern Santa Fe Railroads.
Purpose: Shipment of liquid sweeteners.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.079778
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.13267
Remarks: One 10- and one 8-inch pipelines extend to wharf from two sweetner tanks, total capacity 1,250,000 gallons.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 992 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 024
Name: **Cummings Marine Service, Memphis Fleet "B".**
Location: Mile 5.7, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Cummings Marine Service.
Owner: Cummings Marine Service.
Address: Phone: 901-942-3343
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Mooring barges for fleetting.
Depth Alongside (feet): 0 - 12 | | Latitude (decimal): 35.099722
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.09667
Remarks: This 800- by 300-foot area has capacity for 20 barges at shore moorings along a natural bank moored head-to-bank and side-by-side; facility was proposed at time of survey.
Year of Last Survey: 2004 Corps of Eng'rs Waterway Code: 22300 Dock Code: 930 Memphis District

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 020
Name: **Cummings Marine Service, Memphis Fleet Mooring.**
Location: Mile 6.1, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Cummings Marine Service.
Owner: Cummings Marine Service.
Address: 1350 Channel Avenue. Phone: 901-942-3343
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Mooring and repairing company-owned floating equipment; mooring barges for fleetting.
Depth Alongside (feet): 0 - 12 | 0 - 12 | Latitude (decimal): 35.099722
Total Berthing Space (feet): 80 | 500 | Longitude (decimal): -90.09667
Remarks: Towboats moor end-to at wharf. Fleetting area is opposite wharf on Treasure Island. Barges are arranged in two tiers, each six barges wide. A new fleetting area permit has been requested and was being processed at the time of the survey at RM 5.6-5.8 Industrial Canal. This 800- by 300-foot area will hold 15 barges at shore moorings along a natural bank moored head-to-bank and side-by-side.
Year of Last Survey: 2004 Corps of Eng'rs Waterway Code: 22300 Dock Code: 930 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 028
Name: **Ergon, Memphis "A" Dock.**
Location: Mile 5.3, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Ergon, Inc.
Owner: Ergon, Inc.
Address: 1989 Channel Avenue. Phone: 901-942-2601
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products, chemicals, and vegetable oils. (See Remarks.)
Depth Alongside (feet): 9 | | Latitude (decimal): 35.090833
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.10667
Remarks: Facility operates as a public, liquid bulk terminal. Wharf has five deck levels for operating at various stages of water. Five 8-inch pipelines extend from wharf to five steel storage tanks at rear, total capacity 160,000 barrels.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 975 Memphis District

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 029
Name: **Ergon, Memphis "B" Dock.**
Location: Mile 5.2, right bank, Industrial Channel; at mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Ergon, Inc.
Owner: Ergon, Inc.
Address: 1989 Channel Avenue. Phone: 901-942-2601
Town: Memphis State: TN County: Shelby
Railway Connection: Three surface tracks serving tank-car loading rack at rear, total capacity 30 cars; connect with CN, Union Pacific, and Burlington Northern Santa Fe Railroads.
Purpose: Receipt and shipment of petroleum products, asphalt, miscellaneous chemicals, and vegetable oils; handling marine supplies and ships' stores; landing for water taxi. Mooring mid-stream fueling barge.
Depth Alongside (feet): 11 | 9 | Latitude (decimal): 35.090556
Total Berthing Space (feet): 200 | 60 | Longitude (decimal): -90.10722
Remarks: Wharf has three deck-levels for operating at various stages of water. One 8-, and four 6-inch pipelines extend from wharf to 11 steel storage tanks at rear, total capacity 380,000 barrels. Six passenger, 250-horsepower, enclosed crewboat "Little Fletch" is based at float.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 975 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 030
Name: **Ergon, Memphis "C" Dock.**
Location: Mile 5.1, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Ergon, Inc.
Owner: Ergon, Inc.
Address: 2029 Channel Avenue. Phone: 901-942-2601
Town: Memphis State: TN County: Shelby
Railway Connection: One surface track serving tank-car-unloading rack at rear; connects with CN, Union Pacific, and Burlington Northern Santa Fe Railroads.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 5 | | Latitude (decimal): 35.089167
Total Berthing Space (feet): 273 | | Longitude (decimal): -90.10806
Remarks: Wharf has four deck-levels 10 feet apart, each with a 6-inch hose connection for operating at various stages of water. One 10-, one 8-, and one 6-inch pipelines extend from wharf to five petroleum storage tanks, total capacity 132,000 barrels.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 975 Memphis District

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 017
Name: **Global Materials Services, Memphis Wharf A.**
Location: Mile 6.5, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Global Materials Services, LLC.
Owner: Memphis and Shelby County Port Commission.
Address: 1073 Channel Avenue. Phone: 901-775-0500
Town: Memphis State: TN County: Shelby
Railway Connection: Surface track on wharf and trestles, with additional trackage at terminal in rear, connects with CN, Union Pacific, Norfolk Southern, CSX Transportation, and Burlington Northern Santa Fe Railroads.
Purpose: Receipt and shipment of conventional and containerized general cargo; steel and steel by-products; and dry and liquid bulk commodities, including grain, fertilizer, ammonia, and caustic soda.
Depth Alongside (feet): 9 | | Latitude (decimal): 35.101639
Total Berthing Space (feet): 918 | | Longitude (decimal): -90.08917
Remarks: A total of 1,800 feet of berthing space is available, including natural bank above and below wharf. Dry bulk transit shed has a capacity for 16,000 tons of fertilizer, or other bulk commodities. One 6-inch pipeline extends from wharf to three caustic soda tanks, total capacity 960,000 gallons, at rear. One 6-inch pipeline reduces to a 4-inch connection for directly loading rail cars from barge (chemicals). Terminal includes a 15-acre, open storage area and warehouses for storage of steel and general cargo.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 903 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 025
Name: **Global Materials Services, Memphis Wharf B.**
Location: Mile 5.6, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Global Materials Services, LLC.
Owner: Global Materials Services, LLC.
Address: 1836 Dock Street. Phone: 901-775-0500
Town: Memphis State: TN County: Shelby
Railway Connection: Two surface tracks on wharf extend through transit shed and serve open storage area in rear; connect with CN Railroad.
Purpose: Receipt and shipment of steel products. (See Remarks.)
Depth Alongside (feet): 18 | | Latitude (decimal): 35.095889
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.10108
Remarks: Steel products up to 110 feet in length are handled at wharf. A 30-acre, open storage area is located at rear. Transit shed also functions as a steel warehouse.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 949 Memphis District

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 022
Name: **Helm Fertilizer Terminal, Memphis Liquid Fertilizer Dock.**
Location: Mile 5.9, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Helm Fertilizer Terminal, Inc.
Owner: Helm Fertilizer Terminal, Inc.
Address: 1421 Channel Avenue. Phone: 901-948-3303
Town: Memphis State: TN County: Shelby
Railway Connection: Three surface tracks at rear connect with CN, Union Pacific, and Burlington Northern Santa Fe Railroads.
Purpose: Receipt of anhydrous ammonia, nitrogen sloution, and ammonium thiosulfate (ATS).
Depth Alongside (feet): 11 | | Latitude (decimal): 35.098861
Total Berthing Space (feet): 280 | | Longitude (decimal): -90.09817
Remarks: Facility operates as a public, liquid and dry bulk terminal (See Remarks under P.W.D. Ref. No. 21). Face of wharf and dolphins are in line with face of adjacent wharf (P.W.D. Ref. No. 21), providing 280 feet of continuous berthing space. One 6-, one 4-, and one 3-inch pipelines extend from wharf to 11 steel storage tanks at rear, total capacity 9,440,000 gallons.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 940 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 019
Name: **Koch Materials Co., Memphis Dock.**
Location: Mile 6.2, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Koch Materials Co.
Owner: Koch Materials Co.
Address: 1285 Channel Avenue. Phone: 901-942-1995
Town: Memphis State: TN County: Shelby
Railway Connection: One surface track serves eight-station, car-loading rack at rear, connects with CN, Union Pacific, Norfolk Southern, CSX Transportation, and Burlington Northern Santa Fe Railroads.
Purpose: Receipt and shipment of asphalt.
Depth Alongside (feet): 20 | | Latitude (decimal): 35.100194
Total Berthing Space (feet): 247 | | Longitude (decimal): -90.09508
Remarks: One 8-inch pipeline extends from wharf to 12 steel storage tanks at rear, total capacity 316,000 barrels.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 909 Memphis District

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 035
Name: **Martin Marietta Aggregates, Memphis Dock.**
Location: Mile 4.1, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Martin Marietta Aggregates.
Owner: Martin Marietta Aggregates.
Address: 2459 Channel Avenue. Phone: 901-775-3801
Town: Memphis State: TN County: Shelby
Railway Connection: Five surface tracks serving area at rear (capacity 50 cars), connect with CN, Union Pacific, and Burlington Northern Santa Fe Railroads; tracks were not used for handling materials.
Purpose: Receipt of limestone and coal.
Depth Alongside (feet): 8 | | Latitude (decimal): 35.080806
Total Berthing Space (feet): 2500 | | Longitude (decimal): -90.11947
Remarks: Approximately 42 acres of open storage area are located at rear. Equipment is provided by shipper and consists of cranes, backhoes, and hoppers for direct barge-to-truck transfer.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 987 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 037
Name: **Memphis Marine Service, Memphis Dock and Fleet Mooring.**
Location: Mile 3.9, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Memphis Marine Service, Inc.
Owner: Memphis Marine Service, Inc.
Address: 2402 Pier Street. Phone: 901-775-0725
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; mooring floating drydock; mooring barges for fleeting.
Depth Alongside (feet): 9 | 9 | 9 Latitude (decimal): 35.07875
Total Berthing Space (feet): 325 | 100 | 75 Longitude (decimal): -90.12469
Remarks: One 100-ton, floating drydock is moored at dock. Barges are moored end-to bank and doubled when water stage permits.
Year of Last Survey: 2004 Corps of Engnrs Waterway Code: 22300 Dock Code: 989 Memphis District

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 013
Name: **Premcor Refining Group, Memphis Refinery, Lower Dock.**
Location: Mile 6.2, left bank, McKellar Lake, 400 feet above mouth of Nonconnah Creek; and mile 725.5 AHP, left ba Datum: LWRP
Operator: Premcor Refining Group, Inc.
Owner: Premcor Refining Group, Inc.
Address: 543 West Mallory Avenue. Phone: 901-775-5785
Town: Memphis State: TN County: Shelby
Railway Connection: Tracks serving refinery at rear connect with CN Railroad.
Purpose: Receipt and shipment of petroleum products and chemicals; loading midstream fueling barges.
Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 35.085556
Total Berthing Space (feet): 740 | | Longitude (decimal): -90.09028
Remarks: Face of wharf and dolphins are in line with adjacent wharf (P.W.D. Ref. No. 14) on upper side, providing a total of 740 feet of berthing space. Four 6-inch pipelines extend from wharf to 12 steel storage tanks at rear, total capacity 720,000 barrels.
Year of Last Survey: 2004 Corps of Engnrs Waterway Code: 22300 Dock Code: 871 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 014
Name: **Premcor Refining Group, Memphis Refinery, Middle Dock.**
Location: Mile 6.4, left bank, McKellar Lake, and above mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Premcor Refining Group, Inc.
Owner: Premcor Refining Group, Inc.
Address: 543 West Mallory Avenue. Phone: 901-775-5785
Town: Memphis State: TN County: Shelby
Railway Connection: Tracks serving refinery at rear connect with CN Railroad.
Purpose: Receipt and shipment of petroleum products and caustic soda; and loading midstream fueling barges.
Depth Alongside (feet): 11 | | Latitude (decimal): 35.086111
Total Berthing Space (feet): 740 | | Longitude (decimal): -90.08944
Remarks: Five 8-inch pipelines extend from wharf to 12 steel storage tanks at refinery in rear, total capacity 720,000 barrels for petroleum products; and to two steel tanks for caustic soda, total capacity 840,000 gallons. Face of wharf is in line with adjacent wharf and dolphins (P.W.D. Ref. No. 13) on lower side, providing a total of 740 feet of berthing space.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 871 Memphis District

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 015
Name: **Premcor Refining Group, Memphis Refinery, Upper Dock.**
Location: Mile 6.8, left bank, upper end, McKellar Lake; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Premcor Refining Group, Inc.
Owner: Premcor Refining Group, Inc.
Address: 1235 Riverside Boulevard. Phone: 870-735-1610
Town: Memphis State: AR County: Shelby
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 16 | | Latitude (decimal): 35.108333
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.08444
Remarks: Six 10-inch pipelines extend from wharf to two terminals in rear: Premcor Refining Group, Inc.: 15 storage tanks, total capacity 260,000 barrels and Centerpoint Energy, Subsidiary of Apex Oil Co.: seven storage tanks, total capacity 140,000 barrels.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 871 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 023
Name: **Railworks Wood Products, Memphis Dock.**
Location: Mile 5.8, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Railworks Wood Products, Inc.
Owner: Railworks Wood Products, Inc.
Address: 1471 Channel Avenue Phone: 901-942-4872
Town: Memphis State: TN County: Shelby
Railway Connection: Two surface tracks serving tank-car loading rack at rear connect with CN Railroad.
Purpose: Receipt of coal tar.
Depth Alongside (feet): 9 | | Latitude (decimal): 35.098
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.09939
Remarks: One 8-inch pipeline extends from wharf to 11 steel storage tanks at rear, total capacity 50,000 barrels.
One 4-inch steam line, and one 2-inch compressed air line serve wharf.
Year of Last Survey: 2004 Corps of Eng'rs Waterway Code: 22300 Dock Code: 945 Memphis District

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 038
Name: **River Cement Sales Co., Memphis Terminal Dock.**
Location: Mile 3.7, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Buzzi Unicem, USA, River Cement Sales Co.
Owner: Buzzi Unicem, USA, River Cement Sales Co.
Address: 2415 Pier Street. Phone: 901-948-7646
Town: Memphis State: TN County: Shelby
Railway Connection: One surface track serving loading spouts, and one serving undertack pit connect with CN, Union Pacific, and Burlington Northern Santa Fe Railroads..
Purpose: Receipt of bulk cement by barge.
Depth Alongside (feet): 8 | | Latitude (decimal): 35.080389
Total Berthing Space (feet): 525 | | Longitude (decimal): -90.12636
Remarks: At low water stage, one 300- by 52-foot and one 200- by 50-foot breasting barges are used when unloading barges. Two 10-inch, pneumatic pipelines extend from wharf to four concrete storage silos at rear, total capacity 15,000 tons ; unloading rate approximately 250 tons per hour.
Year of Last Survey: 2004 Corps of Eng'rs Waterway Code: 22300 Dock Code: 990 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 009
Name: **Tennessee Valley Authority and Thomas H. Allen Plant, Memphis Whar**
Location: Mile 3.0, left bank, entrance to McKellar Lake Power Plant Slip; and mile 725.5 AHP, Datum: LWRP
left bank, Mississi
Operator: Tennessee Valley Authority.
Owner: Tennessee Valley Authority.
Address: 2574 Plant Road. Phone: 901-789-8737
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Receipt of coal and fuel oil for plant consumption.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 35.075833
Total Berthing Space (feet): 2330 | | Longitude (decimal): -90.145
Remarks: Open storage area at rear has capacity for 560,000 tons of coal. One 8-inch pipeline extends from
second dolphin from lower end to four steel, fuel oil, storage tanks at rear, total capacity 47,600 barrels.
Facility has capacity for holding approximately 30 loaded barges on upper side and 30 empty barges on
lower side.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 830 Memphis District

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 034
Name: **Trumbull Asphalt, Memphis Dock.**
Location: Mile 4.4, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi Datum: LWRP
River, Memphis.
Operator: Trumbull Co., Division of Owens-Corning
Owner: Trumbull Co., Division of Owens-Corning.
Address: 2301 Channel Avenue. Phone: 901-774-7770
Town: Memphis State: TN County: Shelby
Railway Connection: One surface track at rear serving tank-car-unloading rack connects with CN, Union Pacific,
and Burlington Northern Santa Fe Railroads.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 9 | | Latitude (decimal): 35.082083
Total Berthing Space (feet): 360 | | Longitude (decimal): -90.11492
Remarks: Wharf has lower platforms for each 4 feet variance of water stage. One 10-inch, steam-traced pipeline
extends from wharf to nine steel storage tanks at rear, total capacity 149,000 barrels.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 986 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 010
Name: **U.S. Army Corps of Engineers, Ensley Yard, Memphis Wharf.**
Location: Mile 4.0, left bank, McKellar Lake; and mile 725.5 AHP, left bank, Mississippi River, Datum: LWRP
Memphis.
Operator: U.S. Army Corps of Engineers.
Owner: U.S. Government.
Address: 2915 River Port Road. Phone: 901-544-3762
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Mooring government-owned floating equipment.
Depth Alongside (feet): 12 | | Latitude (decimal): 35.073333
Total Berthing Space (feet): 6400 | | Longitude (decimal): -90.12083
Remarks: Barges are moored to timber, and steel-pipe-pile breasting dolphins; and cables extend to shore anchors at rear. One 3,200-, and two 400-short-ton floating drydocks are used for repair of government-owned equipment. An additional mile of berthing space is available on upper side with shore moorings. Ensley Yard occupies 127 acres, and is equipped with machine and other repair shops necessary to make any above- or below-waterline repairs to government-owned equipment.
Year of Last Survey: 2004 Corps of Engnrs Waterway Code: 22300 Dock Code: 835 Memphis District

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 031
Name: **W.M. Barr and Co., Memphis Dock.**
Location: Mile 5.2, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: W.M. Barr and Co., Inc.
Owner: W.M. Barr and Co., Inc.
Address: 2105 Channel Avenue. Phone: 901-775-0100 ex
Town: Memphis State: TN County: Shelby
Railway Connection: Three surface tracks at rear connect with CN, Union Pacific, and Burlington Northern Santa Fe Railroads.
Purpose: Receipt of chemical solvents.
Depth Alongside (feet): 9 | | Latitude (decimal): 35.087778
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.109
Remarks: Two 8-, and four 6-inch pipelines extend from wharf to three steel storage tanks at rear, total capacity 1,750,000 gallons.
Year of Last Survey: 2004 Corps of Engnrs Waterway Code: 22300 Dock Code: 978 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 039
Name: **Wepfer Marine, Memphis Repair Yard Mooring.**
Location: Mile 3.5, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LRP
Operator: Wepfer Marine, Inc.
Owner: Cargill, Inc.
Address: 2661 Channel Avenue. Phone: 901-775-0980
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Mooring floating drydocks, towboats, and barges for repair; mooring company-owned floating equipment.
Depth Alongside (feet): 9 | | Latitude (decimal): 35.08025
Total Berthing Space (feet): 470 | | Longitude (decimal): -90.1305
Remarks: Company has access to approximately 1 mile of shoreline on Lake McKellar, and on the Mississippi River within the Memphis area, for fleetings approximately 400 barges, with 11 towboats ranging from 600 to 1,350 horsepower. One 1,000-ton and one 500-ton floating drydocks are moored at yard. Building on barge serves as office and marine repair shop. Company-operated fleetings operations are described under P.W.D. Ref. Nos. 44 and 45.

Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 991 Memphis District

Port: **Memphis**
Waterway: **McKellar Lake** Mile: 726 PWD: 016
Name: **William C. Ellis, Memphis Mooring.**
Location: Mile 6.7, left bank, McKellar Lake; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: William C. Ellis.
Owner: Memphis and Shelby County Port Commission.
Address: Phone: 901-525-0567
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 9 | | Latitude (decimal): 35.105
Total Berthing Space (feet): 1000 | | Longitude (decimal): -90.08556
Remarks: -

Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 904 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 644 PWD: 150
Name: **McAllister Grain, Old Town Terminal Dock.**
Location: Mile 644.5 AHP, right bank, Mississippi River. Datum: LWRP
Operator: McAllister Grain, Inc.
Owner: McAllister Grain, Inc.
Address: 379 Phillips County 423 Road. Phone: 662-383-2287
Town: Old Town State: MS County: Phillips
Railway Connection: None.
Purpose: Shipment of grain; and receipt of dry bulk commodities, including limestone, crushed stone, and sand.
Depth Alongside (feet): 9 | | Latitude (decimal): 34.367778
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.76389
Remarks: For receiving dry bulk commodities, the crane and hopper barges, located at Mississippi Limestone Corp. docks at Friars Point, Mississippi (P.W.D. Ref. Nos. 1 and 2), are equipped with hoppers and truck ramps and towed to the receiving ramp at this facility. Grain elevator at rear, consisting of seven steel storage tanks, has capacity for 1,250,000 bushels. Approximately 6 acres of open storage area are located at rear.

Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22644 Dock Code: 501 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 652 PWD: 149
Name: **Helena-West Helena Phillips County Port Authority, Helena Public P**
Location: Mile 652.0 AHP, right bank, Mississippi River; at entrance, RDB, of Phillips County Datum: LWRP
Port Authority Slac
Operator: Helena-West Helena Phillips County Port Authority.
Owner: Helena-West Helena Phillips County Port Authority.
Address: Phone: 870-338-6444
Town: Helena State: AR County: Phillips
Railway Connection: Surface tracks connect with Arkansas Midland and Union Pacific Railroads.
Purpose: Receipt and shipment of steel, coal, grain, miscellaneous dry bulk commodities, break bulk and general cargo. (See Remarks.)
Depth Alongside (feet): 9 | | Latitude (decimal): 34.391944
Total Berthing Space (feet): 780 | | Longitude (decimal): -90.64
Remarks: At time of survey (2004), a public terminal was being planned and is described as it will be operated upon completion of construction.

Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22652 Dock Code: 100 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 652 PWD: 148
Name: **Helm Fertilizer, Helena Terminal Dock.**
Location: Mile 652.0 AHP, right bank, Mississippi River; and mile 2.3 LDB on Phillips County Datum: LWRP
Port Authority Slack
Operator: Helm Fertilizer, Inc.
Owner: Helm Fertilizer, Inc.
Address: Phone: 870-338-8177
Town: Helena State: AR County: Phillips
Railway Connection: None.
Purpose: Receipt of dry and liquid bulk fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 34.414444
Total Berthing Space (feet): 220 | | Longitude (decimal): -90.61444
Remarks: One 6-inch liquid fertilizer pipeline extends from lower platform dock to three steel storage tanks at rear, total capacity 4,183,200 gallons.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22652 Dock Code: 005

Port: **Memphis**
Waterway: **Mississippi River** Mile: 652 PWD: 002
Name: **Mississippi Limestone Corp., Friars Point, Dry Bulk Wharf.**
Location: Mile 652.0 AHP, left bank, Mississippi River, Friars Point. Datum: LWRP
Operator: Mississippi Limestone Corp.
Owner: Mississippi Limestone Corp.
Address: 1500 Port Road. Phone: 662-383-2287
Town: Friars Point State: MS County: Coahoma
Railway Connection: None.
Purpose: Receipt and shipment of dry bulk commodities, including coal; receipt of grain (soybeans), agricultural limestone, fertilizers, including urea; sand, gravel, and limestone.
Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 34.381944
Total Berthing Space (feet): 455 | | Longitude (decimal): -90.62972
Remarks: Facility operates as a public bulk terminal and has use of storage building described under P.W.D. Ref. No. 1. Soybeans are trucked to McAlister Grain Co. Elevator (P.W.D. Ref. No. 3). Open storage area, with capacity for 60,000 tons of agricultural limestone and 500,000 tons of other dry bulk commodities is located at rear of rockcrusher and asphalt plant. (See Remarks under P.W.D. Ref. No. 3.) Towboats can moor at rear of face of lower barge. Paved ramp on upper side is used during high-river stages.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22648 Dock Code: 012 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 652 PWD: 001
Name: **Mississippi Limestone Corp., Friars Point, Fertilizer Dock.**
Location: Mile 651.9 AHP, left bank, Mississippi River, Friars Point. Datum: LWRP
Operator: Mississippi Limestone Corp. and Martin Marietta Aggregates.
Owner: Mississippi Limestone Corp.
Address: 1500 Port Road. Phone: 662-383-2287
Town: Friars Point State: MS County: Coahoma
Railway Connection: None.
Purpose: Receipt of limestone and dry bulk fertilizers, including potash and urea.
Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 34.381111
Total Berthing Space (feet): 585 | | Longitude (decimal): -90.63139
Remarks: Facility operates as a public bulk terminal. A portable, 46- by 14-foot, steel ramp approach for trucks is available as required. Towboats can moor at rear of face of lower barge. Timber storage building at rear has capacity for approximately 10,000 tons of urea and 20,000 tons of potash. Trucks have access to interior; and two of the shipside doors are protected by a canopy for loading trucks in inclement weather. Martin Marietta Aggregate leases a portion of the storage area for limestone, and utilizes company-owned equipment described under P.W.D. Ref. No. 35 as required.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22648 Dock Code: 012 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 652 PWD: 147
Name: **Mississippi Limestone Corp., Repair Dock.**
Location: Mile 652.0 AHP, right bank, Mississippi River; and mile 1.0 LDB on Phillips County Port Authority Slack Datum: LWRP
Operator: Mississippi Limestone Corp.
Owner: Mississippi Limestone Corp.
Address: 1500 Port Road. Phone: 662-383-2287
Town: Helena State: MS County: Phillips
Railway Connection: None
Purpose: Mooring vessels for repair; mooring floating drydocks; and fleeting barges.
Depth Alongside (feet): 9 | | Latitude (decimal): 34.401667
Total Berthing Space (feet): 415 | 50 | Longitude (decimal): -90.63278
Remarks: One 2,500- and one 1,500-ton floating drydocks are moored at dock. Barge fleeting is available at shore moorings below plant, capacity 75 barges.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22652 Dock Code: 001

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 653 PWD: 003
Name: **McAlister Grain Co., Friars Point Wharf.**
Location: Mile 652.6 AHP, left bank, Mississippi River, Friars Point. Datum: LWRP
Operator: McAlister Grain Co.
Owner: McAlister Grain Co.
Address: 1500 Port Road. Phone: 662-383-2287
Town: Friars Point State: MS County: Coahoma
Railway Connection: None.
Purpose: Shipment of grain, including soybeans, soybean meal, wheat, milo, sorghum, rice, and soybean hulls; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 34.383611
Total Berthing Space (feet): 520 | | Longitude (decimal): -90.62444
Remarks: Grain elevator at rear, consisting of nine steel storage tanks, has capacity for 1,300,000 bushels. Upper fleet has capacity for 36 barges in four blocks, each three barges long by three wide; and lower fleet has capacity for 27 barges in three blocks, each three barges long by three wide. Fleets serve this facility as well as P.W.D. Ref. Nos. 1 and 2.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22652 Dock Code: 602 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 656 PWD: 004
Name: **Jimmy Sanders Seed Co., Friars Point Terminal Dock.**
Location: Mile 655.6 AHP, left bank, Mississippi River, Friars Point. Datum: LWRP
Operator: Jimmy Sanders Seed Co., Inc.
Owner: Jimmy Sanders Seed Co., Inc.
Address: Phone: 662-627-4752
Town: Friars Point State: MS County: Coahoma
Railway Connection: None.
Purpose: Receipt and shipment of liquid fertilizer.
Depth Alongside (feet): 20 | | Latitude (decimal): 34.407222
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.58167
Remarks: One 6-inch pipeline extends from wharf to six steel storage tanks at rear, total capacity 5,430,000 gallons.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22655 Dock Code: 602 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 659 PWD: 146
Name: **Entergy Arkansas, Robert E. Ritchie Steam Electric Station Dock.**
Location: Mile 659.4 AHP, right bank, Mississippi River, approximately 2.3 miles below Helena Datum: LWRP
(U.S. Highway 49) Br
Operator: Not operated.
Owner: Entergy Arkansas, Inc.
Address: Phone: 870-338-5308
Town: Helena State: AR County: Phillips
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 40 - 75 | | Latitude (decimal): 34.461944
Total Berthing Space (feet): 600 | | Longitude (decimal): -90.59167
Remarks: One anchor with buoy, and two shore anchors located on upper side; two additional shore anchors on lower side were not in use at time of survey (2004). Approximately eight barges can be berthed at facility. One 20-, and one 10-inch pipelines serving both unloading stations, and extending to five steel storage tanks at power plant in rear, total capacity 1,000,000 barrels, were not in use at time of survey. One 6- and one 4-inch steam lines serve wharf.
Year of Last Survey: 2004 Corps of Engnrs Waterway Code: 22659 Dock Code: 402 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 660 PWD: 145
Name: **Planters Service, Helena Terminal Dock.**
Location: Mile 660.2 AHP, right bank, Mississippi River, approximately 1.6 miles below Helena Datum: LWRP
(U.S. Highway 49) Br
Operator: Planters Service, Inc.
Owner: Pat Burks.
Address: Phone: 870-338-3771
Town: Helena State: AR County: Phillips
Railway Connection: Surface tracks serving plant at rear; connect with Arkansas Midland Railroad.
Purpose: Receipt and shipment of dry and liquid fertilizer.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 34.475556
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.595
Remarks: Catwalk connects two upper and three lower dolphins. One 10-, two 8-, and four 6-inch pipelines extend from loading platform to nine steel, liquid fertilizer, storage tanks, total capacity 8,150,000 gallons. Approximately 1/2 acre open area is available in rear for storage of lime.
Year of Last Survey: 2004 Corps of Engnrs Waterway Code: 22659 Dock Code: 660 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 661 PWD: 144
Name: **Archer Daniels Midland Co., Helena Dock.**
Location: Mile 661.3 AHP, right bank, Mississippi River, approximately 2,200 feet below Helena Datum: LWRP
(U.S. Highway 49) B
Operator: Not operated.
Owner: Archer Daniels Midland Co.
Address: Phone:
Town: Helena State: County: Phillips
Railway Connection: Five surface tracks serving plant and elevator at rear connect with Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 7 | | Latitude (decimal): 34.491944
Total Berthing Space (feet): 927 | | Longitude (decimal): -90.59389
Remarks: Grain elevator at rear, consisting of 108 concrete silos with 66 interstices and four steel storage tanks, total capacity approximately 7,000,000 bushels, was not in use at time of survey. One 6-inch pipeline extending to wharf from six steel storage tanks at rear, total capacity 2,838,000 gallons of soybean oil, was not in use at time of survey.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22659 Dock Code: 965

Port: **Memphis**
Waterway: **Mississippi River** Mile: 662 PWD: 142
Name: **Helena Bridge Terminal Docks.**
Location: Mile 661.7 AHP, right bank, Mississippi River, Arkansas, above Helena (U.S. Highway 49) Bridge, Helena. Datum: LWRP
Operator: Helena Bridge Terminal, Inc.
Owner: Helena Bridge Terminal, Inc.
Address: Phone: 870-338-8321
Town: Helena State: AR County: Phillips
Railway Connection: None.
Purpose: Receipt and shipment of grain, dry bulk fertilizer, cottonseed, aggregate, and wood pulp; mooring company-owned floating equipment; mooring barges for cleaning and minor topside repairs.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 34.5
Total Berthing Space (feet): 200 | 200 | Longitude (decimal): -90.59083
Remarks: Depending upon river stage, portable conveyors serving the lower wharf are added or removed as necessary. One 120- by 30-foot, mobile, work barge, "Mr. Sam," is based at the terminal, and equipped with a 20-ton pedestal crane having 100 foot boom and a portable truck-loading hopper. An additional mobile work barge is also available for loading or unloading commodities. A 500-bushel- capacity, portable, truck-loading hopper is available for use on either barge-. Approximately 100 acres of open storage area are located at rear.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22659 Dock Code: 971

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 662 PWD: 143
Name: **Helena Marine Service Dock.**
Location: Mile 661.7 AHP, right bank, Mississippi River, Arkansas, 110 feet below Helena Datum: LWRP
Bridge (U.S. Highway 49),
Operator: Helena Marine Service, Inc.
Owner: Helena Marine Service, Inc.
Address: 106 Walden Landing. Phone: 870-338-8321
Town: Helena 123 State: AR County: Phillips
Railway Connection: None.
Purpose: Receipt of liquid fertilizer and shipment of grain (wheat, rice, and cottonseed); mooring barges for
fleeting; mooring company-owned floating equipment for maintenance and repair. (See Remarks.)
Depth Alongside (feet): 0 | | Latitude (decimal): 34.496944
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.59222
Remarks: One 6-inch pipeline extends from pier to two liquid fertilizer storage tanks at rear, total capacity
2,000,000 gallons. An additional fleeting area is located along natural bank between Mile 658 AHP and
Mile 662 AHP, having a total capacity of 175 barges at 40 shore wires arranged in blocks four to five
long by three to four barges wide.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22659 Dock Code: 970 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 662 PWD: 141
Name: **Texas Eastern Products Pipeline Co., Helena Pier.**
Location: Mile 662.4 AHP, right bank, Mississippi River, Arkansas, approximately 3,500 feet Datum: LWRP
above Helena (U.S. Hig
Operator: Texas Eastern Products Pipeline Co., Inc.
Owner: Texas Eastern Products Pipeline Co., Inc.
Address: Phone: 870-338-3428
Town: Helena State: AR County: Phillips
Railway Connection: None.
Purpose: Shipment and occasional receipt of petroleum products.
Depth Alongside (feet): 9 - 15 | | Latitude (decimal): 34.505833
Total Berthing Space (feet): 590 | | Longitude (decimal): -90.58778
Remarks: Three 8-inch pipelines extend from wharf to 13 steel storage tanks at rear, total capacity 850,000
barrels.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22659 Dock Code: 940 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 663 PWD: 140
Name: **Bunge Corp., Helena Dock.**
Location: Mile 663.0, right bank, Mississippi River, Helena, at entrance to Helena Harbor. Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Phone: 870-338-8112
Town: Helena State: AR County: Phillips
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 34.515889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.584
Remarks: Grain elevator at rear, consisting of eight concrete silos with 16 interstices and one steel storage tank, has total capacity for 720,000 bushels. Ten, corrugated, steel storage bins with a capacity of 190,000 bushels and a flat storage building with capacity for 1,900,000 bushels are also available. One 6-inch pipeline extending to wharf from two soybean oil storage tanks at rear, total capacity 1,161,000 gallons, was not in use at time of survey.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22659 Dock Code: 960 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 663 PWD: 138
Name: **Global Materials Services, Helena Port Terminal, Dock No. 1.**
Location: Mile 663.1 AHP, right bank, Helena Harbor, approximately 1,200 feet above entrance Datum: LWRP
from Mississippi Rive
Operator: Global Materials Services, LLC
Owner: Global Materials Services, LLC.
Address: Phone: 870-338-6781
Town: Helena State: AR County: Phillips
Railway Connection: None.
Purpose: Shipment of general cargo in foreign and domestic trade, including lumber, soybean oil, and dry bulk commodities, including grain and fertilizer; receipt and shipment of liquid fertilizer; and shipment of bagged products.
Depth Alongside (feet): 10 | | Latitude (decimal): 34.520556
Total Berthing Space (feet): 358 | | Longitude (decimal): -90.58472
Remarks: Breasting dolphins are generally in line with those on upper side serving Dock No. 2 (P.W.D. Ref. No. 137), providing approximately 658 feet of continuous berthing space. Terminal has two additional storage buildings on Strobes Lane at rear, total floor area 40,000 square feet. One 60,000-square-foot storage building is available in the rear of P.W.D. Ref. No. 139. Transit shed described under P.W.D. Ref. No. 137 is also available as required. Approximately 5 acres of open storage area are located at rear of P.W.D. Ref. No. 137.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22659 Dock Code: 311 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 663 PWD: 137
Name: **Global Materials Services, Helena Port Terminal, Dock No. 2.**
Location: Mile 663.1 AHP, right bank, Helena Harbor, approximately 1,700 feet above entrance Datum: LWRP
from Mississippi Rive
Operator: Global Materials Services, LLC.
Owner: Global Materials Services, LLC.
Address: Phone: 870-338-6781
Town: Helena State: AR County: Phillips
Railway Connection: One carfloor-level track along rear of seawall serves transit sheds and undertrack pit, and two surface tracks serve facility at Yazoo and Arkansas Streets; connect with Arkansas Midland Railroad.

Purpose: Shipment of dry bulk commodities and grain.

Depth Alongside (feet): 10 | | Latitude (decimal): 34.521111

Total Berthing Space (feet): 300 | | Longitude (decimal): -90.58444

Remarks: Steel catwalk extends to loading tower from bank at rear. Breasting dolphins are generally in line with face of Dock No. 1 (P.W.D. Ref. No. 138), and with their respective dolphins, provide approximately 658 feet of continuous berthing space. One transit shed located on river side of concrete seawall has floor area of approximately 20,000 square feet, floor level is at railcar-floor height, and openings in seawall are opposite each transit shed door. Terminal has additional storage facilities in building complex at intersection of Yazoo and Arkansas Streets at rear, consisting of two concrete buildings; total floor area of approximately 30,000 square feet. Terminal has 5 acres of open storage area. Fleeting area at shore moorings on opposite bank has capacity for eight barges, arranged four long by two wide.

Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22659 Dock Code: 311 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 663 PWD: 139
Name: **Global Materials Services, Helena Port Terminal, Dock No. 3.**
Location: Mile 663.1 AHP, right bank, Helena Harbor, approximately 900 feet above entrance Datum: LWRP
from Mississippi River,
Operator: Not operated.
Owner: Global Materials Services, LLC.
Address: Phone: 870-338-6781
Town: Helena State: AR County: Phillips
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 34.518889
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.58417
Remarks: -

Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22659 Dock Code: 311 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 699 PWD: 005
Name: **Tunica County, Riverpark Landing.**
Location: Mile 699.3 AHP, left bank, Mississippi River, Tunica. Datum: LWRP
Operator: Tunica County.
Owner: Tunica County.
Address: One River Park Drive. Phone: 662-357-0050
Town: Tunica State: MS County: Tunica
Railway Connection: None.
Purpose: Landing for excursion vessels.
Depth Alongside (feet): 12 | | Latitude (decimal): 34.839167
Total Berthing Space (feet): 274 | | Longitude (decimal): -90.36333
Remarks: Excursion boat "Tunica Queen" moors at landing. Public, concrete boat ramp is located above landing.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22699 Dock Code: 301

Port: **Memphis**
Waterway: **Mississippi River** Mile: 706 PWD: 006
Name: **Martin Marietta Aggregates, Lake Cormorant Dock.**
Location: Mile 706.0 AHP, left bank, Mississippi River, Lake Cormorant. Datum: LWRP
Operator: Martin Marietta Aggregates.
Owner: Martin Marietta Aggregates.
Address: Foot of Graves Road. Phone: 901-775-0270
Town: Lake Cormorant State: TN County: De Soto
Railway Connection: None.
Purpose: Receipt and shipment of stone; mooring barges for fleetings.
Depth Alongside (feet): 12 | | Latitude (decimal): 34.887778
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.26472
Remarks: Approximately 15 acres of open storage area, with capacity for 175,000 tons, is located at rear. Fleetings for 16 barges, four barges long by four wide, is available below dock along approximately 2,500 feet.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22706 Dock Code: 101

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 724 PWD: 007
Name: **Port of Memphis Public Terminal, Pidgeon Industrial Harbor Dock.**
Location: Mile 724.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Memphis and Shelby County Port Commission.
Owner: Memphis and Shelby County Port Commission.
Address: 1115 Riverside Boulevard. Phone: 901-948-4422
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Receipt and shipment of dry bulk commodities and general cargo.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 35.053333
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.17139
Remarks: Two 200- by 200-foot concrete pads and 24 additional acres of open storage are available at rear. Facility is located on the slack-water Pidgeon Industrial Harbor developed and maintained by the Memphis and Shelby County Port Commission. The entrance to the harbor at Mississippi river mile 724.5 is approximately 1,480 feet long and is oriented east-to-west. At the inner end of the entrance, the channel turns approximately 90 degrees and extends to both the south and north. The two extensions are approximately 2,110 and 4,510 feet long, respectively. The channel width throughout the harbor is approximately 300 feet bank-to-bank. The shoreline of the harbor is open for future development.

Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22724 Dock Code: 501

Port: **Memphis**
Waterway: **Mississippi River** Mile: 726 PWD: 011
Name: **Fleischmann's Yeast, Memphis Molasses Dock.**
Location: Left bank, Riverport Harbor Channel, 0.7 mile above mile 5.3, McKellar Lake; and Datum: LWRP
mile 725.5 AHP, left ba
Operator: Fleischmann's Yeast, Inc.
Owner: Fleischmann's Yeast, Inc., a division of Burns Phillip Food, Inc.
Address: 2743 Riverport Road. Phone: 901-942-7115
Town: Memphis State: TN County: Shelby
Railway Connection: Surface tracks serve plant at rear, connect with CN Railroad.
Purpose: Receipt of molasses.
Depth Alongside (feet): 9 | | Latitude (decimal): 35.075833
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.08806
Remarks: One 12-inch, electrically-traced pipeline extends from wharf to six steel, molasses storage tanks at rear, total capacity 3,000,000 gallons. One 2-inch steam line serves wharf. Wharf has five levels to accommodate varying water stages.

Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 845 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 726 PWD: 021
Name: **Helm Fertilizer Terminal, Memphis Dry Fertilizer Dock.**
Location: Mile 6.0, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Helm Fertilizer Terminal, Inc.
Owner: Helm Fertilizer Terminal, Inc.
Address: 1421 Channel Avenue. Phone: 901-948-3303
Town: Memphis State: TN County: Shelby
Railway Connection: Three surface tracks at rear connect with tracks of CN, Union Pacific, and Burlington Northern Santa Fe Railroads.
Purpose: Receipt of dry fertilizer, including potash.
Depth Alongside (feet): 11 | | Latitude (decimal): 35.098889
Total Berthing Space (feet): 280 | | Longitude (decimal): -90.09833
Remarks: Facility operates as a public, liquid and dry bulk terminal. (See Remarks under P.W.D. Ref. No. 22.) Face of wharf and dolphins are in line with face of adjacent wharf (P.W.D. Ref. No. 22), providing 280 feet of continuous berthing space. A 200- by 150-foot, concrete, storage building with two bins and a 319- by 107 1/2-foot, concrete, storage building with nine bins at rear are used for storing dry fertilizers, total capacity approximately 12,000 tons.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 940 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 726 PWD: 008
Name: **Memphis and Shelby County Port Commission, McKellar Lake Mooring.**
Location: Mile 3.0, left bank, McKellar Lake Power Plant Slip; and mile 725.5 AHP, left bank, Mississippi River, M Datum: LWRP
Operator: Memphis and Shelby County Port Commission.
Owner: Memphis and Shelby County Port Commission.
Address: Phone: 901-948-4422
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Mooring contractors' floating equipment.
Depth Alongside (feet): 0 - 12 | | Latitude (decimal): 35.076111
Total Berthing Space (feet): 2500 | | Longitude (decimal): -90.15556
Remarks: Facility is operated on a seasonal basis.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 825 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 726 PWD: 046
Name: **Memphis Marine Service, Tennessee Chute Fleet Mooring.**
Location: Mile 1.8, right bank, Tennessee Chute; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Memphis Marine Service, Inc.
Owner: Memphis Marine Service, Inc.
Address: Phone: 901-775-0725
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 9 | | Latitude (decimal): 35.086389
Total Berthing Space (feet): 1000 | | Longitude (decimal): -90.15528
Remarks: Fleetings area has capacity for 30 barges arranged end-to bank and covers from Tennessee Chute mile 1.6 to 2.2.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22733 Dock Code: 996 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 726 PWD: 045
Name: **Wepfer Marine, McKellar Lake Fleet Mooring.**
Location: Miles 2.2-2.4 right bank, and miles 2.3-2.9, left bank, Tennessee Chute; mile 725.5 AHP, left bank, Miss Datum: LWRP
Operator: Wepfer Marine, Inc.
Owner: Memphis and Shelby County Port Commission; and Tennessee Valley Authority.
Address: 2701 Channel Avenue. Phone: 901-775-0980
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 9 | 9 | Latitude (decimal): 35.083333
Total Berthing Space (feet): 1700 | 2640 | Longitude (decimal): -90.14139
Remarks: Company operates nine towboats ranging from 600 to 1,350 horsepower. All barges are moored end-to natural bank and doubled when water stage permits. MSCPC Fleet has capacity for 94 barges, and Sand Bar Fleet has capacity for 146 barges when doubled.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 998

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 728 PWD: 135
Name: **Global Materials Services, West Memphis Lower Dock.**
Location: Mile 727.7 AHP, right bank, Mississippi River, West Memphis. Datum: LWRP
Operator: Global Materials Services, LLC.
Owner: West Memphis - Crittenden County Port Authority.
Address: 4500 South Avalon. Phone: 870-732-4380
Town: West Memphis State: AR County: Crittenden
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous bulk materials, steel products, and general cargo; shipment of grain.
Depth Alongside (feet): 22 | | Latitude (decimal): 35.103028
Total Berthing Space (feet): 314 | | Longitude (decimal): -90.1805
Remarks: Row of four steel-sheet-pile cells extend at an angle from outer breasting cell on upper side to bank at rear. Terminal includes 15,000 square feet of paved, and 60,000 square feet of unpaved open storage area.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22733 Dock Code: 809

Port: **Memphis**
Waterway: **Mississippi River** Mile: 728 PWD: 134
Name: **Global Materials Services, West Memphis Upper Dock.**
Location: Mile 727.8 AHP, right bank, Mississippi River, West Memphis. Datum: LWRP
Operator: Global Materials Services, LLC.
Owner: West Memphis - Crittenden County Port Authority.
Address: 4500 South Avalon. Phone: 870-732-4380
Town: West Memphis State: AR County: Crittenden
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous bulk materials and general cargo. (See Remarks.)
Depth Alongside (feet): 22 | | Latitude (decimal): 35.105858
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18017
Remarks: At time of survey (2004), dock was under construction. Tentative plans called for dock to operate as a direct transfer to trucks.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22733 Dock Code: 809

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 728 PWD: 136
Name: **Riceland Foods, West Memphis Export Terminal Dock.**
Location: Mile 727.5 AHP, right bank, Mississippi River, West Memphis. Datum: LWRP
Operator: Riceland Foods, Inc.
Owner: Riceland Foods, Inc.
Address: 4500 South Avalon Street. Phone: 870-735-6574
Town: West Memphis State: AR County: Crittenden
Railway Connection: None.
Purpose: Shipment of grain and rice.
Depth Alongside (feet): 24 | | Latitude (decimal): 35.101917
Total Berthing Space (feet): 528 | | Longitude (decimal): -90.18206
Remarks: Grain elevator at rear, consisting of five steel storage bins, has total capacity for 628,000 bushels.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22733 Dock Code: 808

Port: **Memphis**
Waterway: **Mississippi River** Mile: 729 PWD: 133
Name: **Premcor Refining Group, West Memphis Terminal Dock.**
Location: Mile 728.7 AHP, right bank, Mississippi River, West Memphis. Datum: LWRP
Operator: Premcor Refining Group, Inc.
Owner: Premcor Refining Group, Inc.
Address: 1282 South 8th Street. Phone: 870-735-1610
Town: West Memphis State: AR County: Crittenden
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 17 | | Latitude (decimal): 35.121667
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.17214
Remarks: Four 12- and one 6-inch pipelines extend from wharf to 18 steel, petroleum products, storage tanks, total capacity 1,100,000 barrels.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22728 Dock Code: 731

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 729 PWD: 132
Name: **Warren Unilube, West Memphis Dock.**
Location: Mile 729.1 AHP, right bank, Mississippi River, West Memphis. Datum: LWRP
Operator: Warren Unilube, Inc., a subsidiary of Warren Oil, Inc.
Owner: Warren Unilube, Inc., a subsidiary of Warren Oil, Inc.
Address: 1700 South 8th Street. Phone: 870-732-7829
Town: West Memphis State: AR County: Crittenden
Railway Connection: Three surface tracks with a total of 25 loading stations connect with Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of petroleum products; receipt of ethylene glycol.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.125306
Total Berthing Space (feet): 340 | | Longitude (decimal): -90.16753
Remarks: One 12-, one 10-, one 8-, and one 6-inch pipelines extend from wharf to 13 steel storage tanks, total capacity 340,000 barrels. One 10- and one 8-inch pipeline for lubricating oil extends to 12 steel storage tanks, total capacity 280,000 barrels. One 6-inch pipeline extends from wharf to one 2,520,000-gallon ethylene glycol storage tank.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22733 Dock Code: 810

Port: **Memphis**
Waterway: **Mississippi River** Mile: 730 PWD: 131
Name: **APAC Tennessee, West Memphis Dock.**
Location: Mile 730.0 AHP, right bank, Mississippi River, West Memphis. Datum: LWRP
Operator: APAC Tennessee, Inc.
Owner: APAC Tennessee, Inc.
Address: 735 Walker Street. Phone: 901-947-5600
Town: West Memphis State: TN County: Crittenden
Railway Connection: None.
Purpose: Occasional receipt of crushed stone and sand.
Depth Alongside (feet): 8 | | Latitude (decimal): 35.133167
Total Berthing Space (feet): 305 | | Longitude (decimal): -90.153
Remarks: Approximately 12 acres of open storage area and hot-asphalt plant are located in rear.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22733 Dock Code: 811

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 731 PWD: 048
Name: **APAC Tennessee, Memphis Terminal Dock.**
Location: Mile 731.0 AHP, left bank, Mississippi River. Datum: LWRP
Operator: APAC Tennessee, Inc.
Owner: APAC Tennessee, Inc.
Address: Phone: 901-947-5600
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Receipt of limestone and crushed stone.
Depth Alongside (feet): 20 | | Latitude (decimal): 35.114917
Total Berthing Space (feet): 315 | | Longitude (decimal): -90.09708
Remarks: Material is transported by truck to a 20-acre, open storage area located in rear.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22733 Dock Code: 811

Port: **Memphis**
Waterway: **Mississippi River** Mile: 731 PWD: 032
Name: **Holcim (US), Memphis Terminal.**
Location: Mile 4.9, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Holcim (US), Inc.
Owner: Holcim (US), Inc.
Address: 2169 Channel Avenue. Phone: 901-947-4043
Town: Memphis State: TN County: Shelby
Railway Connection: One surface track at rear connects with CN, Union Pacific, and Burlington Northern/Santa Fe Railroads.
Purpose: Receipt of cement.
Depth Alongside (feet): 20 | | Latitude (decimal): 35.075667
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.14506
Remarks: One 8-inch, pneumatic pipeline extends from wharf to four cement silos, total capacity of 1,800 tons, and to one 500-ton slag tank. At time of the survey, plans called for the facility to move to 2269 Channel Avenue in the first quarter of 2005; the dock configuration will remain the same.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 980

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 731 PWD: 036
Name: **Memphis Cement, Memphis Terminal Wharf.**
Location: Mile 4.0, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Memphis Cement.
Owner: Martin Marietta Aggregates.
Address: 2549 Channel Avenue. Phone: 225-505-0682
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Receipt of cement.
Depth Alongside (feet): 20 | | Latitude (decimal): 35.079472
Total Berthing Space (feet): 160 | | Longitude (decimal): -90.1225
Remarks: One 12-inch pneumatic pipeline extends from dock to one 3,200-ton storage silo at rear.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 988

Port: **Memphis**
Waterway: **Mississippi River** Mile: 731 PWD: 043
Name: **Vertex Chemical Corp., Memphis Terminal Dock.**
Location: Mile 2.8, right bank, Industrial Channel; and mile 725.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Vertex Chemical Corp.
Owner: Vertex Chemical Corp.
Address: 2825 Channel Avenue. Phone: 314-991-4005 ex
Town: Memphis State: TN County: Shelby
Railway Connection: Three surface tracks connect with CN, Union Pacific, and Burlington Northern Santa Fe Railroads.
Purpose: Receipt of caustic soda.
Depth Alongside (feet): 20 | | Latitude (decimal): 35.083333
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.13833
Remarks: Three 6-inch stainless steel pipelines extend from wharf to three steel storage tanks in rear, total capacity 1,428,000 gallons.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 994

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 733 PWD: 047
Name: **Patton Tully Transportation Co. Mooring.**
Location: Mile 733.2 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Patton Tully Transportation Co.
Owner: Memphis and Shelby County Port Commission.
Address: 1314 Harbor Avenue. Phone: 901-576-1419
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Mooring contractor's floating equipment; handling equipment and supplies.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 35.114917
Total Berthing Space (feet): 2000 | | Longitude (decimal): -90.09708
Remarks: -
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22733 Dock Code: 200 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 734 PWD: 053
Name: **American Commercial Terminals, Memphis Dock.**
Location: Mile 734.4 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: American Commercial Terminals, LLC, a unit of American Commercial Lines Holdings, LLC
Owner: American Commercial Terminals, LLC, a unit of American Commercial Lines Holdings, LLC.
Address: 427 W. Illinois Avenue. Phone: 901-774-5460
Town: Memphis State: TN County: Shelby
Railway Connection: One surface track serving 13 loading stations in rear connects with Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of bulk liquid products, including vegetable oils, chemicals, and petroleum products; fueling towboats and river excursion vessels; receipt of waste oil; mooring mid-stream fueling barge. (See Remarks.)
Depth Alongside (feet): 9 | | Latitude (decimal): 35.123111
Total Berthing Space (feet): 320 | | Longitude (decimal): -90.07725
Remarks: Five 6-inch pipelines extend from wharf to 22 steel storage tanks, total capacity 117,000 barrels for miscellaneous liquids, and to numerous lubricating oil tanks, total capacity 10,000 barrels. Chemicals consist primarily of caustic soda. Waste oil is collected in an American Commercial Barge Lines barge from tows and unloaded into a 15,000 barrel tank for separation and processing. Facility at rear has a blending plant for production of bunker fuel, and serves as a public storage warehouse for bulk liquid products. Operations also include direct transfer of products between barges and trucks.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22734 Dock Code: 732

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 734 PWD: 054
Name: **Economy Boat Store, Memphis Dock.**
Location: Mile 734.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Economy Boat Store.
Owner: Economy Boat Store.
Address: 398 W. Illinois Avenue. Phone: 901-775-3131
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Mooring midstream fueling barges; fueling towboats; and handling marine supplies.
Depth Alongside (feet): 20 | 15 - 20 | Latitude (decimal): 35.125222
Total Berthing Space (feet): 405 | 600 | Longitude (decimal): -90.07544
Remarks: Four midstream fueling barges are based at wharf. Six to eight barges are moored from river mile 734.3 to 734.6 immediately below Interstate Highway 55 bridge.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22734 Dock Code: 305

Port: **Memphis**
Waterway: **Mississippi River** Mile: 734 PWD: 050
Name: **Economy Boat Store, Memphis South Dock.**
Location: Mile 733.9 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Economy Boat Store, Inc.
Owner: Waxler Towing Co.
Address: 484 Jack Carley Causeway. Phone: 901-775-3131
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Fueling and serving vessels.
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 35.118694
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.082
Remarks: One 3-inch hose extends to dock from three lube-oil tanks, total capacity 700 barrels.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22733 Dock Code: 305

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 734 PWD: 052
Name: **ExxonMobil, Memphis Terminal Dock.**
Location: Mile 734.2 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: ExxonMobil Corp.
Owner: ExxonMobil Corp.
Address: 454 Wisconsin Avenue. Phone: 901-942-4634
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 35.121667
Total Berthing Space (feet): 820 | | Longitude (decimal): -90.07917
Remarks: One 8- and five 6-inch pipelines extend from wharf to 19 steel storage tanks in rear, total capacity
16,200,000 barrels.

Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22734 Dock Code: 300

Port: **Memphis**
Waterway: **Mississippi River** Mile: 734 PWD: 051
Name: **Lion Oil Co., Memphis Terminal Dock.**
Location: Mile 734.1 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Lion Oil Co.
Owner: Lion Oil Co.
Address: 1023 Riverside Drive. Phone: 901-946-0303
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Receipt of gasoline and diesel fuel.
Depth Alongside (feet): 50 | | Latitude (decimal): 35.119306
Total Berthing Space (feet): 410 | | Longitude (decimal): -90.08158
Remarks: Three 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity
125,000 barrels.

Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22734 Dock Code: 299

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 734 PWD: 049
Name: **Vulcan Materials Co., Memphis Dock.**
Location: Mile 733.6 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Vulcan Materials Co.
Owner: Vulcan Materials Co.
Address: 1074 Harbor Avenue. Phone: 901-774-2390
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Receipt of coal and stone.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 35.114722
Total Berthing Space (feet): 315 | 315 | 16 Longitude (decimal): -90.09417
Remarks: Open storage area at rear has capacity for approximately 500,000 tons of stone and 5,000 tons of coal. Loaded fleet above upper wharf has capacity for 16 barges arranged in four tiers, each four barges wide at shore moorings. In addition, at river mile 730 LDB AHP, near Vice President Light, fleet has capacity for 30 barges arranged in two tiers, three barges wide, and five barges long for empties with shore moorings.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22733 Dock Code: 211 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 739 PWD: 064
Name: **Lucy Woodstock Utility Terminal, Memphis Dock.**
Location: Mile 739.0 AHP, left bank, Mississippi River, above mouth of Wolf River (New Channel). Datum: LWRP
Operator: Lucy Woodstock Utility Terminal.
Owner: Memphis Light, Gas, and Water.
Address: 2455 North Second Street. Phone: 901-358-4182
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Receipt of chemicals, including ammonia, acetone, methylmethacrylate (MMA), and methanol.
Depth Alongside (feet): 15 | | | Latitude (decimal): 35.190333
Total Berthing Space (feet): 450 | | | Longitude (decimal): -90.05914
Remarks: One 10-, two 8-, and two 6-inch pipelines extend from wharf to the following storage tanks at terminal in rear:

	Storage tanks	Commodity	Pipelines	No.	Capacity (gallons)
Acetone	one 10-inch	1 58,500	Ammonia	one 8-inch	1 500,000 MMA
	one 8-inch	2 4,914,000	Methanol	one 6-inch	2 1,750,000

Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22739 Dock Code: 102 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 740 PWD: 065
Name: **Fullen Dock and Warehouse, Memphis Wharves.**
Location: Mile 740.5 AHP, left bank, Mississippi River, Memphis. Datum: LWRP
Operator: Fullen Dock and Warehouse, Inc.
Owner: Fullen Dock and Warehouse, Inc.
Address: 382 Klinke Road. Phone: 901-358-9544
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Receipt of dry bulk commodities, including coal, salt, stone, potash, urea, ammonium sulfate, ores, pig iron, and steel products; shipment of iron ore, scrap metal, and grain; mooring barges for fleeting.
Depth Alongside (feet): 20 | 20 | 15 Latitude (decimal): 35.209778
Total Berthing Space (feet): 140 | 290 | 300 Longitude (decimal): -90.06111
Remarks: Fleeting area located at shore moorings below wharf has capacity for approximately 30 barges. During high water, this fleeting area may be moved into the Loosahatchie River cutoff chute, approximately 4,000 feet of shoreline with shore moorings. Wharves may be moored on the left bank of the Loosahatchie River cutoff chute during high water as necessary. Front-end loaders are used to unload stone from deck barges into trucks on upper ramp barge at 150 tons per hour. In addition, one 100-ton, diesel, crawler crane; one 20-ton, diesel, mobile crane with 100- and 55-foot booms, respectively; one 3 2/3-cubic-yard, diesel, crawler backhoe; and one 8-, one 7-, one 5-, two 3 1/2-, and two 2 3/4-cubic-yard, diesel, front-end loaders serve terminal. One 18,000-square-foot, steel frame, clear span, metal-covered steel warehouse, equipped with a 20-ton bridge crane, is used for maintenance and not cargo. Open storage area located at rear has

Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22740 Dock Code: 502 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 769 PWD: 066
Name: **Cargill AgHorizons, Richardsons Landing Dock.**
Location: Mile 768.7 AHP, left bank, Mississippi River. Datum: LWRP
Operator: Not operated.
Owner: Cargill AgHorizons.
Address: Phone:
Town: Richardson Lndg State: TN County: Tipton
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 35.515111
Total Berthing Space (feet): 225 | | Longitude (decimal): -89.94719
Remarks: -

Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22769 Dock Code: 501 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 769 PWD: 067
Name: **U.S. Army Corps of Engineers, Richardson Casting Field Landing.**
Location: Mile 768.8 AHP, left bank, Mississippi River, Richardson Land. Datum: LWRP
Operator: Mississippi Limestone Corp. contractor for the U.S. Army Corps of Engineers.
Owner: U.S. Government.
Address: Phone: 901-8354581
Town: Richardson Lndg State: TN County: Tipton
Railway Connection: None.
Purpose: Handling precast-concrete, articulated, mattress blocks; occasional receipt of limestone; and mooring government-owned floating equipment.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 35.515694
Total Berthing Space (feet): 1000 | | Longitude (decimal): -89.94008
Remarks: Bulldozer constructs causeways for truck access to floating equipment moored along bank as required. Additional government-owned floating equipment berths along natural bank above and below. Sections of concrete, articulated mattresses are cast in field at rear, loaded onto trucks, transported to bank, and loaded by crane onto barges. Facility is operated on an as-required basis. Open storage area at rear has capacity for 170,000 concrete revetment slabs, stacked 18-high.
Year of Last Survey: 2004 Corps of Engnrs Waterway Code: 22768 Dock Code: 802 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 783 PWD: 130
Name: **Bunge Corp., Osceola Riverside Dock.**
Location: Mile 783.0 AHP, right bank, Mississippi River, Osceola. Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: 2220 East Highway 198. Phone: 870-563-2633
Town: Osceola State: AR County: Mississippi
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 35.656667
Total Berthing Space (feet): 650 | | Longitude (decimal): -89.9275
Remarks: Grain elevator at rear, consisting of 38 concrete silos with 22 interstices and three steel tanks, has capacity for 2,800,000 bushels. Grain is received by truck for storage or direct shipment by barge.
Year of Last Survey: 2004 Corps of Engnrs Waterway Code: 22783 Dock Code: 001 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 784 PWD: 129
Name: **Bunge Corp., Osceola Landside Dock.**
Location: Mile 783.5 AHP, right bank, Mississippi River, Osceola. Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: 2220 East Highway 198. Phone: 870-563-2633
Town: Osceola State: AR County: Mississippi
Railway Connection: Three surface tracks with capacity for 30 cars serve grain elevator in rear; connect with Burlington Northern Santa Fe Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 22 | | Latitude (decimal): 35.660833
Total Berthing Space (feet): 540 | | Longitude (decimal): -89.93333
Remarks: Grain elevator, consisting of 11 steel tanks, has capacity for 5,000,000 bushels; flat storage building has general storage capacity for 5,000 tons.
Year of Last Survey: 2004 Corps of Eng'rs Waterway Code: 22783 Dock Code: 001 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 786 PWD: 127
Name: **Poinsett Rice & Grain, North Dock.**
Location: Mile 785.6 AHP, right bank, Mississippi River, Osceola. Datum: LWRP
Operator: Poinsett Rice & Grain, Inc., Osceola Division.
Owner: Poinsett Rice & Grain, Inc., Osceola Division.
Address: 1926 East County Road 718. Phone: 501-782-0323
Town: Osceola State: AR County: Mississippi
Railway Connection: None.
Purpose: Receipt and shipment of grain; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 35.687778
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.955
Remarks: Ancillary facilities at the terminal in rear include a 30,000-square-foot, steel frame, metal-covered, and a 40,000-square-foot, concrete, storage warehouses; two steel tanks, total capacity 50,000 bushels (shared with P.W.D. Ref. No. 128); and eight acres of open storage area for general cargo. In addition, a 30,000-square foot warehouse with rail access is available approximately 1 mile northwest in the city of Osceola. Breasting dolphins are in line with those of P.W.D. Ref. No. 128, providing 600 feet of continuous berthing space. Caruthersville Marine Service, d.b.a. Osceola Marine Service and Wepfer Marine, Inc. maintain a fleeting area at shore moorings above wharf with capacity for 50 barges moored end-to shore, and at Mile 783.0 on the left bank with a capacity for 50 barges.
Year of Last Survey: 2004 Corps of Eng'rs Waterway Code: 22785 Dock Code: 501 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 786 PWD: 128
Name: **Poinsett Rice & Grain, South Dock.**
Location: Mile 785.5 AHP, right bank, Mississippi River, Osceola. Datum: LWRP
Operator: Poinsett Rice & Grain, Inc., Osceola Division.
Owner: Poinsett Rice & Grain, Inc., Osceola Division.
Address: Phone: 501-782-0323
Town: Osceola State: AR County: Mississippi
Railway Connection: None.
Purpose: Shipment of grain; mooring barges for fleetings. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 35.686944
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.95417
Remarks: Two steel storage silos at rear have total capacity for 50,000 bushels (shared with P.W.D. Ref. No. 127). Breasting dolphins are in line with those of P.W.D. Ref. No. 127 providing 600 feet of continuous berthing space. Wepfer Marine, Inc. maintains a fleetings area for 50 barges at shore moorings below wharf. Consolidated Grain and Barge, Inc. leases facility for loading operations.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22785 Dock Code: 501 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 792 PWD: 068
Name: **Continental Grain Co., Golddust Elevator Dock.**
Location: Mile 792.5 AHP, left bank, Mississippi River, Golddust. Datum: LWRP
Operator: Not operated.
Owner: Continental Grain Co.
Address: Phone:
Town: Golddust State: TN County: Lauderdale
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 35.736667
Total Berthing Space (feet): 260 | | Longitude (decimal): -89.84889
Remarks: Grain elevator at rear, consisting of four concrete silos with one interstice, and having capacity for 127,000 bushels, was not in use at time of survey. Fleetings area located at shore moorings below and above wharf have capacities for 12 loaded and 12 empty barges, respectively.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22792 Dock Code: 502 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 810 PWD: 124
Name: **Bunge Corp., Barfield Terminal Dock.**
Location: Mile 810.5 AHP, right bank, Mississippi River, Barfield. Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: 121 Chesterfield. Phone: 870-763-1511
Town: Barfield State: AR County: Mississippi
Railway Connection: None.
Purpose: Shipment of grain; receipt and shipment of liquid fertilizer.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 35.900833
Total Berthing Space (feet): 290 | | Longitude (decimal): -89.75972
Remarks: Grain elevator at rear, consisting of 12 concrete silos with 18 interstices, has capacity for 320,000 bushels. Grain is received by truck for shipment by barge. One 8-inch pipeline extends to wharf from two steel, liquid fertilizer, storage tanks at rear, total capacity 2,000,000 gallons.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22810 Dock Code: 901 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 810 PWD: 125
Name: **Marine Terminals of Arkansas, Barfield Dock and Fleet Mooring.**
Location: Mile 809.9 AHP, right bank, Mississippi River, Barfield. Datum: LWRP
Operator: Marine Terminals of Arkansas, Inc.
Owner: Marine Terminals of Arkansas, Inc.
Address: East end of Highway 18. Phone: 870-763-5923
Town: Amorel State: AR County: Mississippi
Railway Connection: None.
Purpose: Receipt and shipment of general cargo, steel products, scrap metal, and dry bulk commodities, including grain, fertilizer, and aggregates; mooring barges for fleet; and mooring company-owned floating equipment.
Depth Alongside (feet): 8 - 10 | 8 - 10 | Latitude (decimal): 35.893611
Total Berthing Space (feet): 250 | 200 | 125 Longitude (decimal): -89.76944
Remarks: Fleet area is centered at mile 810 AHP, LDB, and has capacity for 125 barges arranged in eight blocks. A 10-acre, open storage area is located at rear.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22809 Dock Code: 901 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 810 PWD: 126
Name: **Nucor-Yamato Steel Corp., Blytheville Dock.**
Location: Mile 809.5 AHP, right bank, Mississippi River, Barfield. Datum: LWRP
Operator: Nucor-Yamato Steel Corp.
Owner: Nucor-Yamato Steel Corp.
Address: 5929 Highway 18 East. Phone: 870-762-7187
Town: Barfield State: AR County: Mississippi
Railway Connection: Two surface tracks extend to face of wharf, join three surface tracks serving steel plant at rear; connect with Burlington Northern Santa Fe Railroad.
Purpose: Shipment of finished and semi-finished steel products, including steel blooms and beam blanks; occasional receipt and shipment of plant machinery.
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 35.883889
Total Berthing Space (feet): 622 | | Longitude (decimal): -89.77389
Remarks: Marine Terminals of Arkansas, Inc. (P.W.D. Ref. No. 125) supplies scrap metal for open storage area, capacity 500,000 tons, located at plant in rear.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22809 Dock Code: 201 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 811 PWD: 123
Name: **Terra Industries, Blytheville Plant Dock.**
Location: Mile 810.8 AHP, right bank, Mississippi River, Blytheville. Datum: LWRP
Operator: Terra Industries, Inc.
Owner: Terra Industries, Inc.
Address: 6054 East State Highway 18. Phone: 870-762-3735
Town: Blytheville State: AR County: Mississippi
Railway Connection: One surface track serving plant in rear connects with Burlington Northern Santa Fe Railroad.
Purpose: Receipt of liquid fertilizer; shipment of anhydrous ammonia and urea.
Depth Alongside (feet): 30 | | Latitude (decimal): 35.903056
Total Berthing Space (feet): 1080 | | Longitude (decimal): -89.75583
Remarks: Stairway extends from deck to two lower working levels. Storage building at rear has capacity for 30,000 tons of urea. One 10-inch pipeline extends to wharf from two steel, anhydrous ammonia, storage tanks, total capacity 7,200,000 gallons; one 6-inch pipeline extends from wharf to two steel, liquid fertilizer, storage tanks, total capacity 1,146,600 gallons.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22810 Dock Code: 11

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 818 PWD: 069
Name: **Cargill AgHorizons, Hales Point Elevator Dock.**
Location: Mile 818.3 AHP, left bank, Mississippi River, Hales Point. Datum: LWRP
Operator: Cargill AgHorizons.
Owner: Cargill AgHorizons.
Address: 215 Hales Point Grainery Road. Phone: 901-525-0717
Town: Hales Point State: TN County: Lauderdale
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 35.893611
Total Berthing Space (feet): 250 | | Longitude (decimal): -89.64056
Remarks: Grain elevator at rear, consisting of four concrete silos with one interstice, has capacity for 127,000 bushels. Grain is received by truck for shipment by barge. Fleeting area located at shore mooring below and above wharf has capacities for 12 loaded and 12 empty barges, respectively.
Year of Last Survey: 2004 Corps of Engnrs Waterway Code: 22818 Dock Code: 502 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 818 PWD: 070
Name: **Lauderdale River Terminals, Hales Point Dock.**
Location: Mile 818.5 AHP, left bank, Mississippi River, Hales Point, Halls. Datum: LWRP
Operator: Lauderdale River Terminals, LLC.
Owner: Barry Diggs, LLC.
Address: Phone: 731-836-7440
Town: Halls State: TN County: Lauderdale
Railway Connection: None.
Purpose: Receipt of fertilizer, aggregates, salt, steel products, and miscellaneous dry bulk commodities. Mooring barges for fleeting; and mooring company-owned floating equipment .
Depth Alongside (feet): 25 - 30 | | Latitude (decimal): 35.895
Total Berthing Space (feet): 350 | | Longitude (decimal): -89.64
Remarks: Trucks back onto barge via ramp and are directly loaded. Open storage for 4,000 tons of road salt is located in rear. Barge fleeting for Cargill AgHorizons (P.W.D. Ref. No. 69) starts at facility and ends 2 miles down river (River Miles 818.5 - 816.5); up to seven shore wires on deadmen handle barges arranged two wide by two long for a total of 28 barges.
Year of Last Survey: 2004 Corps of Engnrs Waterway Code: 22818 Dock Code: 401

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 819 PWD: 071
Name: **Hutcherson Metals, Hales Point Dock.**
Location: Mile 819.3 AHP, left bank, Mississippi River, Hales Point, Halls. Datum: LWRP
Operator: Hutcherson Metals, Inc.
Owner: Hutcherson Metals, Inc.
Address: Phone: 731-836-9435
Town: Halls State: TN County: Lauderdale
Railway Connection: None.
Purpose: Receipt and shipment of scrap metal.
Depth Alongside (feet): 25 - 30 | | Latitude (decimal): 35.906944
Total Berthing Space (feet): 120 | | Longitude (decimal): -89.63833
Remarks: At time of survey (2004), commencement of operations was imminent, the facility is described as planned. Scrap metal is handled via direct transfer to and from trucks. Open storage area is located at yard in Halls, TN.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22819 Dock Code: 301

Port: **Memphis**
Waterway: **Mississippi River** Mile: 823 PWD: 122
Name: **Marine Terminals of Arkansas, Hickman Docks.**
Location: Miles 822. 7-822.5 AHP, right bank, Mississippi River, Hickman. Datum: LWRP
Operator: Marine Terminals of Arkansas, Inc.
Owner: Marine Terminals of Arkansas, Inc.
Address: Phone: 870-763-5923
Town: Hickman State: AR County: Mississippi
Railway Connection: None.
Purpose: Receipt and shipment of general cargo, steel products, scrap metal, and dry bulk commodities, including grain, fertilizer, and aggregates; mooring barges for fleeting; and mooring company-owned floating equipment.
Depth Alongside (feet): 8 - 10 | 8 - 10 | 8 - 10 Latitude (decimal): 35.945833
Total Berthing Space (feet): 250 | 200 | 125 Longitude (decimal): -89.69056
Remarks: Fleeting area is centered at mile 822 AHP, LDB, and has capacity for 125 barges arranged in eight blocks. Approximately 10 acres of open storage area are located at rear.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22822 Dock Code: 601

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 823 PWD: 121
Name: **Nucor Steel, Blytheville Dock.**
Location: Mile 823.0 AHP, right bank, Mississippi River. Datum: LWRP
Operator: Nucor Steel, a division of Nucor Corp.
Owner: Nucor Steel, a division of Nucor Corp.
Address: Phone: 870-762-2100
Town: Armorel State: AR County: Mississippi
Railway Connection: Four surface tracks extending to face of wharf merge into two surface tracks, join with additional trackage serving plant at rear; connect with Burlington Northern Santa Fe Railroad.
Purpose: Receipt of scrap metal; shipment of rolled steel.
Depth Alongside (feet): 12 | | Latitude (decimal): 35.948056
Total Berthing Space (feet): 719 | | Longitude (decimal): -89.69611
Remarks: Open storage area at rear has capacity for 415,000 tons of scrap metal and rolled steel. Dome at plant provides additional covered storage capacity for 35,000 tons.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22823 Dock Code: 100 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 827 PWD: 120
Name: **Bunge Corp., Huffman Elevator Dock.**
Location: Mile 826.8 AHP, right bank, Mississippi River, Huffman. Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: 121 Chesterfield. Phone: 870-763-1511
Town: Huffman State: AR County: Mississippi
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 20 | | Latitude (decimal): 35.981389
Total Berthing Space (feet): 500 | | Longitude (decimal): -89.725
Remarks: Grain elevator at rear, consisting of six steel tanks, has capacity for 3,120,000 bushles. Grain is received by truck for shipment by barge.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22826 Dock Code: 701 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 831 PWD: 072
Name: **Bunge Corp., Heloise Elevator Dock.**
Location: Mile 831.0 AHP, left bank, Mississippi River, Finley. Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: 2367 Midway Road. Phone: 800-553-0307
Town: Finley State: TN County: Dyer
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 36.034444
Total Berthing Space (feet): 430 | | Longitude (decimal): -89.67944
Remarks: Grain elevator at rear, consisting of five steel tanks, has capacity for 900,000 bushels. Grain is received by truck for shipment by barge. Fleeting area with shore moorings below wharf is operated by Tri-State Marine Service (P.W.D. Ref. No. 119) and has nine fleets on shore moorings with total capacity for 36 barges.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22831 Dock Code: 2

Port: **Memphis**
Waterway: **Mississippi River** Mile: 832 PWD: 073
Name: **Choctaw Transportation Co., Heloise Dock.**
Location: Mile 831.5 AHP, left bank, Mississippi River, Heloise. Datum: LWRP
Operator: Choctaw Transportation Co., Inc.
Owner: Choctaw Transportation Co., Inc.
Address: Phone: 731-285-4664
Town: Heloise State: TN County: Dyer
Railway Connection: None.
Purpose: Receipt of sand, stone, and bulk fertilizer; mooring company-owned barges for repair.
Depth Alongside (feet): 3 | | Latitude (decimal): 36.038056
Total Berthing Space (feet): 195 | | Longitude (decimal): -89.67861
Remarks: Approximately 4 acres of open storage area located approximately 2-3 miles to the north on Everett Chute have capacity for approximately 50,000 tons of material.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22832 Dock Code: 2

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 833 PWD: 119
Name: **Tri-State Marine Service, Dock and Fleet Mooring.**
Location: Mile 832.7 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
Operator: Tri-State Marine Service, Inc..
Owner: Memphis Marine Service.
Address: 96 County Highway 582. Phone: 573-333-2837
Town: Caruthersville State: MO County: Pemiscot
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; and mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 10 - 15 | 10 | 10 Latitude (decimal): 36.061111
Total Berthing Space (feet): | 36 | 12 Longitude (decimal): -89.68889
Remarks: Floating equipment is berthed end-to wharf at face and along either side. Heloise Fleet is on LDB centered at 830.0 AHP. Right Bank Fleet is centered at 832.0 AHP. Barges in both fleets are arranged no more than four barges wide.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22832 Dock Code: 701 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 834 PWD: 118
Name: **Consolidated Grain and Barge Co., Cottonwood Point Elevator Dock.**
Location: Mile 833.6 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
Operator: Consolidated Grain and Barge Co.
Owner: Louis Dreyfus Corp.
Address: County Road 337. Phone: 800-821-6345
Town: Caruthersville State: MO County: Pemiscot
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 15 - 20 | | Latitude (decimal): 36.073333
Total Berthing Space (feet): 265 | | Longitude (decimal): -89.685
Remarks: Grain elevator at rear, consisting of four concrete silos with one interstice and one steel tank, has capacity for 386,000 bushles. Grain is received by truck for shipment by barge.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22833 Dock Code: 601 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 839 PWD: 074
Name: **Bunge Corp., Boothpoint Elevator Dock.**
Location: Mile 838.8 AHP, left bank, Mississippi River, Boothpoint, 600 feet below U.S. Highway 155 Bridge. Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Phone: 731-285-3640
Town: Boothpoint State: TN County: Dyer
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 25 | | Latitude (decimal): 36.110833
Total Berthing Space (feet): 590 | | Longitude (decimal): -89.61361
Remarks: Grain elevator at rear, consisting of six steel tanks, has capacity for 2,100,000 bushels. Grain is received by truck for shipment by barge.
Year of Last Survey: 2004 Corps of Eng'rs Waterway Code: 22838 Dock Code: 701 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 846 PWD: 117
Name: **Bunge Corp., Caruthersville Dock.**
Location: Mile 846.5 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Phone: 314-333-4121
Town: Caruthersville State: MO County: Pemiscot
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 3 | | Latitude (decimal): 36.195
Total Berthing Space (feet): 666 | | Longitude (decimal): -89.65333
Remarks: Grain elevator at rear, consisting of 36 concrete silos with 20 interstices and one steel tank, has capacity for 1,900,000 bushels. Grain is received by truck for shipment by barge.
Year of Last Survey: 2004 Corps of Eng'rs Waterway Code: 22846 Dock Code: 401 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 847 PWD: 116
Name: **AG Distributors, Caruthersville Dock.**
Location: Mile 847.3 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
Operator: AG Distributors, Inc.
Owner: AG Distributors, Inc.
Address: Phone: 314-333-4299
Town: Caruthersville State: MO County: Pemiscot
Railway Connection: None.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 15 | | Latitude (decimal): 36.203889
Total Berthing Space (feet): 195 | | Longitude (decimal): -89.66528
Remarks: One 6- becoming 10-inch pipeline extends to 10 steel storage tanks at terminal on opposite side of levee, total capacity 6,342,000 gallons.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22846 Dock Code: 11

Port: **Memphis**
Waterway: **Mississippi River** Mile: 848 PWD: 115
Name: **Caruthersville Marine Service, Dock and Fleet Mooring.**
Location: Mile 847.9 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
Operator: Caruthersville Marine Service, Inc.
Owner: Caruthersville Marine Service, Inc.
Address: Phone: 314-333-2378
Town: Caruthersville State: MO County: Pemiscot
Railway Connection: None.
Purpose: Receipt of sand, limestone, and fertilizer; mooring company-owned floating equipment; and mooring barges for fleetings.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 36.208333
Total Berthing Space (feet): 238 | 100 | Longitude (decimal): -89.67306
Remarks: Fleet above dock is arranged in 25 tiers, each up to five barges wide; fleet below dock has capacity for 20 barges. Fifteen acres of open storage area with capacity for approximately 200,000 cubic yards of material are located in rear.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22847 Dock Code: 1

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 848 PWD: 114
Name: **Trinity Marine Products, Caruthersville Shipyard Dock.**
Location: Mile 848.3 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
Operator: Trinity Marine Products, Inc..
Owner: Trinity Marine Products, Inc.
Address: 265 County Highway 346. Phone: 573-333-1840
Town: Caruthersville State: MO County: Pemiscot
Railway Connection: None.
Purpose: Mooring barges for outfitting and for repair; and receipt of steel coils for shipyard use.
Depth Alongside (feet): 8 | | Latitude (decimal): 36.210556
Total Berthing Space (feet): 195 | | Longitude (decimal): -89.67611
Remarks: Launching ways for new constructed barges are located at upper end of site. Pier is located approximately 700 feet downstream of ways.
Year of Last Survey: 2004 Corps of Engnrs Waterway Code: 22848 Dock Code: 101 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 849 PWD: 113
Name: **MFA, Caruthersville Dock.**
Location: Mile 848.6 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
Operator: MFA, Inc.
Owner: MFA, Inc.
Address: Phone: 573-333-1833
Town: Caruthersville State: MO County: Pemiscot
Railway Connection: None.
Purpose: Receipt and occasional shipment of liquid fertilizer.
Depth Alongside (feet): 15 | | Latitude (decimal): 36.215
Total Berthing Space (feet): 275 | | Longitude (decimal): -89.68167
Remarks: A 45- by 35-foot steel breasting float, although not permanently moored at the site, is used when unloading operations take place. Two 8-inch pipelines extend across levee to seven steel storage tanks at terminal on opposite side, total capacity 4,794,200 gallons.
Year of Last Survey: 2004 Corps of Engnrs Waterway Code: 22848 Dock Code: 11

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 849 PWD: 112
Name: **Oakley Missouri, Caruthersville Dock.**
Location: Mile 849.4 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
Operator: Oakley Missouri, Inc.
Owner: Pemiscot County Port Authority.
Address: Phone: 573-359-2757
Town: Caruthersville State: MO County: Pemiscot
Railway Connection: None.
Purpose: Receipt of fertilizer, salt, and other dry bulk commodities.
Depth Alongside (feet): 12 | | Latitude (decimal): 36.229167
Total Berthing Space (feet): 270 | | Longitude (decimal): -89.69889
Remarks: One 180- by 40-foot concrete building provides covered storage for 18,000 tons of material. Concrete pad provides open storage for 5,000 tons of bulk commodities (usually salt).
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22849 Dock Code: 501 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 850 PWD: 108
Name: **Caruthersville Marine Service, Fleet Mooring.**
Location: Miles 850.0, 848.2, and 847.1 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
Operator: Caruthersville Marine Service, Inc.
Owner: Caruthersville Marine Service, Inc.
Address: Phone: 573-333-2378
Town: Caruthersville State: MO County: Pemiscot
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 0 - 10 | 10 | 8 - 15 Latitude (decimal): 36.238889
Total Berthing Space (feet): | 100 | Longitude (decimal): -89.70167
Remarks: Boat Club Chute Fleet at Mile 850.0 has capacity for 50 barges moored end-to bank; Left Bank Fleet at Mile 848.2 has capacity for 100 barges arranged 20 long by five-wide; and Right Bank Fleet at Mile 847.1 (below P.W.D. Ref. No. 116) has capacity for 50 barges.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22848 Dock Code: 1

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 850 PWD: 110
Name: **Consolidated Grain and Barge, Caruthersville Dock.**
Location: Mile 849.8 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
Operator: Consolidated Grain and Barge Co.
Owner: Pemiscot Port Authority.
Address: Phone: 573-359-0047
Town: Caruthersville State: MO County: Pemiscot
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 36.230833
Total Berthing Space (feet): 480 | | Longitude (decimal): -89.70028
Remarks: Breasting dolphins and cells are in line with face of those at adjacent P.W.D. Ref. No. 109, providing 880 feet of continuous berthing space. Grain elevator at rear, consisting of four steel storage tanks, has total capacity for 80,000 bushels.
Year of Last Survey: 2004 Corps of Engnrs Waterway Code: 22849 Dock Code: 801

Port: **Memphis**
Waterway: **Mississippi River** Mile: 850 PWD: 109
Name: **Pemiscot County Port Authority, Fertilizer Dock.**
Location: Mile 849.9 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
Operator: MFA, Inc.
Owner: Pemiscot County Port Authority.
Address: 2001 County Highway 33. Phone: 573-359-1098
Town: Caruthersville State: MO County: Pemiscot
Railway Connection: None.
Purpose: Receipt of dry fertilizer.
Depth Alongside (feet): 12 | | Latitude (decimal): 36.231944
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.70083
Remarks: Four concrete storage domes located at rear have total capacity for 32,000 tons of dry fertilizer. Breasting dolphins and cells are in line with face of those at adjacent P.W.D. Ref. No. 110, providing 880 feet of continous berthing space.
Year of Last Survey: 2004 Corps of Engnrs Waterway Code: 22850 Dock Code: 102 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 850 PWD: 111
Name: **Pemiscot County Port Authority, General Cargo Terminal Wharf.**
Location: Mile 849.5 AHP, right bank, Mississippi River, Caruthersville. Datum: LWRP
Operator: Trinity Marine Products, Inc.
Owner: Pemiscot County Port Authority.
Address: Phone: 573-359-1778
Town: Caruthersville State: MO County: Pemiscot
Railway Connection: None.
Purpose: Receipt and shipment of barge covers and dry bulk commodities; occasional receipt and shipment of general cargo.
Depth Alongside (feet): 12 | | Latitude (decimal): 36.230278
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.70028
Remarks: Trinity Marine Products, Inc. manufactures and refurbishes fiberglass barge-hatch covers in a 35,000-square-foot, steel frame, metal-covered building at rear. New barges from Trinity Shipyard (P.W.D. Ref. No. 114) are moved to this site for outfitting. Approximately 10 acres of open storage area are located at rear.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22850 Dock Code: 102 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 871 PWD: 075
Name: **Cargill AgHorizons, Tiptonville Elevator Dock.**
Location: Mile 870.8 AHP, left bank, Mississippi River, Tiptonville. Datum: LWRP
Operator: Cargill AgHorizons.
Owner: Cargill AgHorizons.
Address: 370 Upper Wynnburg Lane. Phone: 901-525-0717
Town: Tiptonville State: TN County: Lake
Railway Connection: None.
Purpose: Shipment of grain; fleeting barges. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 36.343889
Total Berthing Space (feet): 195 | | Longitude (decimal): -89.51833
Remarks: Grain elevator at rear, consisting of five steel tanks, has capacity for 340,000 bushels. Grain is received by truck for shipment by barge. Fleeting area along natural bank with shore moorings has capacity for eight to 12 empty barges above, and 16 loaded barges below wharf, and is operated by Caruthersville Marine Service, Inc.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22871 Dock Code: 101 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 876 PWD: 107
Name: **Bunge Corp., Linda Grain Elevator Dock.**
Location: Mile 875.7 AHP, right bank, Mississippi River, Linda. Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Phone: 573-379-5405
Town: Linda State: MO County: New Madrid
Railway Connection: None.
Purpose: Shipment of grain; fleeting barges. (See Remarks).
Depth Alongside (feet): 9 | | Latitude (decimal): 36.4125
Total Berthing Space (feet): 540 | | Longitude (decimal): -89.53722
Remarks: Grain elevator at rear, consisting of eight steel storage tanks, has capacity for 2,700,000 bushels. Grain is received by truck for shipment by barge. St. Jude and New Madrid Harbor Service, Inc. (P.W.D. Ref. No. 106) maintains a nearby fleeting area at shore moorings.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22875 Dock Code: 701 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 882 PWD: 106
Name: **St. Jude and New Madrid Harbor Service, Lower Fleet Moorings.**
Location: Miles 883.7-884.5, Mile 875.6, AHP, right bank, and Mile 870.0, AHP, left bank, Mississippi River, New M Datum:
Operator: St. Jude and New Madrid Harbor Service, Inc.
Owner: St. Jude and New Madrid Harbor Service, Inc.
Address: Phone: 573-688-2214
Town: New Madrid State: MO County: New Madrid
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): | | Latitude (decimal): 36.498333
Total Berthing Space (feet): 25 | 25 | 76 Longitude (decimal): -89.54444
Remarks: -
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22882 Dock Code: 101 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 884 PWD: 105
Name: **Noranda Aluminum, New Madrid Dock.**
Location: Mile 883.8 AHP, right bank, Mississippi River, New Madrid. Datum: LWRP
Operator: Noranda Aluminum, Inc.
Owner: Noranda Aluminum, Inc.
Address: Phone: 573-643-6795
Town: New Madrid State: MO County: New Madrid
Railway Connection: Four surface tracks serve plant in rear; connect with Union Pacific Railroad.
Purpose: Receipt of alumina and petroleum coke.
Depth Alongside (feet): 21 | | Latitude (decimal): 36.511389
Total Berthing Space (feet): 1740 | | Longitude (decimal): -89.55472
Remarks: Four alumina storage tanks, total capacity 59,000 tons, and three coke storage tanks, total capacity 15,000 tons, are located at alumina primary-reduction plant in rear.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22884 Dock Code: 901

Port: **Memphis**
Waterway: **Mississippi River** Mile: 885 PWD: 104
Name: **Associated Electric Cooperative, New Madrid Power Plant Dock.**
Location: Mile 884.7 AHP, right bank, Mississippi River, New Madrid. Datum: LWRP
Operator: Reed Mineral Co., Inc.
Owner: Associated Electric Cooperative, Inc.
Address: 417 Mott Street. Phone: 314-643-2211
Town: New Madrid State: MO County: New Madrid
Railway Connection: Two surface tracks serve power plant in rear; connect with Union Pacific Railroad.
Purpose: Shipment of slag. (Not in use at time of survey.)
Depth Alongside (feet): 23 | 15 | Latitude (decimal): 36.520556
Total Berthing Space (feet): 3255 | 600 | Longitude (decimal): -89.56222
Remarks: Reed Mineral Co., Inc. ships slag under contract with Associated Electric Cooperative, Inc. Open storage area located at rear has capacity for 800,000 tons of coal, and approximately 25,000 tons of slag. Berthing facility has capacity for 12 unloaded and 24 loaded barges, consisting of four tiers above and eight below unloader respectively, each three barges wide.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22884 Dock Code: 601 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 885 PWD: 102
Name: **New Madrid County Port Authority, Grain Terminal.**
Location: Lower side of dredged slip near entrance to mile 885.0 AHP, right bank, Mississippi River, New Madrid. Datum: LWRP
Operator: Riceland Foods, Inc.
Owner: New Madrid County Port Authority.
Address: Phone: 573-643-2241
Town: New Madrid State: MO County: New Madrid
Railway Connection: One surface track serving elevator at rear connects with Union Pacific Railroad.
Purpose: Shipment of rice.
Depth Alongside (feet): 10 | | Latitude (decimal): 36.527222
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.5675
Remarks: Slip is 1,500 feet long by 436 feet wide. Grain elevator at rear, consisting of 32 steel tanks, has total capacity for 990,000 bushels of rice. Raw rice is delivered by truck to rice mill at rear; milled rice is received by truck for shipment by barge.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22885 Dock Code: 1

Port: **Memphis**
Waterway: **Mississippi River** Mile: 885 PWD: 101
Name: **New Madrid County Port Dock.**
Location: Inner end and lower side of dredged slack-water harbor, mile 885.0 AHP, right bank, Mississippi River, N Datum: LWRP
Operator: St. Jude and New Madrid Harbor Service, Inc.
Owner: New Madrid County Port Authority.
Address: Phone: 573-688-2214
Town: New Madrid State: MO County: New Madrid
Railway Connection: One surface track at rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of miscellaneous dry bulk commodities, including coal and rice.
Depth Alongside (feet): 9 | | Latitude (decimal): 36.531111
Total Berthing Space (feet): 150 | | Longitude (decimal): -89.57139
Remarks: At time of survey (2004), the operator planned to encase steel frame of wharf with sheet pile to increase load capacity.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22885 Dock Code: 001 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 885 PWD: 103
Name: **St. Jude Industrial Park, Barge Dock.**
Location: Mile 884.9 AHP, right bank, Mississippi River, New Madrid. Datum: LWRP
Operator: St. Jude and New Madrid Harbor Service, Inc.
Owner: City of New Madrid.
Address: Phone: 573-688-2214
Town: New Madrid State: MO County: New Madrid
Railway Connection: None.
Purpose: Receipt of machinery and heavy equipment; receipt and shipment of miscellaneous dry bulk materials, including coal and grain.
Depth Alongside (feet): 17 | | Latitude (decimal): 36.524444
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.56444
Remarks: Breasting dolphins are in line with those of P.W.D. Ref. No. 104; one permanently-moored, 110- by 30-foot, foam-filled steel barge at lower rear of face is used for mooring towboats by St. Jude and New Madrid Harbor Service, Inc. Received commodities are loaded directly onto trucks; shipped commodities are dumped onto wharf, and loaded using mobile crane.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22884 Dock Code: 1

Port: **Memphis**
Waterway: **Mississippi River** Mile: 888 PWD: 098
Name: **Cargill AgHorizons, New Madrid Dry Fertilizer Dock.**
Location: Mile 888.2 AHP, right bank, Mississippi River, New Madrid. Datum: LWRP
Operator: River Bend Ag, LLC.
Owner: Cargill AgHorizon.
Address: Phone: 573-748-2012
Town: New Madrid State: MO County: New Madrid
Railway Connection: None.
Purpose: Receipt of dry bulk fertilizers, including urea, phosphate, and potash.
Depth Alongside (feet): 6 | | Latitude (decimal): 36.580556
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.54944
Remarks: One concrete warehouse, capacity 18,000 tons, and two concrete domes, total capacity 8,000 tons, are located at rear, for storage of dry fertilizer.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22888 Dock Code: 601 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 888 PWD: 097
Name: **Cargill AgHorizons, New Madrid Grain Elevator Dock.**
Location: Mile 888.3 AHP, right bank, Mississippi River, New Madrid. Datum: LWRP
Operator: Cargill AgHorizons, Inc.,
Owner: Cargill AgHorizons, Inc.,
Address: 300 Levee Road. Phone: 800-523-2755
Town: New Madrid State: MO County: New Madrid
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 15 | | Latitude (decimal): 36.580833
Total Berthing Space (feet): 360 | | Longitude (decimal): -89.54722
Remarks: Grain elevator at rear, consisting of four concrete silos and six steel tanks, has capacity for 935,000 bushels. Grain is received by truck for shipment by barge.
Year of Last Survey: 2004 Corps of Eng'rs Waterway Code: 22888 Dock Code: 601 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 888 PWD: 100
Name: **Koch Pavement Solutions, New Madrid Dock.**
Location: Mile 888.0 AHP, right bank, Mississippi River, New Madrid. Datum: LWRP
Operator: Koch Pavement Solutions, Koch Materials Co.
Owner: Koch Pavement Solutions, Koch Materials Co.
Address: Phone: 573-748-2587
Town: New Madrid State: MO County: New Madrid
Railway Connection: None.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 4 | | Latitude (decimal): 36.576944
Total Berthing Space (feet): 240 | | Longitude (decimal): -89.55667
Remarks: One 6- to 8-inch pipeline extends from dock to five steel storage tanks at plant in rear, total capacity 140,000 barrels. Delta Asphalt, Inc. operates a ready-mix plant adjacent to site.
Year of Last Survey: 2004 Corps of Eng'rs Waterway Code: 22887 Dock Code: 901

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 888 PWD: 099
Name: **River Bend Ag, New Madrid Liquid Fertilizer Dock.**
Location: Mile 888.1 AHP, right bank, Mississippi River, New Madrid. Datum: LWRP
Operator: River Bend Ag, LLC.
Owner: Delta Growers Association.
Address: Phone: 573-748-2012
Town: New Madrid State: MO County: New Madrid
Railway Connection: None.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 8 | | Latitude (decimal): 36.578333
Total Berthing Space (feet): 250 | | Longitude (decimal): -89.55333
Remarks: One 8- to 6-inch pipeline extends from wharf to three steel, fertilizer storage tanks, total capacity 2,500,000 gallons. One 4-inch pipeline extends from storage tanks to two additional steel storage tanks located at rear of P.W.D. Ref. No. 98, total capacity 2,000,000 gallons.
Year of Last Survey: 2004 Corps of Eng'rs Waterway Code: 22888 Dock Code: 101

Port: **Memphis**
Waterway: **Mississippi River** Mile: 889 PWD: 096
Name: **St. Jude and New Madrid Harbor Service, New Madrid Fleet Moorings.**
Location: Miles 887.8-890.0AHP, right bank, Mississippi River, New Madrid. Datum: LWRP
Operator: St. Jude and New Madrid Harbor Service, Inc.
Owner: St. Jude and New Madrid Harbor Service, Inc.
Address: Phone: 573-688-2214
Town: New Madrid State: MO County: New Madrid
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 10 | 5 - 10 | Latitude (decimal): 36.582778
Total Berthing Space (feet): 40 | 25 | Longitude (decimal): -89.53389
Remarks: Fleets are arranged no more than four barges wide.
Year of Last Survey: 2004 Corps of Eng'rs Waterway Code: 22889 Dock Code: 001

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 921 PWD: 076
Name: **Bunge Corp., Hickman Grain Elevator Dock.**
Location: Mile 921.3 AHP, left bank, Mississippi River, Hickman. Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: 220 Mengel Street. Phone: 270-236-2579
Town: Hickman State: KY County: Fulton
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 8 | | Latitude (decimal): 36.5675
Total Berthing Space (feet): 540 | | Longitude (decimal): -89.21583
Remarks: Grain elevator at rear, consisting of five steel tanks, has capacity for 1,500,000 bushels. Grain is received by truck for shipment by barge.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22921 Dock Code: 302 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 922 PWD: 082
Name: **Cargill AgHorizons, Hickman "B" Dock.**
Location: Mile 922.4 AHP, left bank, Mississippi River, Hickman Harbor (Bayou du Chien), Datum: LWRP
approximately 3,000 feet
Operator: Cargill AgHorizons.
Owner: Cargill AgHorizons.
Address: 900 Catlett Street. Phone: 901-525-0717
Town: Hickman State: TN County: Fulton
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 6 - 15 | | Latitude (decimal): 36.570833
Total Berthing Space (feet): 195 | | Longitude (decimal): -89.20333
Remarks: Grain elevator at rear, consisting of 11 steel tanks, has capacity for 750,000 bushels. Grain is received by truck for shipment by barge.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22922 Dock Code: 202 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 922 PWD: 077
Name: **Hickman Ferry, Hickman Landing.**
Location: Mile 921.9 AHP, left bank, Mississippi River, Hickman, lower side of Hickman Harbor, Datum: LWRP
approximately 1,000
Operator: S.T.A.M. Marine Enterprises, Inc.
Owner: Mississippi County Port Authority.
Address: Phone: 731-285-0390
Town: Hickman State: KY County: Fulton
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to Dorena, Missouri. (See Remarks.)
Depth Alongside (feet): 25 | | Latitude (decimal): 36.568056
Total Berthing Space (feet): 30 | | Longitude (decimal): -89.21194
Remarks: Ferry service to Dorena Landing, Missouri (State Highway 77) on opposite bank (P.W.D. Ref. No. 95) is
the sole vehicular connection between the two states. The tugboat Dorena II pushes the barge The
Hickman with a maximum capacity of 11 passenger automobiles.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22921 Dock Code: 402 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 922 PWD: 080
Name: **Hickman-Fulton County Riverport Authority, Lower Dock.**
Location: Mile 922.3 AHP, left bank, Mississippi River, Hickman Harbor (Bayou De Chien), Datum: LWRP
approximately 2,000 feet
Operator: Hickman-Fulton County Riverport Authority.
Owner: Hickman-Fulton County Riverport Authority.
Address: Phone: 270-236-2563
Town: Hickman State: KY County: Fulton
Railway Connection: One platform-level track serving warehouse connects with Tennken Railroad, thence to CN
Railroad at Dyersburg, Tennessee.
Purpose: Shipment of grain.
Depth Alongside (feet): 14 | | Latitude (decimal): 36.569444
Total Berthing Space (feet): 500 | | Longitude (decimal): -89.20583
Remarks: Face of dolphins is in line with dolphins serving adjacent wharf (P.W.D. Ref. No. 81), providing 500 feet
of continuous berthing space. Grain elevator at rear, operated by Cargill AgHorizons (Building A), and
consisting of four steel tanks, has capacity for 1,060,000 bushels with an additional 1,000,000-bushel
temporary storage on concrete pad at rear. Grain is received by truck for shipment by barge.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22922 Dock Code: 702 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 922 PWD: 081
Name: **Hickman-Fulton County Riverport Authority, Upper Dock.**
Location: Mile 922.3 AHP, left bank, Mississippi River, Hickman Harbor (Bayou De Chien), Datum: LWRP
approximately 2,400 feet
Operator: Hickman-Fulton County Riverport Authority.
Owner: Hickman-Fulton County Riverport Authority.
Address: Phone: 270-236-2563
Town: Hickman State: KY County: Fulton
Railway Connection: One surface track serving rail pit connects with Tennken Railroad, thence to CN Railroad
at Dyersburg, Tennessee.
Purpose: Receipt and shipment of dry bulk and break-bulk commodities, including steel products, fertilizer,
carbon electrodes, sand, limestone, and petroleum coke.
Depth Alongside (feet): 14 | | Latitude (decimal): 36.569444
Total Berthing Space (feet): 500 | | Longitude (decimal): -89.20528
Remarks: Face of dolphins is in line with dolphins serving adjacent wharf (P.W.D. Ref. No. 80) providing 500 feet
of continuous berthing space. Petroleum coke is diverted at rail-/truck-unloading facility onto a 125-foot
by 24-inch conveyor system and stored in a 9,000-square-foot warehouse at rear. An additional 18,000-
square-foot warehouse, operated by Hickman Pipe, Inc., is used to store steel products. Rail- and truck-
unloading facility at rear is equipped with a marine leg for direct shipment by rail or truck to barge, or
transfer from rail to truck. A steel pile, concrete-decked platform near end of truck ramp provides
temporary storage for barge covers.
Year of Last Survey: 2004 Corps of Eng'rs Waterway Code: 22922 Dock Code: 702 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 922 PWD: 079
Name: **Triple L Marine Service, Hickman Dock.**
Location: Mile 922.3 AHP, left bank, Mississippi River, Hickman Harbor (Bayou De Chien). Datum: LWRP
Operator: Not operated.
Owner: Triple L Marine Service, Inc.
Address: Phone: 270-236-2206
Town: Hickman State: TN County: Fulton
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 36.569167
Total Berthing Space (feet): 170 | | Longitude (decimal): -89.20667
Remarks: -
Year of Last Survey: 2004 Corps of Eng'rs Waterway Code: 22922 Dock Code: 502 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 922 PWD: 078
Name: **Wepfer Marine, Hickman Dock and Fleet Mooring.**
Location: Mile 921.9 AHP, left bank, Mississippi River, Hickman, lower side of Hickman Harbor, Datum: LWRP
approximately 1,300
Operator: Wepfer Marine, Inc.
Owner: Wepfer Marine, Inc.
Address: Phone: 901-485-4105/73
Town: Hickman State: TN County: Fulton
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; mooring barges for fleetings; mooring company-owned
equipment for minor repair and cleaning.
Depth Alongside (feet): 13 | 13 | Latitude (decimal): 36.568333
Total Berthing Space (feet): 54 | 65 | 53 Longitude (decimal): -89.21139
Remarks: Hickman Harbor Fleets: Coffey Fleet: Lower side of Hickman Harbor between work barge and P.W.D.
Ref. No. 79, 550 feet, 18 barges, end-to-bank; Cargill Fleet: Lower side of Hickman Harbor between
P.W.D. Ref. Nos. 82 and 83, 200 feet, 7 barges, end-to-bank; Pierson Loaded Fleet: Upper side of
Hickman Harbor between the entrance of Bayou du Chien and P.W.D. Ref. No. 82, 3,000 feet, 40
barges. Mississippi River Fleets: Pierson Empty Fleet: Mile 923, 7
shore wires along 1,800 feet, LDB, five wide maximum, 35 barges total; CGB Empty Fleet: Starting at
Mile 923.2 and extending up river, RDB, eight shore wires, barges three-wide maximum, 18 barges total.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22922 Dock Code: 501

Port: **Memphis**
Waterway: **Mississippi River** Mile: 923 PWD: 094
Name: **Consolidated Grain and Barge Co., Dorena Elevator Dock.**
Location: Mile 923.0 AHP, right bank, Mississippi River, Dorena. Datum: LWRP
Operator: Consolidated Grain and Barge Co., Inc.
Owner: Consolidated Grain and Barge Co., Inc.
Address: 20314 South Highway 77. Phone: 573-649-3014
Town: Dorena State: MO County: Mississippi
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 30 | | Latitude (decimal): 36.591111
Total Berthing Space (feet): 350 | | Longitude (decimal): -89.21083
Remarks: Grain elevator at rear, consisting of six steel tanks, has capacity for 598,000 bushels. Grain is received
by truck for shipment by barge.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22923 Dock Code: 1

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 923 PWD: 095
Name: **Hickman Ferry, Dorena Landing.**
Location: Mile 922.6 AHP, right bank, Mississippi River, Dorena. Datum: LWRP
Operator: S.T.A.M. Marine Enterprises, Inc.
Owner: Mississippi County Port Authority.
Address: Phone: 731-285-0390
Town: Dorena State: KY County: Mississippi
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to Hickman, Kentucky. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 36.586667
Total Berthing Space (feet): 30 | | Longitude (decimal): -89.21444
Remarks: Ferry service to Hickman Landing, Kentucky on opposite bank (P.W.D. Ref. No. 77) is the sole vehicular connection between the states. The tugboat Dorena II pushes barge The Hickman with a maximum capacity of 11 passenger automobiles.
Year of Last Survey: 2004 Corps of Engns Waterway Code: 22922 Dock Code: 601

Port: **Memphis**
Waterway: **Mississippi River** Mile: 923 PWD: 083
Name: **U.S. Coast Guard, Depot Hickman Moorings.**
Location: Mile 922.6 AHP, left bank, Mississippi River, Hickman Harbor (Bayou du Chien). Datum: LWRP
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: Phone: 502-236-2324
Town: Hickman State: KY County: Fulton
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels; handling navigation aids, supplies, and equipment.
Depth Alongside (feet): 14 - 0 | | Latitude (decimal): 36.572222
Total Berthing Space (feet): 100 | | Longitude (decimal): -89.2
Remarks: Repair, maintenance, and storage facilities for U.S. Coast Guard equipment are located at rear.
Year of Last Survey: 2004 Corps of Engns Waterway Code: 22922 Dock Code: 402 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 937 PWD: 093
Name: **Fitzgerald Marine & Repair, Belmont Wharf.**
Location: Mile 937.2 AHP, right bank, Mississippi River. Datum: LWRP
Operator: Fitzgerald Marine & Repair, Inc. and Custom Fuels Services, Inc. (See Remarks.)
Owner: Fitzgerald Marine & Repair, Inc.
Address: Phone: 573-649-5003
Town: Belmont State: MO County: Mississippi
Railway Connection: None.
Purpose: Mooring barges and company-owned floating equipment for topside repair.
Depth Alongside (feet): 10 | | Latitude (decimal): 36.771111
Total Berthing Space (feet): 895 | | Longitude (decimal): -89.12111
Remarks: Custom Fuels Services, Inc. moors two midstream fueling barges and a water barge at the wharf:
Midstream Barges Dimensions Diesel Fuel Lube oil Water CF5 93 x 36 x
8.5 2,380 barrels 4,400 gals 20,000 gallons GS1190 158 x 40 x 8.5 5,238 barrels
14,400 gals 28,000 gallons ORG1513 195 x 35 x 6.5 - - 240,000 gallons
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22937 Dock Code: 201

Port: **Memphis**
Waterway: **Mississippi River** Mile: 937 PWD: 084
Name: **Ingram Barge Co., Columbus Dock.**
Location: Mile 937.0 AHP, left bank, Mississippi River, Columbus. Datum: LWRP
Operator: Ingram Support Services, Division of Ingram Barge Co.
Owner: Ingram Barge Co.
Address: 78 Riverside Drive. Phone: 270-677-6000
Town: Columbus State: KY County: Hickman
Railway Connection: None.
Purpose: Mooring vessels, towboats, and barges for repair; mooring floating drydocks.
Depth Alongside (feet): 65 | | Latitude (decimal): 36.761944
Total Berthing Space (feet): 975 | | Longitude (decimal): -89.11361
Remarks: One 1,700- and one 1,500-ton floating drydocks are moored at wharf.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22937 Dock Code: 102 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 939 PWD: 092
Name: **Ingram Barge Co., Fleets 1 thru 23.**
Location: Miles 936.0-943.0 AHP, right bank, Mississippi River. Datum: LWRP
Operator: Ingram Barge Co.
Owner: Ingram Barge Co.
Address: Phone: 270-677-6000
Town: State: KY County: Mississippi
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 36.894444
Total Berthing Space (feet): 920 | | Longitude (decimal): -89.12389
Remarks: -

Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22937 Dock Code: 102 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 948 PWD: 085
Name: **Ingram Barge Co., Kentucky Fleet Mooring.**
Location: Miles 942.0-942.8 AHP, left bank, Mississippi River. Datum: LWRP
Operator: Ingram Barge Co.
Owner: Ingram Barge Co.
Address: 78 Riverside Drive. Phone: 270-677-6000
Town: State: KY County: Carlisle
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 36.942222
Total Berthing Space (feet): 72 | | Longitude (decimal): -89.09611
Remarks: Kentucky Fleet has capacity for 72 barges arranged 8-10 wide and approximately nine long.

Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22942 Dock Code: 110

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 949 PWD: 091
Name: **Ingram Barge Co., Moores Landing Fleet Mooring.**
Location: Miles 944.6-949.2 AHP, right bank, Mississippi River, Wyatt. Datum: LWRP
Operator: Ingram Barge Co.
Owner: Ingram Barge Co.
Address: Phone: 270-677-6000
Town: Wyatt State: KY County: Mississippi
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 12 - 9 | | Latitude (decimal): 36.832778
Total Berthing Space (feet): 550 | | Longitude (decimal): -89.14722
Remarks: Twelve fleets have total capacity for 550 barges, each arranged in tiers five to eight long and eight wide.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22949 Dock Code: 1

Port: **Memphis**
Waterway: **Mississippi River** Mile: 950 PWD: 086
Name: **MeadWestvaco Corp., Wickliffe Dock.**
Location: Mile 950.4 AHP, left bank, Mississippi River, Wickliffe. Datum: LWRP
Operator: MeadWestvaco Corp.
Owner: MeadWestvaco Corp.
Address: Phone: 270-335-4351
Town: Wickliffe State: KY County: Ballard
Railway Connection: Trackage serving plant in rear connects with CN Railroad.
Purpose: Occasional receipt of logs.
Depth Alongside (feet): 10 | | Latitude (decimal): 36.95
Total Berthing Space (feet): 262 | 200 | Longitude (decimal): -89.09472
Remarks: At time of survey (2004), wharf was not in use. Barges are pushed up on shore and floating cranes unload logs directly onto trucks for transfer to paper mill across U.S. Highway 51.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22950 Dock Code: 402 Memphis District

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 951 PWD: 087
Name: **Traylor Brothers, Loading Dock and Fleet Mooring.**
Location: Mile 951.2 AHP, left bank, Mississippi River, Wickliffe. Datum: LWRP
Operator: Traylor Brothers, Inc.
Owner: Traylor Brothers, Inc.
Address: 209 Westvaco Road. Phone: 502-335-3545
Town: Wickliffe State: KY County: Ballard
Railway Connection: None.
Purpose: Handling materials, supplies, and equipment; mooring company-owned floating equipment.
Depth Alongside (feet): 6 - 15 | 15 | 6 - 15 Latitude (decimal): 36.961944
Total Berthing Space (feet): 900 | 120 | 300 Longitude (decimal): -89.09444
Remarks: Open area located at rear is used for storage of materials, supplies, and equipment.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22951 Dock Code: 202 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 952 PWD: 090
Name: **CGB Waterfront Services, Island 1 Fleet Moorings.**
Location: Miles 949.0-952.0 AHP, right bank, Mississippi River, Wyatt. Datum: LWRP
Operator: CGB Waterfront Services.
Owner: Various owners.
Address: Phone: 618-734-4659
Town: Wyatt State: IL County: Mississippi
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 12 - 20 | 9 | Latitude (decimal): 36.962222
Total Berthing Space (feet): 68 | 75 | Longitude (decimal): -89.10444
Remarks: Two anchor fleets have capacity for 34 barges each, moored in five tiers, seven barges wide, and anchor barge; three shore fleets have total capacity for 15 barges each, moored in five tiers, each three barges wide. The shore fleets are used at river stage above 25 (Cairo gauge).
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22951 Dock Code: 802 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Mississippi River** Mile: 952 PWD: 088
Name: **Economy Boat Store, Wickliffe Dock.**
Location: Mile 951.5 AHP, left bank, Mississippi River, Wickliffe. Datum: LWRP
Operator: Economy Boat Store, Inc.
Owner: City of Wickliffe.
Address: 169 River Circle Drive. Phone: 270-335-3180
Town: Wickliffe State: KY County: Ballard
Railway Connection: None.
Purpose: Mooring midstream fueling equipment; fueling towboats; and handling marine supplies and ships' stores.
Depth Alongside (feet): 15 | | Latitude (decimal): 36.965278
Total Berthing Space (feet): 695 | | Longitude (decimal): -89.10167
Remarks: Three midstream fueling barges and a 10,000-barrel storage barge are moored at wharf: Midstream
Fuelers Diesel Fuel Capacity Water Capacity Lube Oil HMS102 6,600
barrels 20,000 gallons 18,000 gals WV1 2,500 barrels 10,000 gallons 6,000
gals WW1 4,700 barrels 20,000 gallons 6,000 gals
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22951 Dock Code: 502 Memphis District

Port: **Memphis**
Waterway: **Mississippi River** Mile: 952 PWD: 089
Name: **Waterfront Services Co., Fleet Moorings.**
Location: Miles 951.6-953.8 AHP, left bank, Mississippi River; Miles 979.0-980.0, midstream; Miles 979.0-981.5, le Datum: NPE
Operator: Waterfront Services Co.
Owner: Various owners.
Address: 101 Connell Smith Drive. Phone: 618-734-4659
Town: Wickliffe State: IL County: Ballard
Railway Connection: None.
Purpose: Mooring barges for fleetings.
Depth Alongside (feet): 10 - 20 | 0 - 10 | 0 - 30 Latitude (decimal): 37.037778
Total Berthing Space (feet): 390 | 264 | 384 Longitude (decimal): -89.18278
Remarks: Fleet River Miles Bank Block Barges Name
(Length by Held Width) Illinois 1 thru 10, and Bunge
Fleets 1 and 2 Ohio 976.7-979.1 Right 12 @ 4 by 5 240 Illinois 11 thru 18 Ohio
979.7-980.9 Right 6 @ 5 by 5 150 CFA 1 & 2 (Anchor Fleets) Ohio979.0-980.0 Left 2 @ 8
by 5 80 Kentucky 10 thru 20 Ohio 979.0-981.5 Left 11 @ 4 by 6 264 Kentucky 21
thru 36 Mississippi 953.8-951.6 Left 16 @ 4 by 6 384
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22951 Dock Code: 602 Memphis District

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Rivergate Harbor** Mile: 726 PWD: 012
Name: **LASH Intermodal Terminal Co. (LITCO), Memphis Dock.**
Location: Left bank, Riverport Harbor Channel, one mile above mile 5.3, McKellar Lake; and Datum: LWRP
mile 725.5 AHP, left ba
Operator: LASH Intermodal Terminal Co.
Owner: Belz Enterprises.
Address: 2725 Riverport Road Phone: 901-774-5049
Town: Memphis State: TN County: Shelby
Railway Connection: Two surface tracks at rear with access to interior of transit shed; connect with CN Railroad.
Purpose: Receipt and shipment of general cargo via LASH barges and heavy-lift items.
Depth Alongside (feet): 18 | | Latitude (decimal): 35.077056
Total Berthing Space (feet): 65 | | Longitude (decimal): -90.0865
Remarks: Craneway at face of wharf forms approximately 65- by 50-foot bay for lifting and launching LASH barges. Terminal occupies approximately 50 acres. The channel area, at the head of the channel around the terminal, is used to stage up to approximately 40 LASH barges for cleaning, repairing, loading, and unloading operations.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22300 Dock Code: 850 Memphis District

Port: **Memphis**
Waterway: **Wolf River** Mile: 736 PWD: 059
Name: **Bunge Corp., Memphis Elevator Dock.**
Location: Mile 2.3, left bank, Wolf River, 1.4 miles above Interstate Highway 40 Bridge; and Datum: LWRP
mile 735.8 AHP, left
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: 1079 N. Second Street. Phone: 901-525-0055
Town: Memphis State: TN County: Shelby
Railway Connection: One surface track with storage capacity for 18 cars serves undertrack pit and loading spout; connects with CN Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.171611
Total Berthing Space (feet): 225 | | Longitude (decimal): -90.04644
Remarks: Grain elevator at rear, consisting of 14 concrete silos with six interstices and two concrete, flat, storage buildings, has total capacity for 1,600,000 bushels of grain.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22400 Dock Code: 56

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Wolf River** Mile: 736 PWD: 062
Name: **Cargill AgHorizons, Wolf River Grain Elevator Dock.**
Location: Mile 2.8, left bank, Wolf River, 1,500 feet below Wolf River Dam; and mile 735.8 AHP, Datum: LWRP
left bank, Mississ
Operator: Cargill AgHorizons.
Owner: Cargill AgHorizons.
Address: 1387 North Second Street. Phone: 901-525-0717
Town: Memphis State: TN County: Shelby
Railway Connection: Two surface tracks connect with CN Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 17 | | Latitude (decimal): 35.179333
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.3125
Remarks: Grain elevator at rear, consisting of 16 concrete silos with 16 interstices and two steel tanks, has total capacity for 750,000 bushels.
Year of Last Survey: 2004 Corps of Engnrs Waterway Code: 22400 Dock Code: 67

Port: **Memphis**
Waterway: **Wolf River** Mile: 736 PWD: 063
Name: **City of Memphis Police Department, Mud Island, Harbor Patrol Boat**
Location: Mile 0.8, right bank, Wolf River, below Herman Desoto (I-40) Bridge; and mile 735.8 Datum: LWRP
AHP, left bank, Miss
Operator: City of Memphis Police Department.
Owner: City of Memphis.
Address: 51 Mud Island. Phone: 901-521-9398
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Mooring harbor patrol craft.
Depth Alongside (feet): 10 | 8 - 10 | 8 - 10 Latitude (decimal): 35.148056
Total Berthing Space (feet): 25 | 85 | 45 Longitude (decimal): -90.05722
Remarks: Office and storage shed are located on wharf.
Year of Last Survey: 2004 Corps of Engnrs Waterway Code: 22400 Dock Code: 12

Port Series No. 71

Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954 AHP

Port: **Memphis**
Waterway: **Wolf River** Mile: 736 PWD: 058
Name: **Lafarge North America, Memphis Terminal Dock.**
Location: Mile 1.9, left bank, Wolf River, one mile above Interstate Highway 40 Bridge; and mile 735.8 AHP, left b Datum: LWRP
Operator: Lafarge North America.
Owner: Lafarge North America.
Address: 48 Henry Avenue. Phone: 901-525-0311
Town: Memphis State: TN County: Shelby
Railway Connection: Two surface tracks at terminal in rear serve two loading spouts; connect with CN Railroad.
Purpose: Receipt of bulk cement.
Depth Alongside (feet): 12 | | Latitude (decimal): 35.166778
Total Berthing Space (feet): 1326 | | Longitude (decimal): -90.04867
Remarks: Two 8-inch pneumatic pipelines extend from storage barge to nine concrete storage silos in rear, total capacity 14,000 tons; storage barge has capacity for 2,800 tons. Cement is received at a rate of 150 tons per hour.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22400 Dock Code: 44

Port: **Memphis**
Waterway: **Wolf River** Mile: 736 PWD: 056
Name: **Lone Star Industries, Memphis Terminal Dock.**
Location: Mile 0.9, left bank, Wolf River, below Interstate Highway 40 Bridge; and mile 735.8 AHP, left bank, Miss Datum: LWRP
Operator: Lone Star Industries, Inc./Buzzi Unicem USA
Owner: Lone Star Industries, Inc./Buzzi Unicem USA .
Address: 6 Poplar Avenue. Phone: 901-525-4817
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Receipt of bulk cement.
Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 35.152139
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.05464
Remarks: One 12-inch, pneumatic pipeline extends from wharf to 10 concrete storage silos at terminal in rear, total capacity 20,000 tons. Bulk cement is received at a rate of 150 tons per hour.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22400 Dock Code: 18

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Wolf River** Mile: 736 PWD: 055
Name: **Memphis Queen Co., River Boats Dock.**
Location: Mile 0.3, left bank, Wolf River, 1,500 feet below Mud Island Tramway Bridge; and Datum: LWRP
mile 735.8 AHP, left ba
Operator: Memphis Queen Co.
Owner: Memphis Queen Co.
Address: Foot of Monroe Avenue. Phone: 901-527-5694
Town: Memphis State: TN County: Shelby
Railway Connection: None.
Purpose: Mooring excursion vessels; boarding passengers.
Depth Alongside (feet): 11 | | Latitude (decimal): 35.144944
Total Berthing Space (feet): 248 | | Longitude (decimal): -90.15717
Remarks: Four excursion vessels berth end-to shoreline at wharf.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22400 Dock Code: 11

Port: **Memphis**
Waterway: **Wolf River** Mile: 736 PWD: 060
Name: **Patton-Tully Transportation, Memphis Dock.**
Location: Mile 2.6, left bank, Wolf River, 0.5 mile below Wolf River Dam; and mile 735.8 AHP, Datum: LWRP
left bank, Mississip
Operator: Patton-Tully Transportation, LLC.
Owner: Patton-Tully Transportation, LLC.
Address: 1242 N. Second Street. Phone: 901-526-1420
Town: Memphis State: TN County: Shelby
Railway Connection: One surface track serves storage yard in rear; connects with CN Railroad.
Purpose: Handling materials, supplies, and equipment; mooring company-owned floating equipment.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 35.175556
Total Berthing Space (feet): 1400 | | Longitude (decimal): -90.04639
Remarks: Marine contractor's offices and storage yard are located at rear.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22400 Dock Code: 057

Port Series No. 71
Memphis, TN; Helena, AR; and Ports on Lower Mississippi River Miles 620-954
AHP

Port: **Memphis**
Waterway: **Wolf River** Mile: 736 PWD: 057
Name: **U.S. Coast Guard, Group Lower Mississippi River, Memphis Mooring.**
Location: Mile 1.4, left bank, Wolf River, 0.5 mile above Interstate Highway 40 Bridge; and mile 735.8 AHP, left bank Datum: LWRP
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 2 Auction Street. Phone: 901-544-3912 or
Town: Memphis State: TN County: Shelby
Railway Connection: One surface track in rear connects with CN Railroad.
Purpose: Mooring Coast Guard vessels; handling navigation aids, supplies, and equipment.
Depth Alongside (feet): 9 | | Latitude (decimal): 35.159167
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.05044
Remarks: One 4-inch, sewage pump-out line serves facility. USCG Cutter "Kankakee" is based at facility.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22400 Dock Code: 31

Port: **Memphis**
Waterway: **Wolf River** Mile: 736 PWD: 061
Name: **Westway Terminal Co., Memphis Dock.**
Location: Mile 2.7, left bank, 2,000 feet below Wolf River Dam; and mile 735.8 AHP, left bank, Mississippi River, Datum: LWRP
Operator: Westway Terminal Co.
Owner: Westway Terminal Co.
Address: 1315 North Second Street. Phone: 901-525-0226
Town: Memphis State: TN County: Shelby
Railway Connection: One surface track connects with CN Railroad.
Purpose: Receipt of molasses; occasional receipt of vegetable oil.
Depth Alongside (feet): 20 | | Latitude (decimal): 35.177583
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.04619
Remarks: One 8-inch pipeline extends to eight molasses storage tanks, total capacity 549,000 gallons; and two 4-inch pipelines extend directly to rail- and truck-loading spouts. One 2 1/2-inch steam line serves wharf.
Year of Last Survey: 2004 Corps of Engrs Waterway Code: 22400 Dock Code: 057
