

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Lake Village**  
Waterway: **Mississippi River** Mile: 531 PWD: 079  
Name: **Farmers Grain Terminal, Lake Village Dock.**  
Location: Right bank, Mississippi River, mile 531.0 A.H.P., above Greenville Highway Bridge, Datum: LWRP  
Lake Village.  
Operator: Farmers Grain Terminal, Inc.  
Owner: Farmers Grain Terminal, Inc.  
Address: 295 Immigrant Road. Phone: 870/265-5301  
Town: Lake Village State: AR County: Chicot  
Railway Connection: None.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 10 | | Latitude (decimal): 33.271389  
Total Berthing Space (feet): 270 | | Longitude (decimal): -91.15944  
Remarks: Grain elevator in rear consisting of 5 steel storage tanks has total capacity for 1,000,000 bushels.  
Year of Last Survey: 2003 Corps of Eng'rs Waterway Code: 21531 Dock Code: 101 Vicksburg District

---

Port: **Angola**  
Waterway: **Mississippi River** Mile: 300.5 PWD: 003  
Name: **Angola Ferry Landings.**  
Location: Miles 300.5 and 305.0 A.H.P, left and right banks, Mississippi River, Angola; high and Datum: LWRP  
low water locatio  
Operator: Department of Corrections, State of Louisiana.  
Owner: Department of Transportation and Development, State of Louisiana.  
Address: State Highway 3190. Phone: 225/655-2602  
Town: Angola State: LA County: West Feliciana  
Railway Connection: None.  
Purpose: Landings for passenger and vehicular ferry.  
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 30.943611  
Total Berthing Space (feet): 60 | | Longitude (decimal): -91.64667  
Remarks: Ferry provides accommodation for workmen and supplies for Louisiana State Penitentiary at Angola.  
Year of Last Survey: 2003 Corps of Eng'rs Waterway Code: 20300 Dock Code: 101 New Orleans District

---

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Arkansas City**  
Waterway: **Mississippi River** Mile: 554 PWD: 076  
Name: **Transmontaigne Product Services, Arkansas City Wharf..**  
Location: Right bank, Mississippi River, mile 554.0 A.H.P., Arkansas City. Datum: LWRP  
Operator: Transmontaigne Product Services, Inc.  
Owner: Transmontaigne Product Services, Inc.  
Address: Texas Eastern Road. Phone: 870/877-2404  
Town: Arkansas City State: AR County: Desha  
Railway Connection: None.  
Purpose: Receipt of chemicals and petroleum products  
Depth Alongside (feet): 30 | | Latitude (decimal): 33.554444  
Total Berthing Space (feet): 450 | | Longitude (decimal): -91.23583  
Remarks: Three 12-inch and one 4-inch pipelines extend from wharf to 9 steel storage tanks at rear, total capacity 750,000 barrels.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21554 Dock Code: 101 Vicksburg District

Port: **Belzoni**  
Waterway: **Yazoo River** Mile: 116.3 PWD: 041  
Name: **Farmers Grain Terminal, Belzoni Dock.**  
Location: Mile 116.3, right bank of Yazoo River, approximately 0.6 mile below State Highway 12 Bridge, Belzoni. Datum: LWRP  
Operator: Farmers Grain Terminal, Inc.  
Owner: Farmers Grain Terminal, Inc.  
Address: 503 Silver City Road. Phone: 662/247-3828  
Town: Belzoni State: MS County: Humphreys  
Railway Connection: None.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 10 | | Latitude (decimal): 33.165  
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.49472  
Remarks: Grain elevator at rear consisting of 5 steel tanks has total capacity for 655,000 bushels.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21600 Dock Code: 116 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Delta**  
Waterway: **Mississippi River** Mile: 437.5 PWD: 090  
Name: **U.S. Army Corps of Engineers, Delta Point Casting Field Landing.**  
Location: Mile 437.5, A.H.P., right bank, Mississippi River, mile 437.5 Delta, approximately 1.7 miles above Inter Datum: LWRP  
Operator: Contractor for U.S. Army Corps of Engineers.  
Owner: U.S. Government.  
Address: Foot of St. Martin Street. Phone: 601/631-7864  
Town: Delta State: MS County: Madison  
Railway Connection: None.  
Purpose: Loading precast, concrete, articulated mattress blocks.  
Depth Alongside (feet): 10 - 45 | | Latitude (decimal): 32.335833  
Total Berthing Space (feet): 3200 | | Longitude (decimal): -90.92167  
Remarks: Bulldozer constructs causeways for truck access to floating equipment moored along bank as required.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21431 Dock Code: 252 Vicksburg District

---

Port: **DeSoto Landing**  
Waterway: **Mississippi River** Mile: 570.6 PWD: 075  
Name: **Bunge North America, DeSoto Landing Wharf.**  
Location: Right bank, Mississippi River, mile 570.6 A.H.P., DeSoto Landing. Datum: LWRP  
Operator: Bunge North America., Inc.  
Owner: Bunge North America., Inc.  
Address: 2724 Bunge Road. Phone: 870/877-2312  
Town: DeSoto Landing State: AR County: Desha  
Railway Connection: None.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 15 | | Latitude (decimal): 33.692222  
Total Berthing Space (feet): 425 | | Longitude (decimal): -91.22889  
Remarks: Grain elevator in rear consisting of 5 steel storage tanks has total capacity for 900,000 bushels.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21570 Dock Code: 601 Vicksburg District

---

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Grand Gulf Island**  
Waterway: **Mississippi River** Mile: 404.8 PWD: 010  
Name: **Claiborne County Port Commission Wharf.**  
Location: Lower side of rectangular dredged basin, mile 404.8 A.H.P, left bank, Mississippi River, Grand Gulf Isla Datum: LWRP  
Operator: Claiborne County Port Commission.  
Owner: Claiborne County Port Commission.  
Address: Foot of Frank Headley Road Phone: 601/437-5216  
Town: Grand Gulf Is. State: MS County: Claiborne  
Railway Connection: None.  
Purpose: Receipt and shipment of miscellaneous dry bulk materials.  
Depth Alongside (feet): 12 | | Latitude (decimal): 31.994167  
Total Berthing Space (feet): 290 | | Longitude (decimal): -91.0775  
Remarks: Approximately 10 acres of open storage area are located in rear.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21404 Dock Code: 801 Vicksburg District

---

Port: **Grand Gulf Island**  
Waterway: **Mississippi River** Mile: 406.4 PWD: 011  
Name: **Grand Gulf Nuclear Station, Slip.**  
Location: Mile 406.4 A.H.P, left bank, Mississippi River, Grand Gulf Island. Datum: LWRP  
Operator: System Energy Resources, Inc.  
Owner: System Energy Resources, Inc.  
Address: Grand Gulf Road. Phone: 601/437-6470  
Town: Grand Gulf Island State: MS County: Claiborne  
Railway Connection: None.  
Purpose: Occasional receipt of plant equipment; deployment of company-owned surveillance craft.  
Depth Alongside (feet): 0 - 12 | | Latitude (decimal): 32.018056  
Total Berthing Space (feet): 1000 | | Longitude (decimal): -91.06889  
Remarks: Slip originally was used for handling heavy construction materials and equipment when plant was under construction. A barge-grounding platform of crushed stone was constructed as required, corresponding to river stage so as to form a stable platform for transfer operations.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21406 Dock Code: 401 Vicksburg District

---

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 0.6 PWD: 045  
Name: **Entergy, Gerald Andrus, Steam Electric Station Wharf.**  
Location: Southwest side, inner end of Greenville Harbor Basin off Lake Ferguson, 0.6 mile above Mile 537.0, left Datum: LWRP  
Operator: Entergy LLC.  
Owner: System Fuels, Inc.  
Address: 200 M.P. & L. Road. Phone: 662/379-2910  
Town: Greenville State: MS County: Washington  
Railway Connection: One unused surface track in rear connects with Columbus and Greenville Railroad.  
Purpose: Receipt of fuel oil for plant consumption.  
Depth Alongside (feet): 20 | | Latitude (decimal): 33.354722  
Total Berthing Space (feet): 490 | | Longitude (decimal): -91.11306  
Remarks: One 20-inch and one 12-inch pipelines extend from wharf to 8 steel storage tanks at rear, total capacity 1,850,000 barrels.  
Year of Last Survey: 2003 Corps of Eng'rs Waterway Code: 21537 Dock Code: 020 Vicksburg District

---

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 0.6 PWD: 048  
Name: **Greenville Port Commission, Public Terminal Wharf.**  
Location: North side, at entrance to Greenville Harbor Basin off Lake Ferguson, 0.6 mile above Mile 537.0, left bank Datum: LWRP  
Operator: Greenville Port Commission.  
Owner: Greenville Port Commission.  
Address: 2701 Harbor Front Road. Phone: 662/335-2683  
Town: Greenville State: MS County: Washington  
Railway Connection: Two parallel surface tracks on apron and one platform-level track at rear of transit shed connect with Columbus and Greenville Railroad.  
Purpose: Receipt and shipment of heavy-lift items and miscellaneous dry bulk commodities; Shipment of grain; receipt of liquid fertilizer.  
Depth Alongside (feet): 20 | | Latitude (decimal): 33.358333  
Total Berthing Space (feet): 680 | | Longitude (decimal): -91.10972  
Remarks: Bridge crane serves two parallel barge berths. Scott Petroleum Co.: One 6-inch liquid fertilizer pipeline extends from wharf to 10 steel storage tanks, total capacity 900,000 gallons. Transit shed also serves as a storage warehouse (S.W. Ref. No 7). Approximately 1.6 acres of, paved, open storage area is located at rear.  
Year of Last Survey: 2003 Corps of Eng'rs Waterway Code: 21537 Dock Code: 037 Vicksburg District

---

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 0.6 PWD: 047  
Name: **Mississippi Marine Corp., South Yard Wharf.**  
Location: Northeast side, inner end of Greenville Harbor Basin off Lake Ferguson, 0.6 mile Datum: LWRP  
above Mile 537.0, left  
Operator: Mississippi Marine Corp.  
Owner: Mississippi Marine Corp.  
Address: 2690 Harbor Front Road. Phone: 662/332-5457  
Town: Greenville State: MS County: Washington  
Railway Connection: None.  
Purpose: Mooring barges for cleaning gas freeing and maintenance; mooring floating drydock.  
Depth Alongside (feet): 10 | | Latitude (decimal): 33.358056  
Total Berthing Space (feet): 723 | | Longitude (decimal): -91.10889  
Remarks: One 1,800-ton floating drydock and company-owned work barges are moored end to- wharf. Facilities are supplemented by those at North Yard (Ref No. 54).  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21537 Dock Code: 071 Vicksburg District

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 0.6 PWD: 046  
Name: **Producers Rice Mill, Greenville Wharf.**  
Location: Southeast side, inner end of Greenville Harbor Basin off Lake Ferguson, 0.6 mile Datum: LWRP  
above Mile 537.0, left  
Operator: Producers Rice Mill, Inc.  
Owner: Producers Rice Mill, Inc.  
Address: 105 Producers Drive. Phone: 662/334-6266  
Town: Greenville State: MS County: Washington  
Railway Connection: Two surface tracks serve loading spout and undertrack pit at elevator in rear connect with Columbus and Greenville Railroad.  
Purpose: Shipment of rice.  
Depth Alongside (feet): 12 | | Latitude (decimal): 33.355278  
Total Berthing Space (feet): 180 | | Longitude (decimal): -91.11028  
Remarks: Grain elevator in rear consisting of 27 concrete silos with 7 interstices and 43 steel tanks, has total capacity for 1,750,000 bushels. Rice is received by truck at two pits one served by a 30-inch, and the other by a 24-inch electric, belt-conveyor system.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21537 Dock Code: 195 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 1 PWD: 049  
Name: **Terral River Service, Greenville, Dock.**  
Location: Southerly shore of Lake Ferguson, 0.9 mile above Mile 537.0, left bank, Mississippi River. Datum: LWRP  
Operator: Terral River Service Inc.  
Owner: Terral River Service Inc.  
Address: 2635 Harbor Front Road. Phone: 662/335-4999  
Town: Greenville State: MS County: Washington  
Railway Connection: One surface track serving storage building in rear connects with Columbus and Greenville Railroad.  
Purpose: Receipt of dry bulk and liquid fertilizer.  
Depth Alongside (feet): 12 | | Latitude (decimal): 33.3625  
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.10444  
Remarks: One 6-inch pipeline extends from wharf to 3 steel storage tanks at rear, total capacity 982,800 gallons.  
One concrete and timber storage building in rear has capacity for 15,000 tons of dry bulk fertilizer  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21537 Dock Code: 296 Vicksburg District

---

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 1.1 PWD: 050  
Name: **APAC-Mississippi, Greenville, Dock.**  
Location: Southerly shore of Lake Ferguson, one mile above Mile 537.0, left bank, Mississippi River. Datum: LWRP  
Operator: APAC-Mississippi, Inc.  
Owner: APAC-Mississippi, Inc.  
Address: 2559 Harbor Front Road. Phone: 662/394-6900  
Town: Greenville State: MS County: Washington  
Railway Connection: None.  
Purpose: Receipt of sand and stone.  
Depth Alongside (feet): 2 | | Latitude (decimal): 33.363056  
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.10583  
Remarks: A ready-mix asphalt plant and an open storage area with capacity for 755,000 tons of material are located at rear.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21537 Dock Code: 045

---

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 1.2 PWD: 051  
Name: **Martin-Marietta Aggregates Greenville, Dock.**  
Location: Southerly shore of Lake Ferguson, 1.2 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP  
Operator: Martin-Marietta Aggregates.  
Owner: Martin-Marietta Aggregates.  
Address: 2535 Harbor Front Road. Phone: 601/335-9620  
Town: Greenville State: MS County: Washington  
Railway Connection: None.  
Purpose: Receipt of sand, stone, and gravel.  
Depth Alongside (feet): 2 - 8 | | Latitude (decimal): 33.363889  
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.1075  
Remarks: Approximately 11.8 acres of open storage area located at rear.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21537 Dock Code: 051 Vicksburg District

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 1.4 PWD: 052  
Name: **Mississippi Marine Corp., Central Yard Lower Wharf.**  
Location: Southerly shore of Lake Ferguson, 1.4 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP  
Operator: Mississippi Marine Corp.  
Owner: Mississippi Marine Corp.  
Address: 2401 Harbor Front Road. Phone: 662/332-5457  
Town: Greenville State: MS County: Washington  
Railway Connection: None.  
Purpose: Mooring barges and towboats for repair.  
Depth Alongside (feet): 9 | | Latitude (decimal): 33.365278  
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.10583  
Remarks: -  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21537 Dock Code: 293 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 1.6 PWD: 053  
Name: **Mississippi Marine Corp., Central Yard Upper Wharf.**  
Location: Southerly shore of Lake Ferguson, 1.6 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP  
Operator: Mississippi Marine Corp.  
Owner: Mississippi Marine Corp.  
Address: 2401 Harbor Front Road. Phone: 662/332-5457  
Town: Greenville State: MS County: Washington  
Railway Connection: None.  
Purpose: Mooring barges and towboats for repair; mooring floating drydocks.  
Depth Alongside (feet): 22 | | Latitude (decimal): 33.366667  
Total Berthing Space (feet): 325 | | Longitude (decimal): -91.10306  
Remarks: One 4,000-, and one 2,000-ton floating drydocks moored at upper end. Wharf is equipped with outlets for fresh water, steam, oxygen, and welding gas.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21537 Dock Code: 293 Vicksburg District

---

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 1.7 PWD: 054  
Name: **Mississippi Marine Corp., North Yard Wharf.**  
Location: Southerly shore of Lake Ferguson, 1.7 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP  
Operator: Mississippi Marine Corp.  
Owner: Mississippi Marine Corp.  
Address: 2219 Harbor Front Road. Phone: 662/332-5457  
Town: Greenville State: MS County: Washington  
Railway Connection: None.  
Purpose: Mooring barges and towboats for repair; mooring floating drydocks.  
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 33.368056  
Total Berthing Space (feet): 358 | 218 | Longitude (decimal): -91.10167  
Remarks: One 3,600-ton floating drydock is moored at face and one 2,500 ton floating drydock is moored at rear of face. Wharf is equipped with outlets for oxygen and compressed air.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21537 Dock Code: 293 Vicksburg District

---

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 2 PWD: 055  
Name: **Delta Terminal, Dock.**  
Location: Southerly shore of Lake Ferguson, 2.0 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP  
Operator: Delta Terminal, Inc. and Transmontaigne Product Services Inc.  
Owner: Delta Terminal, Inc.  
Address: 2081 Harbor Front Road. Phone: 662/332-9587  
Town: Greenville State: MS County: Washington  
Railway Connection: None.  
Purpose: Delta Terminal, Inc.:Receipt of petroleum products; Transmontaigne Product Services Inc.:Receipt of liquid urea.  
Depth Alongside (feet): 15 | | Latitude (decimal): 33.371389  
Total Berthing Space (feet): 275 | | Longitude (decimal): -91.0975  
Remarks: Transmontaigne Product Services Inc.: One 12- and one 8-inch pipelines extend from wharf to 2 steel storage tanks at rear; total capacity 5,760,000 gallons. Delta Terminal, Inc. Three 6-inch pipelines extend from wharf to 8 steel storage tanks at rear; total capacity 235,660 barrels. Jimmy Walker Inc.: One 6-inch pipeline extends from lower dolphin to one 910,000 gallon urea storage tank at rear.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21537 Dock Code: 095 Vicksburg District

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 2.2 PWD: 056  
Name: **Farmers Grain Terminal Greenville, Wharf.**  
Location: Southerly shore of Lake Ferguson, 2.2 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP  
Operator: Farmers Grain Terminal, Inc.  
Owner: Farmers Grain Terminal, Inc.  
Address: 1977 Harbor Front Road. Phone: 662/332-0987  
Town: Greenville State: MS County: Washington  
Railway Connection: One surface track serving undertrack pit and loading spout at grain elevator in rear connects with Columbus and Greenville Railroad.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 14 | | Latitude (decimal): 33.373056  
Total Berthing Space (feet): 358 | | Longitude (decimal): -91.095  
Remarks: Grain elevator in rear consisting of 10 concrete silos and 25 steel tanks, has total capacity for 7,957,000 bushels.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21537 Dock Code: 101 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 2.4 PWD: 059  
Name: **ConAgra International Fertilizer Greenville Wharf.**  
Location: Southerly shore of Lake Ferguson, 2.6 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP  
Operator: ConAgra International Fertilizer Inc.  
Owner: ConAgra International Fertilizer Inc.  
Address: 1699 Harbor Front Road.. Phone: 662/334-9555  
Town: Greenville State: MS County: Washington  
Railway Connection: None.  
Purpose: Receipt of dry bulk and liquid fertilizer.  
Depth Alongside (feet): 10 | | Latitude (decimal): 33.377222  
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.0925  
Remarks: A concrete and timber A-frame storage building at rear has capacity for 18,000 tons of dry bulk fertilizer.  
One 8-inch pipeline extends from wharf to one 2,184,000 gallon storage tank at rear.  
Year of Last Survey: 2003 Corps of Engns Waterway Code: 21537 Dock Code: 123

---

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 2.4 PWD: 058  
Name: **U.S. Coast Guard, Greenville Landing.**  
Location: Southerly shore of Lake Ferguson, 2.5 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP  
Operator: U.S. Coast Guard.  
Owner: U.S. Government.  
Address: 1797 Harbor Front Road.. Phone: 662/332-1044  
Town: Greenville State: MS County: Washington  
Railway Connection: None.  
Purpose: Mooring U.S. Coast Guard Cutter "USCGC Patoka"; handling navigation aids.  
Depth Alongside (feet): 10 | | Latitude (decimal): 33.375556  
Total Berthing Space (feet): 266 | | Longitude (decimal): -91.0925  
Remarks: Approximately 1| acres of open storage area are located at rear.  
Year of Last Survey: 2003 Corps of Engns Waterway Code: 21537 Dock Code: 342 Vicksburg District

---

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 2.4 PWD: 057  
Name: **Waterways Marine of Greenville, Valley Fleet Mooring.**  
Location: Southerly shore of Lake Ferguson, 2.4 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP  
Operator: Wepfer Marine of Greenville, dba. Waterways Marine of Greenville, Inc.  
Owner: Wepfer Marine of Greenville, dba. Waterways Marine of Greenville, Inc.  
Address: 1887 Harbor Front Road.. Phone: 662/335-2526  
Town: Greenville State: MS County: Washington  
Railway Connection: None.  
Purpose: Mooring barges for fleetting.  
Depth Alongside (feet): 10 | | Latitude (decimal): 33.373889  
Total Berthing Space (feet): 22 | | Longitude (decimal): -91.09417  
Remarks: -  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21537 Dock Code: 299 Vicksburg District

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 2.7 PWD: 060  
Name: **Superior Boat Works, Repair Wharf.**  
Location: Easterly shore of Lake Ferguson, 2.7 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP  
Operator: Superior Boat Works, Inc.  
Owner: Lea Brent.  
Address: 2281 Harbor Front Road. Phone: 662/378-4700  
Town: Greenville State: MS County: Washington  
Railway Connection: Two surface tracks in rear connect with Columbus and Greenville Railroad.  
Purpose: Mooring floating drydocks.  
Depth Alongside (feet): 13 | | Latitude (decimal): 33.378889  
Total Berthing Space (feet): 630 | | Longitude (decimal): -91.09083  
Remarks: One 1,500-, one 1,200- and one 1,000-ton floating drydocks are moored at wharf. Wharf is equipped with outlets for compressed air, welding gas, and oxygen.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21537 Dock Code: 127 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 2.8 PWD: 061  
Name: **Superior Boat Works, Outfitting Wharf.**  
Location: Easterly shore of Lake Ferguson, 2.8 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP  
Operator: Superior Boat Works, Inc.  
Owner: Superior Boat Works, Inc.  
Address: 2281 Harbor Front Road. Phone: 662/378-4700  
Town: Greenville State: MS County: Washington  
Railway Connection: Two surface tracks in rear connect with Columbus and Greenville Railroad.  
Purpose: Mooring barges and towboats awaiting repair.  
Depth Alongside (feet): 15 | | Latitude (decimal): 33.371944  
Total Berthing Space (feet): 240 | | Longitude (decimal): -91.08833  
Remarks: Wharf is equipped with outlets for welding gas.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21537 Dock Code: 127 Vicksburg District

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 4.5 PWD: 062  
Name: **Waterways Marine of Greenville, Mat Fleet Mooring.**  
Location: Easterly shore of Lake Ferguson, 4.5 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP  
Operator: Wepfer Marine of Greenville, dba. Waterways Marine of Greenville, Inc.  
Owner: U.S. Government.  
Address: 345 Deaton Street. Phone: 662/335-2526  
Town: Greenville State: MS County: Washington  
Railway Connection: None.  
Purpose: Mooring barges for fleetting.  
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 33.402222  
Total Berthing Space (feet): 600 | 3000 | Longitude (decimal): -91.07361  
Remarks: Fleetting area has capacity for 50 barges.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21537 Dock Code: 218 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 4.7 PWD: 063  
Name: **Transmontaigne Product Services, Greenville South Dock.**  
Location: Easterly shore of Lake Ferguson, 4.7 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP  
Operator: Transmontaigne Product Services, Inc.  
Owner: Transmontaigne Product Services, Inc.  
Address: 310 Walthall Street. Phone: 662/332-2692  
Town: Greenville State: MS County: Washington  
Railway Connection: One surface track serves terminal on opposite side of levee; connects with Columbus and Greenville Railroad.  
Purpose: Receipt of miscellaneous chemicals, hexane, synermax (feed additive) and liquid fertilizer.  
Depth Alongside (feet): 8 | | Latitude (decimal): 33.403889  
Total Berthing Space (feet): 250 | | Longitude (decimal): -91.07306  
Remarks: Six 8-inch pipelines extend from wharf to 11 steel storage tanks at terminal in rear, total capacity 237,000 barrels.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21537 Dock Code: 225 Vicksburg District

---

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 4.8 PWD: 064  
Name: **Transmontaigne Product Services, Greenville North Dock.**  
Location: Easterly shore of Lake Ferguson, 4.8 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP  
Operator: Transmontaigne Product Services, Inc.  
Owner: Transmontaigne Product Services, Inc.  
Address: 310 Walthall Street. Phone: 662/332-2692  
Town: Greenville State: MS County: Washington  
Railway Connection: One surface track serves terminal on opposite side of levee, Ref. No. 63; connects with Columbus and Greenville Railroad.  
Purpose: Receipt of petroleum products.  
Depth Alongside (feet): 12 | | Latitude (decimal): 33.406389  
Total Berthing Space (feet): 125 | | Longitude (decimal): -91.07167  
Remarks: Three 6-inch pipelines extend from wharf to 12 steel storage tanks at rear, total capacity 160,000 barrels.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21537 Dock Code: 225 Vicksburg District

---

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 6 PWD: 065  
Name: **Southern States Cooperative, Greenville Wharf.**  
Location: Easterly shore of Lake Ferguson, 6.0 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP  
Operator: Not operated.  
Owner: Southern States Cooperative.  
Address: 100 Belle Aire Street. Phone:  
Town: Greenville State: MS County: Washington  
Railway Connection: None.  
Purpose: Not used.  
Depth Alongside (feet): 12 | | Latitude (decimal): 33.420833  
Total Berthing Space (feet): 125 | | Longitude (decimal): -91.05917  
Remarks: Three 6-inch pipelines extending from wharf were empty at time of survey (2003). Property was for sale.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21537 Dock Code: 297

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 6.1 PWD: 066  
Name: **Greenville Gravel Co. Wharf.**  
Location: Easterly shore of Lake Ferguson, 6.1 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP  
Operator: Greenville Gravel Co., Inc.  
Owner: Greenville Gravel Co., Inc.  
Address: 200 Belle Aire Street. Phone: 662/332-8039  
Town: Greenville State: MS County: Washington  
Railway Connection: One surface track serves open storage area in rear of levee, connects with Columbus and Greenville Railroad.  
Purpose: Receipt of sand, gravel, crushed stone, and bulk lime.  
Depth Alongside (feet): 12 | | Latitude (decimal): 33.420833  
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.05972  
Remarks: Approximately 12 acres of open storage area located at rear has capacity for approximately 300,000 tons of material.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21537 Dock Code: 300 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 6.8 PWD: 067  
Name: **Bunge North America, Greenville Harbor Wharf.**  
Location: Easterly shore of Lake Ferguson, 6.8 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP  
Operator: Bunge North America., Inc.  
Owner: Bunge North America., Inc.  
Address: 992 River Grain Road. Phone: 662/378-8135  
Town: Greenville State: MS County: Washington  
Railway Connection: One surface track serving undertrack pit and loading spout at grain elevator in rear connects with Columbus and Greenville Railroad.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 13 | | Latitude (decimal): 33.432222  
Total Berthing Space (feet): 470 | | Longitude (decimal): -91.055  
Remarks: Grain elevator in rear consisting of 3 steel tanks and 10 concrete silos with 18 interstices has total capacity for 2,150,000 bushels.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21537 Dock Code: 340 Vicksburg District

Port: **Greenville**  
Waterway: **Lake Ferguson** Mile: 6.9 PWD: 068  
Name: **Dynergy Midstream Services, Greenville Wharf.**  
Location: Easterly shore of Lake Ferguson, 6.9 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP  
Operator: Dynergy Midstream Services, LLP.  
Owner: Dynergy Midstream Services, LLP.  
Address: 267 Provenza Road. Phone: 662/335-4846  
Town: Greenville State: MS County: Washington  
Railway Connection: None.  
Purpose: Receipt of liquefied petroleum gas.  
Depth Alongside (feet): 14 | | Latitude (decimal): 33.433333  
Total Berthing Space (feet): 140 | | Longitude (decimal): -91.05472  
Remarks: One 8- becoming 10-inch pipeline extends from wharf to 14 steel storage tanks at terminal on opposite side of levee in rear, total capacity 35,700 barrels.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21537 Dock Code: 341 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Greenville**  
Waterway: **Mississippi River** Mile: 536.8 PWD: 044  
Name: **Waterways Marine of Greenville, Warfield Point Wharf.**  
Location: Mile 536.8, left bank of Mississippi River, Greenville. Datum: LWRP  
Operator: Wepfer Marine of Greenville, dba. Waterways Marine of Greenville, Inc.  
Owner: Wepfer Marine of Greenville, dba. Waterways Marine of Greenville, Inc.  
Address: 100 Warfield Point Road. Phone: 662/335-2526  
Town: Greenville State: MS County: Washington  
Railway Connection: None.  
Purpose: Mooring midstream fueling barges; Mooring barges for maintenance and cleaning. mooring barges for  
fleeting. (See Remarks.)  
Depth Alongside (feet): 9 | 5 - 9 | 2 - 9 Latitude (decimal): 33.353333  
Total Berthing Space (feet): 30 | 130 | 100 Longitude (decimal): -91.12861  
Remarks: Midstream fueling barge WWG 2 is based at wharf. Company-operated "Greenville Fleet" with capacity  
for 25 barges is located in Greenville Harbor Basin adjacent to Producers Rice Mill Wharf, Ref. No. 46  
and the Archer Fleet with capacity for 50 barges generally moored end to extending approximately  
5,000 feet along lower end, west side of Lake Ferguson approximately 4,000 feet above wharf.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21537 Dock Code: 010 Vicksburg District

Port: **Hurricane Point**  
Waterway: **Mississippi River** Mile: 609 PWD: 074  
Name: **Bunge North America,, Hurricane Point Terminal Wharf.**  
Location: Left bank, Mississippi River, mile 609.0 A.H.P., Hurricane Point. Datum: LWRP  
Operator: Bunge North America., Inc.  
Owner: Bunge North America., Inc.  
Address: 11 Bunge Road, Hurricane Point. Phone: 662/747-2238  
Town: Hurricane Point State: MS County: Bolivar  
Railway Connection: None.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 15 | | | Latitude (decimal): 34.016944  
Total Berthing Space (feet): 250 | | | Longitude (decimal): -91.04028  
Remarks: Grain elevator in rear consisting of 5 steel storage tanks has total capacity for 1,390,000 bushels.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 22609 Dock Code: 702 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Lake Providence**  
Waterway: **Hagaman Chute** Mile: 1.8 PWD: 083  
Name: **Lake Providence Port Commission Ramp.**  
Location: Right bank, Hagaman Chute, approximately 1.8 miles above Mile 483.0 A.H.P., right Datum: LWRP  
bank, Mississippi Rive  
Operator: Terral River Service, Inc.  
Owner: Lake Providence Port Commission.  
Address: 409 Port Road. Phone: 318/559-2365  
Town: Lake Providence State: LA County: East Carroll  
Railway Connection: None.  
Purpose: Mooring towboats and barges; occasional receipt of miscellaneous bulk materials.  
Depth Alongside (feet): 0 - 9 | | Latitude (decimal): 32.753889  
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.17056  
Remarks: At higher river stages, increased depth alongside bulkhead allows for greater berthing distance to moor barges for unloading bulk materials to be stored at rear of Ref. No. 80.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21484 Dock Code: 403 New Orleans District

---

Port: **Lake Providence**  
Waterway: **Hagaman Chute** Mile: 1.8 PWD: 084  
Name: **Raley Transport, Lake Providence, Dock**  
Location: Right bank, Hagaman Chute, approximately 1.6 miles above Mile 483.0 A.H.P., right Datum: LWRP  
bank, Mississippi Rive  
Operator: Raley Transport, Inc.  
Owner: Raley Transport, Inc.  
Address: 487 Port Road. Phone: 318/552-8801  
Town: Lake Providence State: LA County: East Carroll  
Railway Connection: None.  
Purpose: Shipment of grain; Receipt of liquid fertilizer.  
Depth Alongside (feet): 9 | | Latitude (decimal): 32.753333  
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.17028  
Remarks: Seven steel storage tanks in rear have total capacity for 572, 500 bushels. One 8-inch pipeline extends from wharf to 6 steel fertilizer storage tanks at rear, total capacity 6,000,000 gallons  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21484 Dock Code: 405

---

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Lake Providence**  
Waterway: **Hagaman Chute** Mile: 1.9 PWD: 082  
Name: **Lake Providence Port Commission, General Cargo Pier.**  
Location: Right bank, Hagaman Chute, approximately 1.9 miles above Mile 483.0 A.H.P., right bank, Mississippi Rive Datum: LWRP  
Operator: Terral River Service, Inc.  
Owner: Lake Providence Port Commission.  
Address: 409 Port Road. Phone: 318/559-2365  
Town: Lake Providence State: LA County: East Carroll  
Railway Connection: One surface track on pier joins 2 platform-level tracks serving transit sheds in rear, connects with 40-car capacity yard of Delta Southern Railroad.  
Purpose: Receipt and shipment of general cargo; receipt and shipment of miscellaneous bulk materials.  
Depth Alongside (feet): 9 | | Latitude (decimal): 32.755278  
Total Berthing Space (feet): 220 | | Longitude (decimal): -91.17139  
Remarks: Open storage area in rear has capacity for 20,000 tons of bulk materials. Approximately 10 acres of additional open storage area is available as required. At time of survey, transit sheds were under lease to private operators.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21484 Dock Code: 403 New Orleans District

Port: **Lake Providence**  
Waterway: **Hagaman Chute** Mile: 2 PWD: 081  
Name: **Bunge North America, Lake Providence Elevator Dock.**  
Location: Right bank, Hagaman Chute, approximately 2.0 miles above Mile 483.0 A.H.P., right bank, Mississippi Rive Datum: LWRP  
Operator: Bunge North America., Inc.  
Owner: Bunge North America., Inc.  
Address: 337 Port Road. Phone: 318/559-2175  
Town: Lake Providence State: LA County: East Carroll  
Railway Connection: None.  
Purpose: Shipment of grain and soybeans.  
Depth Alongside (feet): 9 | | Latitude (decimal): 32.756389  
Total Berthing Space (feet): 350 | | Longitude (decimal): -91.17167  
Remarks: Grain elevator at rear consisting of 8 concrete silos and 12 metal bins, has total capacity for 1,400,000 bushels.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21484 Dock Code: 402 New Orleans District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Lake Providence**  
Waterway: **Hagaman Chute** Mile: 2.1 PWD: 080  
Name: **Terral River Service, Lake Providence, Dock.**  
Location: Right bank, Hagaman Chute, approximately 2.1 miles above Mile 483.0 A.H.P., right bank, Mississippi River Datum: LWRP  
Operator: Terral River Service, Inc.  
Owner: Terral River Service, Inc.  
Address: 378 Port Road. Phone: 318/559-1500  
Town: Lake Providence State: LA County: East Carroll  
Railway Connection: None.  
Purpose: Receipt of fertilizer, limestone, and agricultural limestone; mooring barges for fleetings (See Remarks).  
Depth Alongside (feet): 9 | | Latitude (decimal): 32.757222  
Total Berthing Space (feet): 153 | | Longitude (decimal): -91.17222  
Remarks: Timber storage building at rear has capacity for 24,000 tons of fertilizer; open storage area has capacity for approximately 50,000 tons of limestone. Operator maintains a public fleetings area with capacity for 30 barges, arranged 2 -abreast at shore moorings along opposite bank of Hagaman Chute.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21484 Dock Code: 401 New Orleans District

Port: **LeTourneau**  
Waterway: **Mississippi River** Mile: 426 PWD: 012  
Name: **LeTourneau Landing.**  
Location: Mile 426.0 A.H.P, left bank, Mississippi River, LeTourneau. Datum: LWRP  
Operator: LeTourneau Inc.  
Owner: LeTourneau Inc.  
Address: 3300 LeTourneau Drive. Phone: 601/629-3300  
Town: LeTourneau State: MS County: Warren  
Railway Connection: None.  
Purpose: Receipt of structural steel; Shipment of steel fabrications; Mooring barges and offshore, oil, well-drilling platforms for outfitting.  
Depth Alongside (feet): 0 - 40 | | Latitude (decimal): 32.1975  
Total Berthing Space (feet): 5280 | | Longitude (decimal): -90.98667  
Remarks: Offshore platforms constructed in yard, at rear, are launched by "walking" down bank into river.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21406 Dock Code: 001 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Mayersville**  
Waterway: **Mississippi River** Mile: 494.4 PWD: 042  
Name: **DuFour Petroleum, Mayersville Dock.**  
Location: Mile 494.4, left bank of Mississippi River, Mayersville. Datum: LWRP  
Operator: DuFour Petroleum, Inc.  
Owner: DuFour Petroleum, Inc.  
Address: Myres Road. Phone: 662/746-6661  
Town: Mayersville State: MS County: Issaquena  
Railway Connection: None.  
Purpose: Receipt and shipment of crude oil.  
Depth Alongside (feet): 25 | | Latitude (decimal): 32.876111  
Total Berthing Space (feet): 350 | | Longitude (decimal): -91.07861  
Remarks: One 12- becoming 20-inch pipeline extends from wharf to one 80,000 barrel steel storage tanks  
approximately 1 1/4 miles in rear.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21494 Dock Code: 402 Vicksburg District

---

Port: **Mayersville**  
Waterway: **Mississippi River** Mile: 497.4 PWD: 043  
Name: **Bunge North America, Mayersville, Grain Elevator Dock.**  
Location: Mile 497.4, left bank of Mississippi River, Mayersville. Datum: LWRP  
Operator: Bunge North America, Inc.  
Owner: Bunge North America, Inc.  
Address: Miller Landing, River Grain Road. Phone: 662/873-6266  
Town: Mayersville State: MS County: Issaquena  
Railway Connection: None.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 17 | | Latitude (decimal): 32.916667  
Total Berthing Space (feet): 420 | | Longitude (decimal): -91.06167  
Remarks: Grain elevator in rear consisting of 3 steel storage tanks, has total capacity for 1,328,000 bushels.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21497 Dock Code: 402 Vicksburg District

---

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Natchez**  
Waterway: **Mississippi River** Mile: 361.6 PWD: 004  
Name: **Natchez-Adams County Port Commission, General Cargo Wharf.**  
Location: Mile 361.5 A.H.P.,left bank,Mississippi River, Natchez, approximately, 1.7 miles below Datum: LWRP  
Natchez-Vidalia (U)  
Operator: Natchez-Adams County Port Commission.  
Owner: Natchez-Adams County Port Commission.  
Address: 2 River Terminal Road. Phone: 601/442-2561  
Town: Natchez State: MS County: Adams  
Railway Connection: One surface track along rear of face extending from lower approach; connects with  
Canadian National Railway.  
Purpose: Receipt and shipment of general cargo including heavy-lift items and miscellaneous bulk materials by  
conventional and roll-on, roll-off method; Mooring barges for fleeting (See Remarks).  
Depth Alongside (feet): 26 | | Latitude (decimal): 31.540278  
Total Berthing Space (feet): 650 | | Longitude (decimal): -91.43944  
Remarks: A 3-acre asphalt-surfaced open storage area is located at rear. Roll-on, roll-off cargo is handled via a  
concrete ramp located approximately 300 feet below wharf. Vidalia Dock & Storage Co. "Bellwood  
Fleet" with capacity for 10 barges moored 2 abreast at shore moorings is located approximately 1,500  
feet below wharf  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21360 Dock Code: 357 Vicksburg District

---

Port: **Natchez**  
Waterway: **Mississippi River** Mile: 361.7 PWD: 005  
Name: **Natchez-Adams County Port Commission, Liquid Products Wharf.**  
Location: Mile 361.7 A.H.P.,left bank,Mississippi River, Natchez, approximately, 1.7 miles below Datum: LWRP  
Natchez-Vidalia (U)  
Operator: Davidson Terminal Co.  
Owner: Natchez-Adams County Port Commission.  
Address: 20 L.E. Barry Road. Phone: 601/442-2561  
Town: Natchez State: MS County: Adams  
Railway Connection: None.  
Purpose: Receipt of black liquor and green liquor (chemicals); Receipt and shipment of caustic soda and sodium  
sulfite solution.  
Depth Alongside (feet): 26 | | Latitude (decimal): 31.540556  
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.43778  
Remarks: International Paper Co.: Four 12-,and two 8-inch pipelines extend from wharf to 28 steel storage tanks  
at rear, total capacity 810,600 barrels. Ethyl Petroleum Company: One 6-inch pipeline extends from  
wharf to 9 steel storage tanks at rear, total capacity approximately 111,000 barrels. Two additional 8-  
inch pipelines were inactive at time of survey.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21360 Dock Code: 357 Vicksburg District

---

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Natchez**  
Waterway: **Mississippi River** Mile: 362 PWD: 006  
Name: **U.S. Coast Guard, Natchez Landing.**  
Location: Mile 362.0 A.H.P.,left bank, Mississippi River, Natchez, approximately, 1.3 miles below Datum: LWRP  
Natchez-Vidalia (U)  
Operator: U.S. Coast Guard.  
Owner: U.S. Government.  
Address: 44 L.E. Barry Road. Phone: 601/446-5043  
Town: Natchez State: MS County: Adams  
Railway Connection: None.  
Purpose: Mooring U.S. Coast Guard Cutter "USCGC Greenbrier"; handling navigation aids.  
Depth Alongside (feet): 0 - 10 | | Latitude (decimal): 31.543889  
Total Berthing Space (feet): 270 | | Longitude (decimal): -91.43389  
Remarks: U.S. Coast Guard Base located in building at rear with repair and maintenance facilities. One 4-inch  
sewage pipeline serves vessels. Open area located in rear is used for storing navigation aids.  
Year of Last Survey: 2003 Corps of Engns Waterway Code: 21360 Dock Code: 350 Vicksburg District

---

Port: **Natchez**  
Waterway: **Mississippi River** Mile: 362.1 PWD: 007  
Name: **Natchez-Adams County Port Commission, Bulk Loading Wharf.**  
Location: Mile 362.1 A.H.P.,left bank, Mississippi River, Natchez, approximately, 1.3 miles below Datum: LWRP  
Natchez-Vidalia (U)  
Operator: Natchez-Adams County Port Commission.  
Owner: Natchez-Adams County Port Commission.  
Address: 52 L.E. Barry Road. Phone: 601/442-2561  
Town: Natchez State: MS County: Adams  
Railway Connection: None.  
Purpose: Receipt and shipment of miscellaneous dry bulk materials.  
Depth Alongside (feet): 24 | | Latitude (decimal): 31.544444  
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.43333  
Remarks: Wharf was under construction at time of survey (2003). A 3-acre open storage area is located at rear.  
Year of Last Survey: 2003 Corps of Engns Waterway Code: 21360 Dock Code: 357 Vicksburg District

---

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Natchez**  
Waterway: **Mississippi River** Mile: 362.2 PWD: 008  
Name: **River Cement Company, Natchez Dock.**  
Location: Mile 362.2 A.H.P.,left bank,Mississippi River, Natchez, approximately, 1.1 miles below Datum: LWRP  
Natchez-Vidalia (U)  
Operator: River Cement Co.  
Owner: River Cement Co.  
Address: 60 L.E. Barry Road. Phone: 601/442-4881  
Town: Natchez State: MS County: Adams  
Railway Connection: None.  
Purpose: Receipt of cement.  
Depth Alongside (feet): 21 | | Latitude (decimal): 31.545278  
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.43139  
Remarks: One 10-inch, pneumatic pipeline extends from wharf to one cement storage silo at rear divided into 6 compartments, total capacity 8,100 tons. Silo is served by a truck-loading station.  
Year of Last Survey: 2003 Corps of Engns Waterway Code: 21360 Dock Code: 359 Vicksburg District

Port: **Natchez**  
Waterway: **Mississippi River** Mile: 362.5 PWD: 009  
Name: **J.M. Jones Lumber Company, Landing.**  
Location: Mile 362.5 A.H.P.,left bank,Mississippi River, Natchez, approximately, 0.8 mile below Datum: LWRP  
Natchez-Vidalia (U.  
Operator: J.M. Jones Lumber Company, Inc.  
Owner: J.M. Jones Lumber Company, Inc.  
Address: 136 Government Fleet Road. Phone: 601/442-7471  
Town: Natchez State: MS County: Adams  
Railway Connection: Two surface tracks serving yard at rear connect with Canadian National Railway.  
Purpose: Occasional receipt of logs.  
Depth Alongside (feet): 0 - 20 | | Latitude (decimal): 31.549722  
Total Berthing Space (feet): 800 | | Longitude (decimal): -91.42583  
Remarks: Open storage area at rear has capacity for approximately 800,000 board feet of lumber.  
Year of Last Survey: 2003 Corps of Engns Waterway Code: 21360 Dock Code: 245 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **New Roads**  
Waterway: **Mississippi River** Mile: 262.7 PWD: 095  
Name: **Louisiana Generating, Big Cajun No. 2 Power Plant Wharf.**  
Location: Right bank, Mississippi River, Mile 262.7 A.H.P., New Roads. Datum: LWRP  
Operator: Louisiana Generating LLC.  
Owner: Louisiana Generating LLC.  
Address: 10431 Cajun No. 2 Road. Phone: 225/296-1751  
Town: New Roads State: LA County: Pointe Coupee  
Railway Connection: One surface track serving plant in rear connects with Kansas City Southern Railroad.  
Purpose: Receipt of coal for plant consumption.  
Depth Alongside (feet): 10 | | Latitude (decimal): 30.730278  
Total Berthing Space (feet): 2435 | | Longitude (decimal): -91.35861  
Remarks: Barges are positioned at unloader by a shuttle barge controlled by cables and winches attached to breasting dolphins. A 140- by 70-foot platform at outer end of approach, also serves as work area for servicing unloader as well as plant water intake built into substructure. Open storage area at plant in rear has capacity for 2,000,000 tons of coal, which is reclaimed via ground-level hoppers served by an underground 72-inch electric belt-conveyor system. Wharf has capacity for storing 25 loaded- and 25 empty barges.

---

Year of Last Survey: 2003 Corps of Engrs Waterway Code: 20262 Dock Code: 001 New Orleans District

Port: **Rosedale**  
Waterway: **Rosedale Harbor** Mile: 1.8 PWD: 069  
Name: **Jan Tran, Inc., Rosedale Dock and Fleeting Area.**  
Location: Easterly shore of Rosedale Harbor, 1.8 miles above Mile 584.5, left bank, Mississippi River. Datum: LWRP  
Operator: Jan Tran, Inc.  
Owner: Jan Tran, Inc.  
Address: 507 Russell Crutcher Road. Phone: 662/759-6841  
Town: Rosedale State: MS County: Bolivar  
Railway Connection: None.  
Purpose: Mooring barges and towboats for repair; mooring floating drydock; mooring barges for fleeting (see Remarks).  
Depth Alongside (feet): 11 | | Latitude (decimal): 33.811389  
Total Berthing Space (feet): 247 | | Longitude (decimal): -91.02028  
Remarks: Wharf is equipped with outlets for compressed air, oxygen, and welding gas. One 2,800-ton floating drydock is moored at wharf. Barge fleeting areas are located along entrance to Rosedale harbor and along both banks of Mississippi River at shore moorings between Miles 585.8 and 586.9 A.H.P, approximately 1.5 miles above entrance to Rosedale Harbor and have combined capacity for 250 barges arranged in tiers up to 6 abreast.

---

Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21585 Dock Code: 005 Memphis District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Rosedale**  
Waterway: **Rosedale Harbor** Mile: 2.5 PWD: 070  
Name: **Rosedale-Bolivar County Port Commission, Dry Bulk Unloading Dock.**  
Location: Easterly shore of Rosedale Harbor, 2.5 miles above Mile 584.5, left bank Mississippi River. Datum: LWRP  
Operator: Rosedale-Bolivar County Port Commission.  
Owner: Rosedale-Bolivar County Port Commission.  
Address: Russell Crutcher Road. Phone: 662/759-6212  
Town: Rosedale State: MS County: Bolivar  
Railway Connection: Trackage serving adjacent terminal (Ref. No. 71), connects with Great River Railroad.  
Purpose: Receipt and shipment of miscellaneous dry bulk commodities.  
Depth Alongside (feet): 9 | | Latitude (decimal): 33.8225  
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.02194  
Remarks: -  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21585 Dock Code: 050 Memphis District

Port: **Rosedale**  
Waterway: **Rosedale Harbor** Mile: 2.6 PWD: 071  
Name: **Rosedale-Bolivar County Port Commission, Public Dock.**  
Location: Easterly shore of Rosedale Harbor, 2.6 miles above Mile 584.5, left bank Mississippi River. Datum: LWRP  
Operator: Rosedale-Bolivar County Port Commission.  
Owner: Rosedale-Bolivar County Port Commission.  
Address: Russell Crutcher Road. Phone: 601/759-6212  
Town: Rosedale State: MS County: Bolivar  
Railway Connection: One carfloor-level track serves transit shed/warehouse in rear, connects with Great River Railroad.  
Purpose: Receipt and shipment of general cargo, including steel products, cottonseed, soybeans, and miscellaneous dry bulk commodities.  
Depth Alongside (feet): 9 | | Latitude (decimal): 33.8225  
Total Berthing Space (feet): 540 | | Longitude (decimal): -91.02194  
Remarks: Transit shed also serves as a storage warehouse (S.W. Ref. No 7). Approximately 15 acres of open storage area are located at rear. An additional 68 acres of open storage area are available however were not developed at time of survey.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21585 Dock Code: 050 Memphis District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Rosedale**  
Waterway: **Rosedale Harbor** Mile: 2.7 PWD: 072  
Name: **Jimmy Sanders, Rosedale, Fertilizer Dock.**  
Location: Easterly shore of Rosedale Harbor, 2.7 miles above Mile 584.5, left bank, Mississippi River. Datum: LWRP  
Operator: Jimmy Sanders, Inc.  
Owner: Jimmy Sanders, Inc.  
Address: Russell Crutcher Road. Phone: 662/759-3532  
Town: Rosedale State: MS County: Bolivar  
Railway Connection: None.  
Purpose: Receipt of dry bulk and liquid fertilizer.  
Depth Alongside (feet): 15 | | Latitude (decimal): 33.823611  
Total Berthing Space (feet): 110 | | Longitude (decimal): -91.0225  
Remarks: Concrete storage building at rear has capacity for 25,000 tons of bulk fertilizer. One 8-inch pipeline extends from wharf to 4 steel storage tanks in rear, total capacity 3,247,000 gallons.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21585 Dock Code: 054 Memphis District

---

Port: **Rosedale**  
Waterway: **Rosedale Harbor** Mile: 2.8 PWD: 073  
Name: **Jimmy Sanders, Rosedale, Grain Dock.**  
Location: Easterly shore of Rosedale Harbor, 2.8 miles above Mile 584.5, left bank, Mississippi River. Datum: LWRP  
Operator: Jimmy Sanders, Inc.  
Owner: Jimmy Sanders, Inc.  
Address: Russell Crutcher Road. Phone: 662/759-3532  
Town: Rosedale State: MS County: Bolivar  
Railway Connection: One surface track in rear connects with Great River Railroad.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 15 | | Latitude (decimal): 33.825  
Total Berthing Space (feet): 170 | | Longitude (decimal): -91.02361  
Remarks: Grain elevator in rear consisting of 22 steel storage tanks has total capacity for 3,440,000 bushels.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21585 Dock Code: 060 Memphis District

---

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Sartaria**  
Waterway: **Yazoo River** Mile: 45 PWD: 037  
Name: **Bunge North America, Sartaria Wharf.**  
Location: Mile 45.0, left bank of Yazoo River, Sartaria. Datum: LWRP  
Operator: Bunge North America, Inc.  
Owner: Bunge North America, Inc.  
Address: 5967 Dixie Farm Road. Phone: 662/746-5663  
Town: Sartaria State: MS County: Yazoo  
Railway Connection: None.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 10 | | Latitude (decimal): 32.633333  
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.58333  
Remarks: Grain elevator at rear consisting of 5 steel silos has total capacity for 455,000 bushels.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21600 Dock Code: 045

---

Port: **St. Joseph**  
Waterway: **Mississippi River** Mile: 396.4 PWD: 091  
Name: **Bunge North America, St. Joseph Elevator Dock.**  
Location: Right bank, Mississippi River, Mile 396.4 A.H.P., St. Joseph. Datum: LWRP  
Operator: Bunge North America, Inc.  
Owner: Bunge North America, Inc.  
Address: 1 Ferry Road. Phone: 318/766-3204  
Town: St. Joseph State: LA County: Tensas  
Railway Connection: None.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 12 | | Latitude (decimal): 31.923056  
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.19556  
Remarks: Grain elevator in rear consisting of 40 concrete silos with 16 interstices and 6 steel tanks, has total capacity for 3,600,000 bushels.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21396 Dock Code: 401 New Orleans District

---

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **St.Francisville**  
Waterway: **Mississippi River** Mile: 265.3 PWD: 001  
Name: **U.S. Army Corps of Engineers, St. Francisville Casting Field Landi**  
Location: Mile 265.3 A.H.P., left bank, Mississippi River, St. Francisville, approximately 0.5 mile below St. Fran Datum: LWRP  
Operator: Contractor for U.S. Army Corps of Engineers.  
Owner: U.S. Government.  
Address: State Highway 10. Phone:  
Town: St.Francisville State: MS County: West Feliciana  
Railway Connection: None.  
Purpose: Loading precast, concrete, articulated mattress blocks.  
Depth Alongside (feet): 9 | | Latitude (decimal): 30.763611  
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.37667  
Remarks: Sections of articulated concrete mattresses are cast in field at rear, loaded onto trucks, transported to wharf or bank and loaded by crane onto barges. Facility is operated on an as required basis.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 20265 Dock Code: 302 New Orleans District

Port: **St.Francisville**  
Waterway: **Mississippi River** Mile: 266 PWD: 002  
Name: **St. Francisville Ferry Landings.**  
Location: Mile 266.0 A.H.P., left and right banks, Mississippi River, St. Francisville, below mouth of Bayou Sara. Datum: LWRP  
Operator: Department of Transportation and Development, State of Louisiana.  
Owner: Department of Transportation and Development, State of Louisiana.  
Address: State Highway 10. Phone:  
Town: St.Francisville State: LA County: West Feliciana  
Railway Connection: None.  
Purpose: Landings for passenger and vehicular ferry.  
Depth Alongside (feet): 12 | | Latitude (decimal): 30.7625  
Total Berthing Space (feet): 120 | | Longitude (decimal): -91.38583  
Remarks: Ferry provides service between St. Francisville and New Roads on State Highway 10.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 20266 Dock Code: 101 New Orleans District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Tallulah**  
Waterway: **Mississippi River** Mile: 442 PWD: 089  
Name: **Farmers Grain Terminal, Tallulah Elevator Wharf.**  
Location: Right bank, Mississippi River, Mile 442.0 A.H.P., Tallulah. Datum: LWRP  
Operator: Farmers River Terminal, Inc.  
Owner: Farmers Grain Terminal, Inc.  
Address: 330 Farmers Grain Road. Phone: 318/574-0564  
Town: Tallulah State: LA County: Madison  
Railway Connection: None.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 40 | | Latitude (decimal): 32.347778  
Total Berthing Space (feet): 250 | | Longitude (decimal): -90.98  
Remarks: Grain elevator at rear consists of 15 steel storage tanks, total capacity 1,300,000 bushels.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21442 Dock Code: 101 New Orleans District

Port: **Tallulah**  
Waterway: **Mississippi River** Mile: 457.2 PWD: 088  
Name: **Madison Parish Port Commission Wharf.**  
Location: Right bank, Mississippi River, Mile 457.2 A.H.P., Tallulah. Datum: LWRP  
Operator: Terral River Service, Inc.  
Owner: Madison Parish Port Commission.  
Address: 466 Port Road. Phone: 318/574-4487  
Town: Tallulah State: LA County: Madison  
Railway Connection: One surface track extending to face of wharf, joins additional tracks serving transit sheds and open storage area in rear; connects with Delta Southern Railroad.  
Purpose: Receipt and shipment of general cargo, machinery, heavy-lift items, and dry bulk commodities; Receipt of liquid fertilizer; mooring barges for fleetings (See Remarks).  
Depth Alongside (feet): 9 | | Latitude (decimal): 32.536944  
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.12222  
Remarks: Mid Delta Terminal LLC.: One 8-inch pipeline extends from wharf to 4 steel storage tanks in rear, total capacity 3,985,800 gallons; Farm Chemical Group: One 6-inch pipeline extends from wharf to one 728,000 capacity storage tank in rear. Four acres of paved- and 11 acres of unpaved open storage area are located at rear. Terral River Service, Inc. maintains the "Tallulah Fleet" with capacity for approximately 30 barges moored up to 2-abreast at shore moorings located below wharf.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21457 Dock Code: 202 New Orleans District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Tallulah**  
Waterway: **Mississippi River** Mile: 457.3 PWD: 087  
Name: **Bunge North America, Tallulah Grain Elevator Dock.**  
Location: Right bank, Mississippi River, Mile 457.3 A.H.P., Tallulah. Datum: LWRP  
Operator: Bunge North America, Inc. and Terral River Service, Inc.  
Owner: Bunge North America, Inc.  
Address: 132 Bunge Road. Phone: 318/574-2441  
Town: Tallulah State: LA County: Madison  
Railway Connection: None.  
Purpose: Bunge North America.:Receipt and shipment of grain; Terral River Service Inc.:Receipt of liquid fertilizer.  
Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 32.538889  
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.12167  
Remarks: Bunge North America: Grain elevator at rear consists of 16 concrete silos with 13 interstices, and 4 steel tanks and has capacity for 3,100,000 bushels. Terral River Service Inc.: One 6-inch pipeline extends from lower platform to 7 steel liquid fertilizer storage tanks at rear, total capacity 8,845,200 gallons.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21457 Dock Code: 201 New Orleans District

Port: **Transylvania**  
Waterway: **Mississippi River** Mile: 468.2 PWD: 086  
Name: **Raley Transport, Goodrich Landing, Grain Elevator, Dock.**  
Location: Right bank, Mississippi River, Mile 468.2 A.H.P., Transylvania. Datum: LWRP  
Operator: Raley Transport, Inc.  
Owner: Raley Transport, Inc.  
Address: Goodrich Landing Road. Phone: 318/552-8801  
Town: Transylvania State: LA County: East Carroll  
Railway Connection: None.  
Purpose: Shipment of grain; Receipt of liquid fertilizer.  
Depth Alongside (feet): 15 | | Latitude (decimal): 32.638056  
Total Berthing Space (feet): 530 | | Longitude (decimal): -91.16389  
Remarks: Grain elevator at rear, consisting of 3 steel storage tanks has total capacity for 260,000 bushels. One 6-inch pipeline extends from center dolphin along approach to two liquid fertilizer storage tanks at rear, total capacity 864,500 gallons.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21468 Dock Code: 501 New Orleans District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Transylvania**  
Waterway: **Mississippi River** Mile: 468.6 PWD: 085  
Name: **Bunge North America, Goodrich Landing Elevator Dock.**  
Location: Right bank, Mississippi River, Mile 468.6 A.H.P., Transylvania. Datum: LWRP  
Operator: Bunge North America., Inc.  
Owner: Bunge North America., Inc.  
Address: 621 Bunge Road. Phone: 318/559-2175  
Town: Transylvania State: LA County: East Carroll  
Railway Connection: None.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 15 | | Latitude (decimal): 32.641389  
Total Berthing Space (feet): 530 | | Longitude (decimal): -91.16472  
Remarks: Grain elevator at rear consisting of 2 concrete silos and one steel tank has total capacity for 1,846,000 bushels.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21468 Dock Code: 901 New Orleans District

Port: **Vicksburg**  
Waterway: **Mississippi River** Mile: 433.1 PWD: 013  
Name: **Baxter Wilson, Steam Electric Station Wharf.**  
Location: Mile 433.1 A.H.P, left bank, Mississippi River, Vicksburg, approximately 2.6 miles below Interstate High Datum: LWRP  
Operator: Entergy dba Mississippi Power and Light Co.  
Owner: System Fuels, Inc.  
Address: 770 Kemp Bottom Road Phone: 601/631-6224  
Town: Vicksburg State: MS County: Warren  
Railway Connection: One surface track serving plant at rear connects with Kansas City Southern Railway.  
Purpose: Receipt of fuel oil by barge.  
Depth Alongside (feet): 15 | | Latitude (decimal): 32.284444  
Total Berthing Space (feet): 550 | | Longitude (decimal): -90.93167  
Remarks: One 12- and one 24-inch pipeline, becoming respectively two 12- and two 16-inch pipelines, extend from wharf to 5 steel storage tanks at rear, total capacity 1,005,300 barrels. Three steel dolphins for debris deflection are located at upper end.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21431 Dock Code: 110 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Vicksburg**  
Waterway: **Mississippi River** Mile: 436.6 PWD: 014  
Name: **Ergon Marine and Industrial Supply, Wharf.**  
Location: Mile 436.6 A.H.P, left bank, Mississippi River, Vicksburg, approximately 0.9 mile above Interstate Highw Datum: LWRP  
Operator: Ergon Marine and Industrial Supplies.  
Owner: Ergon Marine and Industrial Supplies.  
Address: 100 Lee Street Phone: 601/636-6552  
Town: Vicksburg State: MS County: Warren  
Railway Connection: None.  
Purpose: Supplying midstream fueling barges.  
Depth Alongside (feet): 11 | | Latitude (decimal): 32.325833  
Total Berthing Space (feet): 100 | | Longitude (decimal): -90.89639  
Remarks: Three midstream fueling barges are based at wharf. Lubricating oil is supplied by a 2-inch pipeline extending from 6 steel storage tanks located approximately 0.7 mile upstream, total capacity 116,000 barrels.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21431 Dock Code: 260

---

Port: **Vicksburg**  
Waterway: **Mississippi River** Mile: 437 PWD: 015  
Name: **Miller Materials, Wharf.**  
Location: Mile 437.0 A.H.P., left bank, Mississippi River, foot of Dorsey Street. Datum: LWRP  
Operator: Miller Materials, Inc.  
Owner: Miller Materials, Inc.  
Address: 657 Dorsey Street. Phone: 601/634-1965  
Town: Vicksburg State: MS County: Warren  
Railway Connection: None.  
Purpose: Receipt of crushed stone.  
Depth Alongside (feet): 10 | | Latitude (decimal): 32.333333  
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.89611  
Remarks: Open storage area are located at rear has capacity for approximately 15,000 tons of material  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21431 Dock Code: 280 Vicksburg District

---

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Vicksburg**  
Waterway: **Vicksburg Harbor** Mile: 0.8 PWD: 020  
Name: **ConAgra International Fertilizer Co., Wharf.**  
Location: Vicksburg Harbor, approximately 0.8 mile above mile 2.7 Yazoo River Diversion Datum: LWRP  
Canal.  
Operator: ConAgra International Fertilizer Co.  
Owner: ConAgra International Fertilizer Co.  
Address: 461 Haining Road. Phone: 601/636-3144  
Town: Vicksburg State: MS County: Warren  
Railway Connection: One surface track at rear connects with Kansas City Southern Railway.  
Purpose: Receipt of dry and liquid fertilizer, lime, limestone, and miscellaneous granular dry bulk commodities.  
Depth Alongside (feet): 14 | | Latitude (decimal): 32.381667  
Total Berthing Space (feet): 160 | | Longitude (decimal): -90.87611  
Remarks: One 10-inch pipeline extends from wharf to one 500,000-gallon fertilizer storage tank. Dry bulk storage facilities at terminal include one 8,000-ton capacity concrete storage dome; one 11,000-ton capacity, steel, flat storage building, and open storage area for 10,000 tons of limestone.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21599 Dock Code: 190 Vicksburg District

Port: **Vicksburg**  
Waterway: **Vicksburg Harbor** Mile: 0.9 PWD: 021  
Name: **Shell Lubricants/Pennzoil-Quaker State, Vicksburg Wharf.**  
Location: Vicksburg Harbor, approximately 0.9 mile above mile 2.7, Yazoo River Diversion Datum: LWRP  
Canal.  
Operator: Pennzoil-Quaker State Co.  
Owner: Pennzoil-Quaker State Co.  
Address: 685 Haining Road. Phone: 601/634-0312  
Town: Vicksburg State: MS County: Warren  
Railway Connection: Two surface tracks at rear connect with Kansas City Southern Railway.  
Purpose: Receipt of lubricating oil.  
Depth Alongside (feet): 8 | | Latitude (decimal): 32.382222  
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.86917  
Remarks: One 8-inch pipeline extends from platform to 38 steel storage tanks at terminal in rear, total capacity 171,400 barrels. One 3-inch steam pipeline serves wharf. Blending and packaging plants located at terminal.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21599 Dock Code: 191 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Vicksburg**  
Waterway: **Vicksburg Harbor** Mile: 1.1 PWD: 022  
Name: **Magnolia Marine Transport Co., Dock.**  
Location: Vicksburg Harbor, approximately 1.1 miles above mile 2.7, Yazoo River Diversion Datum: LWRP  
Canal.  
Operator: Magnolia Marine Transport Co.  
Owner: Magnolia Marine Transport Co.  
Address: 697 Haining Road. Phone: 601/638-5921  
Town: Vicksburg State: MS County: Warren  
Railway Connection: None.  
Purpose: Mooring company-owned floating equipment.  
Depth Alongside (feet): 9 | | Latitude (decimal): 32.384167  
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.88  
Remarks: -  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21599 Dock Code: 203 Vicksburg District

Port: **Vicksburg**  
Waterway: **Vicksburg Harbor** Mile: 1.2 PWD: 023  
Name: **Holcim, Vicksburg Terminal Dock.**  
Location: Vicksburg Harbor, approximately 1.2 miles above mile 2.7, Yazoo River Diversion Datum: LWRP  
Canal.  
Operator: Holcim (US),Inc.  
Owner: Holcim (US),Inc.  
Address: 855 Haining Road. Phone: 601/636-4911  
Town: Vicksburg State: MS County: Warren  
Railway Connection: Two surface tracks serve terminal in rear; connect with Kansas City Southern Railway.  
Purpose: Receipt of cement.  
Depth Alongside (feet): 8 | | Latitude (decimal): 32.385  
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.88083  
Remarks: One 12-inch pneumatic pipeline extends from float along elevated approach to 2 concrete, cement  
storage silos in rear, total capacity 2,100 tons.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21599 Dock Code: 194 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Vicksburg**  
Waterway: **Vicksburg Harbor** Mile: 1.2 PWD: 024  
Name: **U.S. Coast Guard, Vicksburg, Moorings.**  
Location: Vicksburg Harbor, approximately 1.2 miles above mile 2.7, Yazoo River Diversion Datum: LWRP  
Canal.  
Operator: U.S. Coast Guard.  
Owner: U.S. Government.  
Address: 225 Coast Guard Road. Phone: 601/636-8304  
Town: Vicksburg State: MS County: Warren  
Railway Connection: None.  
Purpose: Mooring U.S. Coast Guard Cutter Kickapoo.  
Depth Alongside (feet): 9 | | Latitude (decimal): 32.385833  
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.88222  
Remarks: One 4-inch sewage pipeline extends to holding tank on shore at rear.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21599 Dock Code: 195 Vicksburg District

Port: **Vicksburg**  
Waterway: **Vicksburg Harbor** Mile: 1.4 PWD: 025  
Name: **Big River, Ship Builders Dock.**  
Location: Vicksburg Harbor, approximately 1.4 miles above mile 2.7, Yazoo River Diversion Datum: LWRP  
Canal.  
Operator: Big River Shipbuilders, Inc.  
Owner: Big River Shipbuilders, Inc.  
Address: 404 Port Terminal Circle. Phone: 601/636-9161  
Town: Vicksburg State: MS County: Warren  
Railway Connection: None.  
Purpose: Mooring barges and towboats for repair; mooring floating drydock.  
Depth Alongside (feet): 9 | | Latitude (decimal): 32.387222  
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.88472  
Remarks: Wharf equipped with outlets for oxygen, water, and natural gas. One 1,650-, one 1,000-, and one 700-  
ton floating drydocks are moored at wharf.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21599 Dock Code: 196 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Vicksburg**  
Waterway: **Vicksburg Harbor** Mile: 1.5 PWD: 026  
Name: **Port of Vicksburg Terminal, Wharf.**  
Location: Vicksburg Harbor, approximately 1.5 miles above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.  
Operator: Kinder Morgan Bulk Terminals, Inc.  
Owner: Warren County Port Commission.  
Address: 300 Port Terminal Circle. Phone: 601/636-6643  
Town: Vicksburg State: MS County: Warren  
Railway Connection: Two surface tracks serve terminal in rear; connect with Kansas City Southern Railway.  
Purpose: Receipt and shipment of general cargo, heavy equipment, paper products, machinery, steel and concrete pipe, corn pellets, and other miscellaneous dry bulk materials.  
Depth Alongside (feet): 15 | | Latitude (decimal): 32.3875  
Total Berthing Space (feet): 360 | | Longitude (decimal): -90.88611  
Remarks: Approximately 0.7 acres paved, and 4 1/2 acres of unpaved open storage area are located at rear. Four buildings at rear are used as storage warehouses (S.W. Ref. Nos. 2, 3, 4, and 5).  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21599 Dock Code: 197 Vicksburg District

Port: **Vicksburg**  
Waterway: **Vicksburg Harbor** Mile: 1.6 PWD: 027  
Name: **Port of Vicksburg, T-Dock.**  
Location: Vicksburg Harbor, approximately 1.6 miles above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.  
Operator: Kinder Morgan Bulk Terminals, Inc.  
Owner: Warren County Port Commission.  
Address: 300 Port Terminal Circle. Phone: 601/636-6643  
Town: Vicksburg State: MS County: Warren  
Railway Connection: Two surface tracks serve terminal in rear; connect with Kansas City Southern Railway.  
Purpose: Receipt and shipment of general cargo, heavy equipment, machinery, steel and concrete pipe, and other heavy lift items.  
Depth Alongside (feet): 15 | | Latitude (decimal): 32.387778  
Total Berthing Space (feet): 160 | | Longitude (decimal): -90.88806  
Remarks: -  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21599 Dock Code: 197 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Vicksburg**  
Waterway: **Vicksburg Harbor** Mile: 1.7 PWD: 028  
Name: **Falco Lime Vicksburg Harbor, Dock.**  
Location: Vicksburg Harbor, approximately 1.7 miles above mile 2.7, Yazoo River Diversion Datum: LWRP  
Canal.  
Operator: Falco Lime, Inc.  
Owner: Falco Lime, Inc.  
Address: 1543 Haining Road. Phone: 601/636-4911  
Town: Vicksburg State: MS County: Warren  
Railway Connection: Two surface tracks serving terminal at rear connect with Kansas City Southern Railway.  
Purpose: Receipt and shipment of lime.  
Depth Alongside (feet): 10 | | Latitude (decimal): 32.387778  
Total Berthing Space (feet): 140 | | Longitude (decimal): -90.88917  
Remarks: Four steel storage tanks at terminal in rear have total capacity for 2,400 tons.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21599 Dock Code: 198 Vicksburg District

Port: **Vicksburg**  
Waterway: **Vicksburg Harbor** Mile: 1.8 PWD: 029  
Name: **Citgo Petroleum Corp., Vicksburg Dock.**  
Location: Vicksburg Harbor, approximately 1.8 miles above mile 2.7, Yazoo River Diversion Datum: LWRP  
Canal.  
Operator: Citgo Petroleum Corp.  
Owner: Citgo Petroleum Corp.  
Address: 1585 Haining Road. Phone: 601/636-2061  
Town: Vicksburg State: MS County: Warren  
Railway Connection: None.  
Purpose: Receipt of petroleum products.  
Depth Alongside (feet): 8 | | Latitude (decimal): 32.388056  
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.89028  
Remarks: Four 8-inch pipelines extend from platform to 8 steel storage tanks at rear, total capacity 215,000  
barrels. One steel, 8- by 30-foot, steel work float moored at rear and one at lower side of platform.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21599 Dock Code: 199 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Vicksburg**  
Waterway: **Vicksburg Harbor** Mile: 2 PWD: 030  
Name: **Bunge North America, Vicksburg Harbor, Wharf.**  
Location: Vicksburg Harbor, approximately 2 miles above mile 2.7, Yazoo River Diversion Datum: LWRP  
Canal.  
Operator: Bunge North America., Inc.  
Owner: Bunge North America., Inc.  
Address: 1833 Haining Road. Phone: 601/638-3824  
Town: Vicksburg State: MS County: Warren  
Railway Connection: Two surface tracks, serving undertrack receiving pit and loading spout at elevator in rear,  
connect with Kansas City Southern Railway.  
Purpose: Receipt and shipment of grain.  
Depth Alongside (feet): 12 | | Latitude (decimal): 32.3875  
Total Berthing Space (feet): 450 | | Longitude (decimal): -90.895  
Remarks: Grain elevator in rear consisting of 4, steel storage buildings has total capacity for 6,000,000 bushels.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21599 Dock Code: 200 Vicksburg District

---

Port: **Vicksburg**  
Waterway: **Vicksburg Harbor** Mile: 2.2 PWD: 031  
Name: **Ergon Refining, Dock No. 1.**  
Location: Vicksburg Harbor, approximately 2.2 miles above mile 2.7, Yazoo River Diversion Datum: LWRP  
Canal.  
Operator: Ergon, Refining Inc.  
Owner: Ergon, Refining Inc.  
Address: 2125 Haining Road. Phone: 601/630-6348  
Town: Vicksburg State: MS County: Warren  
Railway Connection: Four surface tracks serving terminal in rear, connect with Kansas City Southern Railway.  
Purpose: Receipt of crude oil; receipt and shipment of diesel fuel.  
Depth Alongside (feet): 9 | | Latitude (decimal): 32.386667  
Total Berthing Space (feet): 325 | | Longitude (decimal): -90.89778  
Remarks: Two 12-inch pipelines extend from wharf to five steel crude oil storage tanks, total capacity 410,000  
barrels, located at terminal in rear, additional tankage is described under PWD Ref. No. 33  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21599 Dock Code: 202 Vicksburg District

---

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Vicksburg**  
Waterway: **Vicksburg Harbor** Mile: 2.2 PWD: 032  
Name: **Magnolia Marine Transport Co. Dock.**  
Location: Vicksburg Harbor, approximately 2.25 miles above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.  
Operator: Magnolia Marine Transport Co.  
Owner: Magnolia Marine Transport Co.  
Address: 2155 Haining Road. Phone: 601/638-5921  
Town: Vicksburg State: MS County: Warren  
Railway Connection: None.  
Purpose: Mooring company-owned floating equipment; mooring company-owned tank barges for maintenance and repair.  
Depth Alongside (feet): 9 | | Latitude (decimal): 32.386389  
Total Berthing Space (feet): 270 | | Longitude (decimal): -90.89778  
Remarks: -  
Year of Last Survey: 2003 Corps of Engns Waterway Code: 21599 Dock Code: 203 Vicksburg District

Port: **Vicksburg**  
Waterway: **Vicksburg Harbor** Mile: 2.3 PWD: 033  
Name: **Ergon Refining, Dock No. 2.**  
Location: Vicksburg Harbor, approximately 2.3 miles above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.  
Operator: Ergon, Refining Inc.  
Owner: Ergon, Refining Inc.  
Address: 2185 Haining Road. Phone: 601/630-6348  
Town: Vicksburg State: MS County: Warren  
Railway Connection: Four surface tracks serving terminal in rear, connect with Kansas City Southern Railway.  
Purpose: Receipt and shipment of petroleum products, receipt of crude oil and naphtha  
Depth Alongside (feet): 9 | | Latitude (decimal): 32.386111  
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.90028  
Remarks: Six 12-inch pipelines extend from wharf to one 840,000-gallon capacity, naphtha, storage tank and 14 product storage tanks, total capacity 495,900 barrels, located at terminal in rear, Additional tankage is described under PWD Ref. No. 31  
Year of Last Survey: 2003 Corps of Engns Waterway Code: 21599 Dock Code: 202 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Vicksburg**  
Waterway: **Vicksburg Harbor** Mile: 2.6 PWD: 034  
Name: **U.S. Army Corps of Engineers, Vicksburg District, Supply Base Moor**  
Location: Vicksburg Harbor, approximately 2.6 miles above mile 2.7, Yazoo River Diversion Canal. Datum: LWRP  
Operator: U.S. Army Corps of Engineers.  
Owner: U.S. Government.  
Address: 2577 Haining Road. Phone: 601/631-7864  
Town: Vicksburg State: MS County: Warren  
Railway Connection: One surface track at None.  
Purpose: Mooring and performing maintenance on government-owned floating equipment.  
Depth Alongside (feet): 14 | 14 | Latitude (decimal): 32.385  
Total Berthing Space (feet): 920 | 200 | Longitude (decimal): -90.90417  
Remarks: An additional 2,300 feet of mooring space along south side of harbor is used by Corps of Engineers MAT Sinking Unit.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21599 Dock Code: 205 Vicksburg District

Port: **Vicksburg**  
Waterway: **Vicksburg Harbor** Mile: 4 PWD: 035  
Name: **Ergon Refining, Dock No. 3**  
Location: Mile 5.0 A.H.P., left bank of Yazoo River Diversion Canal, Vicksburg Harbor. Datum:  
Operator: Ergon Refining, Inc.  
Owner: Ergon Refining, Inc.  
Address: 2125 Haining Road. Phone: 601/630-6348  
Town: Vicksburg State: MS County: Warren  
Railway Connection: None.  
Purpose: Receipt of crude oil; shipment of asphalt.  
Depth Alongside (feet): 2 - 10 | | Latitude (decimal): 32.384722  
Total Berthing Space (feet): 408 | | Longitude (decimal): -90.91028  
Remarks: One 12-inch pipeline extends from wharf to 3 crude oil storage tanks, total capacity 240,000 barrels; and one 12-inch pipeline extends to wharf from 10 asphalt storage tanks, total capacity 250,000 barrels.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21599 Dock Code: 210 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Vicksburg**  
Waterway: **Vicksburg Harbor** Mile: 4.1 PWD: 036  
Name: **Falco Lime Upper Harbor Dock.**  
Location: Inner end, east side of slip extending from mile 5.1, left bank, Yazoo River Diversion Canal; Vicksburg Datum: LWRP  
Operator: Falco Lime, Inc.  
Owner: Falco Lime, Inc.  
Address: 639 Industrial Drive Phone: 601/636-4911  
Town: Vicksburg State: MS County: Warren  
Railway Connection: None.  
Purpose: Receipt of cement, lime and dry bulk fertilizer.  
Depth Alongside (feet): 10 | | Latitude (decimal): 32.393889  
Total Berthing Space (feet): 150 | | Longitude (decimal): -90.91389  
Remarks: Storage building with 4 individual bins at rear has capacity for approximately 6,000 tons of fertilizer. Open storage area has capacity for 15,000 tons of lime. One 12-inch pneumatic pipeline extends from wharf to one 1,000 ton steel storage tank.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21599 Dock Code: 215 Vicksburg District

Port: **Vicksburg**  
Waterway: **Yazoo River Diversion Canal** Mile: 0.3 PWD: 016  
Name: **Southland Oil Co., Vicksburg Terminal Wharf.**  
Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 0.3 mile above Mile 437 A.H.P, left ban Datum: LWRP  
Operator: Southland Oil Co.  
Owner: Southland Oil Co.  
Address: 2600 Dorsey Street. Phone: 601/634-1361  
Town: Vicksburg State: MS County: Warren  
Railway Connection: None.  
Purpose: Receipt of asphalt; receipt and shipment of crude oil, caustic soda and sodium hydrosulfide, shipment of petroleum feedstock.  
Depth Alongside (feet): 6 | | Latitude (decimal): 32.338333  
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.89444  
Remarks: One 10-inch pipeline extends from wharf to 4 asphalt storage tanks, total capacity 125,500 barrels and, one 8-, and one 6-inch pipelines extend to 12 product storage tanks at rear, total capacity 223,000 barrels.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21599 Dock Code: 008 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Vicksburg**  
Waterway: **Yazoo River Diversion Canal** Mile: 0.7 PWD: 017  
Name: **Anderson-Tully Lumber Co. Dock.**  
Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 0.7 mile above Mile 437 A.H.P, left ban Datum: LWRP  
Operator: Anderson-Tully Lumber Co.  
Owner: Anderson-Tully Lumber Co.  
Address: 2200 Levee Street. Phone: 601/629-6782  
Town: Vicksburg State: MS County: Warren  
Railway Connection: One surface track at rear connects with Kansas City Southern Railway.  
Purpose: Receipt of logs by barge.  
Depth Alongside (feet): 9 | | Latitude (decimal): 32.343333  
Total Berthing Space (feet): | | Longitude (decimal): -90.89028  
Remarks: Lumber mill, open storage area for 500,000 board feet of logs and 3 stations for loading wood chips onto trucks are located in rear.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21599 Dock Code: 035 Vicksburg District

Port: **Vicksburg**  
Waterway: **Yazoo River Diversion Canal** Mile: 1 PWD: 018  
Name: **Bunge North America, Vicksburg, River Elevator Wharf.**  
Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately one mile above Mile 437 A.H.P, left ban Datum: LWRP  
Operator: Bunge North America, Inc.  
Owner: Bunge North America, Inc.  
Address: 1719 Levee Street. Phone: 601/638-3824  
Town: Vicksburg State: MS County: Warren  
Railway Connection: One surface track serving car receiving pit and car-loading spout at rear of grain elevator, connects with Kansas City Southern Railway.  
Purpose: Receipt and shipment of grain (See Remarks).  
Depth Alongside (feet): 0 | | Latitude (decimal): 32.3475  
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.8875  
Remarks: Grain elevator in rear consisting of 20 concrete silos and one steel storage tank has capacity for 1,000,000 bushels. Facility serves as a back-up operation for main facility described under PWD Ref. No. 30. Floating wharf is transferred between this location and PWD Ref. No. 30 as required.  
Year of Last Survey: 2003 Corps of Engnrs Waterway Code: 21599 Dock Code: 050 Vicksburg District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Vicksburg**  
Waterway: **Yazoo River Diversion Canal** Mile: 1.3 PWD: 019  
Name: **Vicksburg City, Wharf.**  
Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 1.3 miles above Mile 437 A.H.P, left ba Datum: LWRP  
Operator: City of Vicksburg.  
Owner: City of Vicksburg.  
Address: Foot of Clay Street. Phone: 601/634-4555  
Town: Vicksburg State: MS County: Warren  
Railway Connection: None.  
Purpose: Landing for harbor excursion vessels; mooring miscellaneous vessels.  
Depth Alongside (feet): 10 | | Latitude (decimal): 32.351389  
Total Berthing Space (feet): 250 | | Longitude (decimal): -90.885  
Remarks: -

Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21599 Dock Code: 070 Vicksburg District

Port: **Vidalia**  
Waterway: **Mississippi River** Mile: 361.8 PWD: 094  
Name: **Bunge North America, Vidalia Dock.**  
Location: Right bank, Mississippi River, Mile 361.8 A.H.P., approximately 1.3 miles below Natchez-Vidalia (U.S Hig Datum: LWRP  
Operator: Bunge North America, Inc. and Terral River Service, Inc.  
Owner: Bunge North America, Inc.  
Address: 106 State Highway 131. Phone: 318/336-5235  
Town: Vidalia State: LA County: Concordia  
Railway Connection: None.  
Purpose: Shipment of grain; receipt of liquid fertilizer.  
Depth Alongside (feet): 20 | | Latitude (decimal): 31.549722  
Total Berthing Space (feet): 460 | | Longitude (decimal): -91.43944  
Remarks: Grain elevator in rear consisting of 12 concrete silos with 16 interstices, and 2 steel tanks has total capacity for 2,000,000 bushels. Terral River Service, Inc.: One 8-inch pipeline extends from berth to one 1,020,000-gallon steel storage tank in rear.

Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21360 Dock Code: 158 New Orleans District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Vidalia**  
Waterway: **Mississippi River** Mile: 363.8 PWD: 093  
Name: **Vidalia Dock & Storage Co. Mooring.**  
Location: Right bank, Mississippi River, Mile 364.0 A.H.P., approximately 0.5 mile above Natchez-Vidalia (U.S High) Datum: LWRP  
Operator: Vidalia Dock & Storage Co., Inc.  
Owner: Vidalia Dock & Storage Co., Inc.  
Address: 707 Levee Road. Phone: 601/442-6812  
Town: Vidalia State: MS County: Concordia  
Railway Connection: None.  
Purpose: Receipt of lime and limestone: mooring barges for fleeting.  
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 31.567222  
Total Berthing Space (feet): 1500 | | Longitude (decimal): -91.41556  
Remarks: Approximately 4 acres of open storage area with capacity for 16,000 tons of stone are located in rear. Fleeting areas "Rockyard #1" and "Rockyard #2" located at bank with shore moorings adjacent to lower side have capacity for 10 barges each arranged 2- and 3- abreast.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21360 Dock Code: 653 Vicksburg District

Port: **Waterproof**  
Waterway: **Mississippi River** Mile: 381.8 PWD: 092  
Name: **Farmers Grain Terminal, Waterproof Elevator Wharf.**  
Location: Right bank, Mississippi River, Mile 381.8 A.H.P., Waterproof. Datum: LWRP  
Operator: Farmers River Terminal, Inc.  
Owner: Farmers Grain Terminal, Inc.  
Address: State Highway 568. Phone: 318/749-3762  
Town: Waterproof State: LA County: Tensas  
Railway Connection: None.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 8 | | Latitude (decimal): 31.830556  
Total Berthing Space (feet): 600 | | Longitude (decimal): -91.35833  
Remarks: Grain elevator in rear consisting of 16 concrete silos with 14 interstices, has total capacity for 940,000 bushels.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21381 Dock Code: 812 New Orleans District

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Yazoo City**  
Waterway: **Yazoo River** Mile: 74.1 PWD: 038  
Name: **Bunge North America, Yazoo City, Grain Elevator Dock.**  
Location: Mile 74.1, left bank of Yazoo River, Yazoo City. Datum: LWRP  
Operator: Bunge North America, Inc.  
Owner: Bunge North America, Inc.  
Address: 826 Levee Road. Phone: 662/746-5663  
Town: Yazoo City State: MS County: Yazoo  
Railway Connection: None.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 10 | | Latitude (decimal): 32.840556  
Total Berthing Space (feet): 650 | | Longitude (decimal): -90.44194  
Remarks: Grain elevator at rear consisting of one concrete silo and 5 steel tanks has total capacity for 2,295,000 bushels.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21600 Dock Code: 073 Vicksburg District

Port: **Yazoo City**  
Waterway: **Yazoo River** Mile: 74.4 PWD: 039  
Name: **Yazoo County Port Commission, Liquid Dock.**  
Location: Mile 74.4, left bank of Yazoo River, Yazoo City. Datum: LWRP  
Operator: Mississippi Chemical Corp.  
Owner: Yazoo County Port Commission.  
Address: 702 Levee Road. Phone: 662/751-2505  
Town: Yazoo City State: MS County: Yazoo  
Railway Connection: None.  
Purpose: Shipment of liquid fertilizer.  
Depth Alongside (feet): 10 | | Latitude (decimal): 32.845278  
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.44222  
Remarks: One 8-inch pipeline extends to pier from 3 steel storage tanks in rear, total capacity 14,100 tons.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21600 Dock Code: 074

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Yazoo City**  
Waterway: **Yazoo River** Mile: 74.5 PWD: 040  
Name: **Yazoo County Port Commission, Bulk Material Dock.**  
Location: Mile 74.5, left bank of Yazoo River, Yazoo City. Datum: LWRP  
Operator: Mississippi Chemical Corp.  
Owner: Yazoo County Port Commission.  
Address: 702 Levee Road. Phone: 662/751-2505  
Town: Yazoo City State: MS County: Yazoo  
Railway Connection: None.  
Purpose: Receipt and shipment of, fertilizer, and other miscellaneous bulk materials.  
Depth Alongside (feet): 10 | | Latitude (decimal): 32.843611  
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.4425  
Remarks: Concrete storage building at rear has capacity for approximately 11,000 tons of material, adjacent open storage area has capacity for 3,000 tons of bulk material.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21600 Dock Code: 074

---

Port: **Yellow Bend**  
Waterway: **Mississippi River** Mile: 552.7 PWD: 078  
Name: **Farmers Grain Terminal, Yellow Bend Wharf.**  
Location: Right bank, Mississippi River, mile 552.7 A.H.P., Yellow Bend. Datum: LWRP  
Operator: Farmers Grain Terminal, Inc.  
Owner: Producers Rice Mill, Inc.  
Address: State Highway 208. Phone: 870/877-2362  
Town: Yellow Bend State: AR County: Chicot  
Railway Connection: None.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 6 | | Latitude (decimal): 33.538889  
Total Berthing Space (feet): 360 | | Longitude (decimal): -91.22833  
Remarks: Grain elevator in rear consisting of 4 steel tanks has total capacity for 490,000 bushels.  
Year of Last Survey: 2003 Corps of Engrs Waterway Code: 21552 Dock Code: 601 Vicksburg District

---

**Port Series No. 72**  
**Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River**  
**Miles 255-620 AHP**

Port: **Yellow Bend**  
Waterway: **Mississippi River** Mile: 554.7 PWD: 077  
Name: **Yellow Bend River Port Wharf.**  
Location: Right bank, Mississippi River, mile 553.6 A.H.P., Yellow Bend. Datum: LWRP  
Operator: Oakley Port of Yellow Bend.  
Owner: Chicot-Desha Metropolitan Port Authority.  
Address: 5718 Levee Road Phone: 870/877-2007  
Town: Arkansas City State: AR County: Chicot  
Railway Connection: None.  
Purpose: Receipt and shipment of general cargo, steel products, Shipment of cottonseed, grain and miscellaneous dry bulk commodities.  
Depth Alongside (feet): 10 | | Latitude (decimal): 33.550556  
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.24694  
Remarks: A 52,730 square foot steel frame metal-covered storage building is located at rear. Grain elevator at rear consists of 2 steel tanks, total capacity 46,900 bushels.  
Year of Last Survey: 2003 Corps of Eng'rs Waterway Code: 21553 Dock Code: 501 Vicksburg District

---