

## LPMS SUMMARY by RIVER BASIN January - December 2006

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Allegheny River</b>										
Lock And Dam 2 1	7	5,742	1,896	4,093	6%	18%	6.06	.48		
C.W. Bill Young Lock & Dm 1	15	3,083	1,875	3,127	8%	15%	5.26	.56		3
Lock And Dam 4 1	24	4,347	1,408	3,754	7%	8%	3.24	.27		1
Lock And Dam 5 1	30	1,216	130	818	2%	6%	.17	.09		4
Lock And Dam 6 1	36	621	60	478	1%	4%	.07	.06		
Lock And Dam 7 1	46	897	64	561	0%	2%	.06	.06		1
Lock And Dam 8 1 *	53	1,332	623	1,164	9%	13%	1.10	.15		5
Lock And Dam 9 1 *	62	9	0	9	0%	0%	.00	.00		
<b>Atlantic Intracoastal Waterway</b>										
Great Bridge Guard Lock 1	12	11,437	1,068	5,166	45%	86%	12.61	.05	0.3	34
<b>Alabama-Coosa Rivers</b>										
Claiborne Lock And Dam 1	118	342	46	240	0%	0%	.00	.00		
<b>Apalachicola/Chattahoochee/Flint Rivers</b>										
Jim Woodruff Lock And Dam 1	106	436		256	0%	0%	.01	.00		
George W Andrews Lock And Dam 1	47	401		262	0%	0%	.00	.00		
Walter F George Lock And Dam 1	75	605		292	0%	0%	.01	.00		
<b>Atchafalaya River</b>										
Berwick Lock 1	75	6,553	24	4,100	62%	92%	3.76	.03		
<b>Black Rock Ch/Tonawanda Harbor</b>										
Black Rock Lock 1	75	1,677	247	1,282	26%	37%	.49	.03		250
<b>Black Warrior/Tombigbee Rivers</b>										
Demopolis Lock And Dam 1	213	3,340	12,294	2,998	31%	32%	49.68	1.29		
Holt Lock And Dam 1	347	1,503	4,780	1,247	10%	12%	5.68	.84		

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN January - December 2006

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Calcasieu River</b>										
Calcasieu Salt Water Barrier 1	347	10,889	617	5,149	47%	99%	5.00	.09	5.7	518
<b>Chicago River</b>										
Chicago Lock 1	347	35,814	128	12,030	0%	49%	.36	.07	0.2	5
<b>Clinch River</b>										
Melton Hill Lock 1 *	23	41	0	33	2%	11%	.02	.02		43
<b>Canaveral Harbor</b>										
Canaveral Lock 1	3	23,971	293	9,304	28%	71%	27.39	.11	3.7	406
<b>Columbia River</b>										
Bonneville Lock And Dam 2	145	3,121	9,417	2,908	93%	96%	15.60	.11		3
The Dalles Dam 1	192	2,476	9,102	2,412	99%	99%	75.13	.73	14.4	22
John Day Lock And Dam 1	217	2,199	8,079	2,146	98%	99%	68.89	.74		5
Mcnary Lock And Dam 1	292	2,285	6,908	2,119	94%	99%	9.49	.11		
<b>Cumberland River</b>										
Barkley Lock 1	31	1,974	4,622	2,217	18%	24%	16.78	1.21	0.5	47
Cheatham Lock 1	149	2,253	11,746	2,660	26%	30%	34.10	1.49		78
Cordell Hull Lock 1 *	314	164	1	81	0%	N/A%	.00	.00		
Old Hickory Lock 1	216	2,856	5,001	3,193	12%	19%	11.92	.74	4.1	393
<b>Dismal Swamp Canal Route</b>										
Deep Creek Lock 1	11	1,983	1	906	46%	85%	11.96	.02		
South Mills Lock 1	33	1,865		849	45%	N/A%	3.81	.00		2
<b>Freshwater Bayou</b>										
Freshwater Bayou Lock 1	33	20,816	2,620	13,455	123%	69%	245.84	.24		5
<b>Green &amp; Barren Rivers</b>										
Lock And Dam 1 1	9	3,463	8,564	3,189	6%	8%	3.35	.34		2
Lock And Dam 2 1	63	1,813	5,430	1,770	9%	9%	3.10	.47		5

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN January - December 2006

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b><i>Gulf Intracoastal Waterway</i></b>										
Port Allen Lock 1	63	7,882	25,146	6,567	90%	90%	930.30	3.16	0.4	716
Bayou Sorrel Lock 1	63	7,854	23,987	9,778	86%	87%	312.14	1.09	2.7	67
Inner Hrbr Navigation Canl Lk 1	63	8,095	16,681	9,371	91%	91%	2,421.33	7.93	1.6	209
Algiers Lock 1	63	16,141	26,543	11,261	83%	83%	1,699.53	3.10	4.2	35
Harvey Lock 1	63	5,133	852	4,338	87%	86%	47.29	.25	1.2	83
Bayou Boeuf Lock 1	63	21,371	25,954	14,026	70%	72%	170.05	.27		10
Calcasieu Lock 1	63	14,609	41,375	11,922	91%	92%	664.29	1.22	1.5	243
Colorado River East Lock 1	441	35,322	19,945	9,194	26%	81%	102.87	.26	1.0	18
Colorado River West Lock 1	442	22,940	19,403	8,810	38%	83%	92.86	.26	2.0	8
Brazos East Gate 1	400	16,986	20,443	9,892	58%	87%	118.92	.28	0.5	61
Brazos West Gate 1	401	16,615	20,458	9,858	59%	87%	99.60	.25	1.4	60
Schooner Bayou Control Struct 1 *	401	703	89	732	90%	94%	.98	.03	6.8	257
Catfish Point Control Struct 1	401	1,620	172	1,411	87%	100%	10.99	.76	7.9	553
Leland Bowman Lock 1	401	16,975	41,338	12,293	84%	84%	560.20	.95		6
<b><i>Hudson River</i></b>										
Troy Lock And Dam 1 *	401	3,986	1	2,657	37%	29%	15.20	.24		
<b><i>Illinois Waterway</i></b>										
Thomas J. Obrien Lock 1	327	19,121	9,480	7,274	3%	20%	7.55	.32		113
Lockport Lock 1	291	4,125	17,249	4,207	51%	60%	199.05	2.38		12

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN January - December 2006

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Illinois Waterway (cont.)</b>										
Brandon Road Lock And Dam 1	286	4,238	17,812	4,400	52%	61%	222.44	2.54	0.2	55
Dresden Island Lock And Dam 1	272	4,737	20,548	4,861	39%	56%	150.29	2.06		13
Marseilles Lock And Dam 1	245	4,471	21,026	4,634	52%	68%	210.76	2.38		49
Starved Rock Lock And Dam 1	231	4,974	23,187	4,942	38%	57%	163.76	2.20		4
Peoria Lock And Dam 1	158	5,117	30,515	5,510	34%	43%	127.01	1.83		26
Lagrange Lock And Dam 1	80	3,259	32,904	4,439	39%	41%	119.37	2.39		10
<b>Kanawha River</b>										
Winfield Locks And Dam Main 1 5	31	3,095	19,911	2,825	30%	33%	39.26	1.01		69
Marmet Locks And Dam Main 1 1	68	2,350	7,311	8,817	57%	60%	136.77	2.31		69
Marmet Locks And Dam Main 1 2	68	2,681	8,194	9,834	59%	62%	194.92	2.78		30
London Locks And Dam Main 1 1	83	285	316	344	0%	1%	.01	.01		
London Locks And Dam Main 1 2	83	940	1,584	1,729	2%	2%	.77	.45		4
<b>Kaskaskia River</b>										
Kaskaskia River Navigation Lk 1	1	3,899	671	2,110	0%	0%	.00	.00		
<b>Mississippi River</b>										
Lock And Dam 1 1 *	848	5,236	1,308	3,014	2%	8%	1.86	.21		4
Lock And Dam 2 1 *	815	7,954	7,342	3,569	4%	29%	12.46	.68		5
Lock And Dam 3 1 *	797	12,148	7,339	5,058	3%	22%	12.51	.74		4
Lock And Dam 4 1 *	753	12,462	8,239	4,684	3%	30%	11.57	.68		4
Lock And Dam 5 1 *	738	7,112	8,865	3,616	4%	25%	11.68	.91		6

\* Lock data not available for all months

1 - Average Time in Hours

**LPMS SUMMARY by RIVER BASIN**  
**January - December 2006**

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Mississippi River (cont.)</b>										
Lock And Dam 6 1 *	714	6,509	10,966	3,934	6%	28%	17.83	.98		5
Lock And Dam 7 1 *	702	9,459	10,914	4,522	6%	33%	27.19	1.02		6
Lock And Dam 8 1 *	679	7,115	11,712	3,475	6%	30%	26.82	1.24		7
Lock And Dam 9 1 *	647	5,902	13,923	3,947	11%	37%	35.42	1.14		11
Lock And Dam 10 1 *	615	6,692	16,429	4,194	8%	31%	28.16	1.02		4
Lock And Dam 11 1 *	583	6,215	17,049	4,165	15%	43%	51.12	1.08	0.5	69
Lock And Dam 12 1 *	556	4,715	18,656	4,171	23%	46%	58.32	1.28	0.1	97
Lock And Dam 13 1 *	523	4,179	19,079	4,033	23%	44%	69.03	1.47		12
Lock And Dam 14 1 *	493	3,085	21,933	4,169	47%	54%	110.43	1.57		19
Lock And Dam 14 4 *	493	3,904	1	1,218	0%	0%	.04	.00		
Lock And Dam 15 1 *	483	4,974	21,942	4,857	34%	54%	152.01	1.94		95
Lock And Dam 16 1 *	457	3,207	22,709	4,249	37%	44%	76.02	1.39		27
Lock And Dam 17 1 *	437	2,631	24,047	3,859	50%	56%	113.94	1.78		37
Lock And Dam 18 1 *	411	3,158	25,263	4,332	47%	56%	119.69	1.78		26
Lock And Dam 19 1 *	364	2,780	26,386	2,546	47%	51%	118.48	1.90	3.6	117
Lock And Dam 20 1	343	3,205	27,572	4,535	46%	53%	113.91	1.68		17
Lock And Dam 21 1	325	3,120	29,498	4,596	48%	55%	144.39	2.03		25

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN January - December 2006

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Mississippi River (cont.)</b>										
Lock And Dam 22										
1	301	2,931	29,790	4,464	53%	60%	142.17	2.10		16
Lock And Dam 24										
1	273	3,252	31,026	4,642	49%	59%	136.71	1.87		38
Lock And Dam 25										
1	241	3,977	31,062	4,972	45%	58%	177.06	2.29	1.3	51
Mel Price Lock And Dam										
1	201	5,136	69,440	5,005	49%	51%	123.14	1.13		41
Mel Price Lock And Dam										
4	201	2,757	1,320	2,260	6%	12%	3.05	.40		6
Chain Of Rocks Lock And Dam 27										
1	186	6,012	65,083	5,787	57%	60%	183.39	1.25	0.3	14
Chain Of Rocks Lock And Dam 27										
4	186	2,882	8,278	2,863	35%	47%	241.63	1.62		28
St Anthony Falls - Upper Lock										
1 *	854	3,221	1,316	2,432	3%	4%	1.60	.22		4
St Anthony Falls - Lower Lock										
1 *	853	2,947	1,316	2,198	4%	6%	1.28	.17		4
Lock And Dam 5a										
1 *	729	8,479	8,845	4,133	4%	24%	10.30	.70		4
<b>Mc-Kerr Arkansas Riv Nav Sys</b>										
Norrell Lock And Dam										
1	10	1,423	9,601	1,868	10%	11%	5.16	.91		25
Wilbur D Mills Lock And Dam										
1	13	1,468	9,594	1,895	12%	14%	7.91	1.14		15
Joe Hardin Lock And Dam										
1	50	1,663	9,209	2,091	11%	14%	6.71	.91		4
Emmett Sanders Lock And Dam										
1	66	1,639	9,270	2,008	14%	18%	11.37	1.26		30
Col Charles D Maynard										
1	86	1,818	8,852	2,126	6%	9%	4.18	.88		1
David D Terry Lock And Dam										
1	108	1,908	8,585	1,915	11%	17%	10.84	1.35		4
Murray Lock And Dam										
1	125	2,860	7,267	2,385	7%	17%	10.97	1.16		11

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN January - December 2006

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		<sup>1</sup> Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Mc-Kerr Arkansas Riv Nav Sys (cont.)</b>										
Toad Suck Ferry Lock And Dam 1	156	1,135	7,250	1,472	9%	12%	4.32	1.00	8.5	13
Arthur V Ormond L And D 1	177	1,031	7,187	1,371	8%	9%	5.20	1.32		6
Dardanelle Lk And Dam 1	206	1,247	7,218	1,569	5%	7%	3.76	1.40		24
Ozark Lock And Dam 1	257	751	4,893	986	2%	2%	.35	.17		5
James W. Trimble Lock And Dam 1	293	1,070	4,860	1,068	5%	9%	2.73	1.00	7.0	16
W D Mayo Lock And Dam 1	320	1,230	4,527	1,375	89%	99%	29.37	.84		1
Rbtr S Kerr Lk And Dam And Res 1	336	1,157	4,546	1,279	87%	100%	19.72	.60		1
Webbers Falls Lock And Dam 1	367	1,030	4,391	1,215	93%	99%	16.01	.51		
Chouteau Lock And Dam 1	401	1,121	3,655	1,141	83%	100%	12.98	.44		
Newt Graham Lock And Dam 1	422	872	3,525	1,011	94%	99%	6.07	.19		
Montgomery Point Lock And Dam 1	422	2,043	9,661	1,986	3%	5%	4.66	.54		1
<b>Monongahela River</b>										
Lock And Dam 2 1	11	2,863	19,464	3,444	36%	36%	61.60	1.44	14.2	37
Lock And Dam 2 4	11	2,522	904	2,118	8%	19%	68.68	1.07		4
Lock And Dam 3 1	24	4,832	13,850	4,811	42%	42%	59.84	.70		3
Lock And Dam 3 4	24	3,160	1,788	2,928	15%	17%	27.80	.58		49
Lock And Dam 4 1	42	7,056	14,297	7,031	44%	46%	105.59	.80		3
Maxwell Lock And Dam 1	61	2,721	7,584	2,506	6%	7%	2.08	.32		9

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN January - December 2006

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Monongahela River (cont.)</b>										
Maxwell Lock And Dam 2	61	2,324	8,070	2,147	6%	6%	2.15	.38		6
Grays Landing Lock And Dam 1	82	2,152	5,154	1,970	8%	10%	3.23	.47		
Point Marion Lock And Dam 1	91	1,740	4,981	1,703	7%	8%	2.49	.43		
Morgantown Lock And Dam 1	102	693	881	637	3%	3%	.31	.15		
Hildebrand Lock And Dam 1	108	283	241	194	0%	0%	.00	.00		1
Opekiska Lock And Dam 1	115	497	241	276	0%	0%	.01	.00		
<b>Ouachita And Black Rivers</b>										
Jonesville Lock And Dam 1	25	1,333	1,906	1,416	10%	11%	2.70	.59		
Columbia Lock And Dam 1	117	872	1,221	1,044	56%	59%	107.53	7.19		85
Felsenthal Lock And Dam 1	227	1,485	257	1,200	81%	100%	2.40	.04		
Thatcher Lock And Dam 1	282	1,817	261	1,304	64%	45%	2.34	.05		
<b>Old River</b>										
Old River Lock 1	282	3,873	9,161	3,591	95%	95%	45.76	.30	0.4	11
<b>Ohio River</b>										
Emsworth Lock And Dam 1	6	3,462	20,877	4,091	44%	45%	99.56	1.58		20
Emsworth Lock And Dam 4	6	3,881	548	2,995	5%	10%	18.02	1.18		13
Dashields Lock And Dam 1	13	3,313	21,374	4,034	43%	43%	74.59	1.28		31
Dashields Lock And Dam 4	13	2,432	657	2,029	6%	11%	16.98	.78		17
Montgomery Lock And Dam 1	32	3,353	20,259	4,090	46%	47%	101.69	1.53	0.2	42
Montgomery Lock And Dam 4	32	1,909	497	1,694	6%	8%	8.49	.84		13

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN January - December 2006

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Ohio River (cont.)</b>										
New Cumberland Lock And Dam 1	54	3,052	29,853	3,011	34%	34%	39.23	.90	1.2	16
New Cumberland Lock And Dam 4	54	2,109	1,740	1,627	6%	8%	2.29	.38		19
Pike Island Lock And Dam 1	84	3,582	37,055	3,552	35%	35%	44.42	.85		22
Pike Island Lock And Dam 4	84	2,142	1,581	1,709	6%	8%	2.62	.38		3
Belleville Locks And Dam 2	204	4,932	49,051	4,607	48%	52%	129.82	1.31		27
Belleville Locks And Dam 4 *	204	75	38	67	4%	5%	.13	.11		1
Racine Locks And Dam 2	238	4,239	50,129	4,166	51%	51%	109.92	1.22	1.0	73
Racine Locks And Dam 4 *	238	838	736	698	5%	8%	1.09	.35	1.3	44
Greenup Locks And Dam 2	341	5,990	66,051	5,957	65%	66%	267.84	1.65	2.3	252
Greenup Locks And Dam 4	341	1,001	3,321	1,111	28%	37%	159.94	3.01	27.3	44
Capt Ant Meldahl Locks And Dam 2	436	4,901	55,068	4,832	62%	63%	233.79	2.01		76
Capt Ant Meldahl Locks And Dam 4	436	1,958	5,087	1,520	23%	60%	121.89	1.44	24.2	16
Robert C. Byrd Locks And Dam 2	436	4,635	56,484	4,628	56%	56%	153.51	1.42		46
Robert C. Byrd Locks And Dam 4	436	1,112	1,084	1,022	5%	5%	1.16	.51		1
Markland Locks And Dam 2	532	4,589	52,039	4,503	49%	50%	115.88	1.23		27
Markland Locks And Dam 4	532	2,901	658	1,408	1%	4%	.58	.23		6
Mcalpine Locks And Dam 2	607	5,929	55,205	5,657	61%	63%	246.46	1.66	0.5	45

\* Lock data not available for all months

1 - Average Time in Hours

**LPMS SUMMARY by RIVER BASIN**  
**January - December 2006**

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Ohio River (cont.)</b>										
Lock And Dam 52 1	939	9,812	92,625	9,602	17%	17%	2,087.03	10.57		25
Lock And Dam 52 5 *	939	1,029	3,779	1,003	67%	72%	251.50	5.35		9
Lock And Dam 53 1	963	7,617	84,690	7,504	4%	4%	66.31	1.52		
Lock And Dam 53 3 *	963	99	280	93	11%	15%	3.79	.73		
Hannibal Locks And Dam 1	126	4,208	48,517	4,194	43%	44%	73.81	.96		25
Hannibal Locks And Dam 4	126	1,263	1,160	904	2%	4%	.59	.33		2
Willow Island Locks And Dam 2	162	3,812	45,556	3,749	43%	44%	77.13	1.11	0.8	10
Willow Island Locks And Dam 4	162	1,464	973	1,042	3%	6%	.82	.29		
Cannelton Lock And Dam 2 *	721	4,588	53,276	4,559	57%	58%	165.34	1.41	3.1	44
Cannelton Lock And Dam 4 *	721	1,628	5,611	1,513	32%	64%	382.34	4.84		24
Newburgh Lock And Dam 2	776	6,092	68,512	6,093	57%	57%	167.09	1.16		7
Newburgh Lock And Dam 4 *	776	1,854	676	1,096	2%	5%	1.08	.56		4
John T. Myers Lock & Dam 2	846	5,770	71,671	5,733	60%	61%	179.56	1.24		70
John T. Myers Lock & Dam 4	846	2,020	498	1,499	2%	4%	.71	.34		26
Smithland Lock And Dam 1	919	4,235	34,965	3,933	27%	31%	51.94	1.18		355
Smithland Lock And Dam 2	919	4,476	46,060	4,187	31%	34%	74.63	1.21		92
<b>Okeechobee Waterway</b>										
St Lucie Lock And Dam 1	15	8,695	18	5,438	32%	45%	39.55	.70	1.2	480

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN January - December 2006

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Okeechobee Waterway (cont.)</b>										
Moore Haven Lock 1	78	7,099	17	4,416	10%	8%	4.24	.07	2.0	371
Ortona Lock And Dam 1	94	8,541	18	5,422	8%	12%	7.35	.29	0.5	458
W P Frklin Lck And Ctrl Strct 1	122	12,788	16	7,008	28%	43%	18.54	.11		363
Port Mayaca Lock 1	39	6,948	14	5,092	71%	55%	13.91	.10	2.1	376
<b>Red River</b>										
Lindy Claiborne Boggs Lock 1	44	2,183	3,217	1,917	21%	9%	3.12	.25		1
John H. Overton 1	74	2,255	3,148	2,023	17%	9%	6.32	.77		1
Lock And Dam 3 1	116	1,160	1,098	963	10%	2%	2.84	.12		1
Russell B. Long 1	116	1,820	835	1,469	56%	12%	5.75	.13		
Joe D. Waggoner Jr Lock 1	116	4,369	574	3,017	55%	16%	15.28	.60		
<b>St. Marys River</b>										
Macarthur Lock 1 *	47	3,735	17,167	3,355	10%	13%	11.47	.30	1.3	1,345
New Poe Lock 1 *	47	3,687	65,990	3,459	22%	21%	28.55	.75	0.0	936
Davis Lock 1 *	47	9	0	5	0%	N/A%	.00	.00	39.1	19
<b>Snake River</b>										
Ice Harbor Lock And Dam 1	10	2,128	3,344	1,860	90%	98%	12.37	.15		3
Lower Monumental Lock And Dam 1	42	1,543	2,915	1,393	92%	94%	9.58	.19		5
Little Goose Lock And Dam 1	70	1,200	2,715	1,149	97%	99%	4.70	.09		2
Lower Granite Lock And Dam 1	108	1,025	1,522	910	35%	29%	23.08	3.45	1.0	7
<b>Tennessee River</b>										
Kentucky Lock 1	22	4,139	37,873	6,092	82%	86%	949.75	6.88	0.3	139

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN January - December 2006

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Tennessee River (cont.)</b>										
Pickwick Landing Lock 1	207	3,118	15,314	2,920	28%	38%	65.29	1.87		242
Pickwick Landing Lock 5 *	207	518	3	485	25%	28%	3.97	.51		234
Wilson Lock 2	259	2,276	7,863	2,039	30%	49%	343.71	22.41	10.6	94
Wilson Lock 4 *	259	967	2,453	2,978	76%	119%	2,673.14	50.20		147
Gen Jos Wheeler Lock 1	275	3,035	10,299	3,125	21%	31%	28.96	1.17		42
Gen Jos Wheeler Lock 5 *	275	88	6	61	3%	40%	.31	.18		5
Guntersville Lock 1	349	2,629	5,600	2,345	10%	19%	12.00	1.29		29
Guntersville Lock 5 *	349	13		9	0%	N/A%	.00	.00		1
Nickajac Lock 1	425	2,269	2,626	1,598	6%	14%	3.64	.57		92
Chickamauga Lock 1	471	5,504	1,279	4,143	14%	118%	112.96	4.05	2.2	102
Watts Bar Lock 1	530	2,220	809	2,223	15%	82%	44.47	3.54		70
Fort Loudon Lock 1	602	2,173	484	1,666	7%	54%	15.47	1.99	8.5	379
<b>Tennessee Tombigbee Waterway</b>										
Howell Heflin Lock And Dam 1	266	2,474	6,369	2,178	52%	58%	22.91	.45		1
Tom Bevill Lock And Dam 1	307	2,741	6,153	2,308	25%	27%	7.60	.27		1
John C. Stennis Lock And Dam 1	335	2,951	5,871	2,407	11%	12%	6.75	.53		
Aberdeen Lock And Dam 1	358	2,664	5,445	2,194	9%	10%	5.18	.57		
Amory Lock 1	371	2,427	5,627	2,084	8%	7%	5.29	.87		5

\* Lock data not available for all months

1 - Average Time in Hours

**LPMS SUMMARY by RIVER BASIN**  
**January - December 2006**

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		<sup>1</sup> Lock Closures	
					Vessels	Tows	Vessels	Tows	Time <sup>1</sup>	Freq Total
<b><i>Tennessee Tombigbee Waterway (cont.)</i></b>										
Glover Wilkins Lock										
1	376	2,407	5,624	2,068	6%	4%	3.30	.42		2
Fulton Lock										
1	391	2,426	5,591	2,094	9%	8%	5.20	.49		
John Rankin Lock										
1	398	2,392	5,584	2,066	5%	7%	2.60	.52		
G.V. Sonny Montgomery Lock										
1	407	2,272	5,571	2,037	7%	7%	28.08	3.24		
Jamie L. Whitten Lock And Dam										
1	412	2,534	5,395	2,089	9%	11%	5.85	.62		
<b><i>Willamette River</i></b>										
Willamette Falls Locks 1 - 4										
1 *	412	537		270	50%	71%	.36	.02		
Willamette Falls Guard Lock										
1 *	412	493		219	44%	71%	.25	.01		
<b><i>Lake Washington Ship Canal</i></b>										
Hiram M Chittenden Locks										
1	412	19,272	1,501	3,730	20%	57%	48.41	.33	2.9	156
Hiram M Chittenden Locks										
4	412	32,000	1	11,419	36%	38%	72.93	.13	2.5	140

\* Lock data not available for all months

1 - Average Time in Hours