

**LPMS SUMMARY by RIVER BASIN**  
January - December 2010

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Allegheny River</b>										
Lock And Dam 2										
1	7	5,577	1,218	3,537	3%	11%	3.10	.52	136.2	3
C.W. Bill Young Lock & Dm										
1	15	3,177	1,213	2,721	5%	13%	3.18	.56		4
Lock And Dam 4										
1	24	3,263	994	2,569	7%	11%	4.89	.24		66
Lock And Dam 5										
1	30	2,752	822	1,954	4%	5%	1.02	.16		6
Lock And Dam 6										
1 *	36	933	11	532	0%	13%	.09	.07		1
Lock And Dam 7										
1 *	46	1,254	10	583	0%	14%	.08	.08		2
Lock And Dam 8										
1 *	53	803	5	405	0%	33%	.10	.10		1
Lock And Dam 9										
1 *	62	1,022		573	0%	N/A%	.00	.00		1
<b>Atlantic Intracoastal Waterway</b>										
Great Bridge Guard Lock										
1	12	8,804	861	4,361	49%	86%	8.95	.05	1.3	36
<b>Alabama-Coosa Rivers</b>										
Claiborne Lock And Dam										
1 *	118	199	3	155	0%	0%	.00	.00		
<b>Apalachicola/Chattahoochee/Flint Rivers</b>										
Jim Woodruff Lock And Dam										
1	106	405		196	0%	0%	.00	.00		
George W Andrews Lock And Dam										
1	47	562		268	0%	N/A%	.00	.00		
Walter F George Lock And Dam										
1	75	668		333	0%	N/A%	.44	.00		
<b>Atchafalaya River</b>										
Berwick Lock										
1	75	4,807	27	3,680	76%	98%	5.41	.04		
<b>Black Rock Ch/Tonawanda Harbor</b>										
Black Rock Lock										
1 *	75	1,516	93	1,158	38%	40%	10.58	.01		244
<b>Black Warrior/Tombigbee Rivers</b>										
Demopolis Lock And Dam										
1	213	4,650	10,564	3,493	30%	35%	38.34	.89		
William Bacon Oliver Lk And Dm										
1	338	1,169	6,136	1,128	12%	11%	9.95	1.87		

\* Lock data not available for all months

1 - Average Time in Hours

**LPMS SUMMARY by RIVER BASIN**  
January - December 2010

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Blackwarrior/Tombigbee Rivers (cont.)</b>										
Holt Lock And Dam										
1	347	1,845	7,189	1,540	12%	14%	7.07	.74		1
<b>Calcasieu River</b>										
Calcasieu Salt Water Barrier										
1	347	14,120	434	6,434	45%	94%	7.10	.19	5.2	424
<b>Chicago River</b>										
Chicago Lock										
1 *	347	36,334	102	11,699	1%	63%	1.02	.06	0.2	152
<b>Clinch River</b>										
Melton Hill Lock										
1 *	23	19	0	16	0%	N/A%	.00	.00		28
<b>Canaveral Harbor</b>										
Canaveral Lock										
1	3	19,843	54	8,915	24%	52%	8.13	.03	2.5	389
<b>Columbia River</b>										
Bonneville Lock And Dam										
2	145	2,714	8,398	2,551	94%	98%	12.18	.11		3
The Dalles Dam										
1	192	2,197	8,025	2,017	92%	97%	73.23	.87	1.9	1,457
John Day Lock And Dam										
1	217	1,872	7,367	1,794	97%	99%	67.72	.90		11
Mcrary Lock And Dam										
1	292	2,024	6,244	1,832	76%	80%	7.88	.12		1
<b>Cumberland River</b>										
Barkley Lock										
1	31	1,629	4,333	1,513	14%	22%	20.15	1.17		37
Cheatham Lock										
1	149	1,447	7,497	1,598	16%	20%	10.41	1.12	10.5	85
Cordell Hull Lock										
1 *	314	108		69	0%	N/A%	.00	.00		
Old Hickory Lock										
1	216	2,491	4,083	2,691	10%	16%	8.81	.95	5.5	373
<b>Dismal Swamp Canal Route</b>										
Deep Creek Lock										
1	11	1,674	0	817	49%	71%	10.86	.01		
South Mills Lock										
1	33	1,592		777	49%	N/A%	2.29	.00		
<b>Freshwater Bayou</b>										
Freshwater Bayou Lock										
1	33	16,178	1,858	14,259	99%	85%	94.43	.14		3
<b>Green &amp; Barren Rivers</b>										
Lock And Dam 1										
1	9	3,631	9,921	3,455	11%	15%	7.19	.42		15

\* Lock data not available for all months

1 - Average Time in Hours

**LPMS SUMMARY by RIVER BASIN**  
**January - December 2010**

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Green &amp; Barren Rivers (cont.)</b>										
Lock And Dam 2										
1	63	1,380	6,058	1,376	6%	6%	1.61	.46	0.3	26
<b>Gulf Intracoastal Waterway</b>										
Port Allen Lock										
1	63	7,188	20,819	5,629	89%	89%	897.00	3.49	2.2	356
Bayou Sorrel Lock										
1	63	7,029	19,909	8,871	87%	87%	637.18	2.56	4.5	220
Inner Hrbr Navigation Canl Lk										
1	63	12,096	16,350	10,592	76%	76%	3,307.31	8.85	1.9	156
Algiers Lock										
1	63	11,522	24,013	9,137	86%	86%	1,388.42	3.52		8
Harvey Lock										
1	63	7,431	2,028	6,016	82%	81%	124.49	.49	1.0	51
Bayou Boeuf Lock										
1	63	17,787	24,125	12,189	73%	75%	249.88	.46		4
Calcasieu Lock										
1	63	13,314	37,033	11,259	91%	91%	970.74	1.89	2.0	85
Colorado River East Lock										
1	441	32,938	18,390	9,717	30%	81%	337.02	.80		16
Colorado River West Lock										
1	442	20,740	17,632	8,947	43%	81%	258.79	.73		3
Brazos East Gate										
1	400	14,911	18,573	11,059	74%	86%	308.35	.65	1.4	78
Brazos West Gate										
1	401	15,027	18,648	11,075	74%	83%	246.82	.55	0.9	64
Schooner Bayou Control Struct										
1 *	401	2,705	8	2,182	80%	90%	2.01	.05		362
Catfish Point Control Struct										
1	401	4,291	174	3,514	82%	96%	5.87	.09	6.6	558
Leland Bowman Lock										
1	401	13,465	36,284	10,472	90%	91%	424.69	.83		1
<b>Hudson River</b>										
Troy Lock And Dam										
1 *	401	4,077		2,687	52%	59%	20.94	.10		
<b>Illinois Waterway</b>										
Thomas J. Obrien Lock										
1	327	13,983	5,132	5,796	2%	18%	6.74	.56	0.4	504

\* Lock data not available for all months

1 - Average Time in Hours

**LPMS SUMMARY by RIVER BASIN**  
**January - December 2010**

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Illinois Waterway (cont.)</b>										
Lockport Lock 1	291	3,417	9,854	3,176	32%	35%	65.12	1.47	0.2	170
Brandon Road Lock And Dam 1	286	3,503	10,010	3,297	30%	33%	53.47	1.30		208
Dresden Island Lock And Dam 1	272	3,560	12,727	3,482	27%	35%	56.22	1.51	2.4	28
Marseilles Lock And Dam 1	245	4,022	14,125	3,848	36%	48%	91.82	1.68	0.3	41
Starved Rock Lock And Dam 1	231	4,367	15,980	3,949	28%	43%	114.43	2.31	0.5	47
Peoria Lock And Dam 1	158	3,589	22,752	4,005	28%	29%	177.97	2.73		23
Lagrange Lock And Dam 1	80	2,900	25,233	3,404	22%	23%	97.20	1.60		12
<b>The Inland Route</b>										
Alanson Lock 1 *	80	7,698		5,363	0%	N/A%	.00	.00	4.6	148
<b>Kanawha River</b>										
Winfield Locks And Dam Main 1 1 *	31	1	14	1	0%	0%	.00	.00		
Winfield Locks And Dam Main 1 5	31	3,056	19,931	2,829	32%	36%	51.76	1.24	0.4	80
Marmet Locks And Dam Main 1 5	68	3,686	14,632	3,178	23%	29%	32.45	.93		13
London Locks And Dam Main 1 1	83	616	113	553	3%	5%	.49	.29		
London Locks And Dam Main 1 2	83	1,965	3,497	3,741	15%	17%	15.92	1.19		11
<b>Kaskaskia River</b>										
Kaskaskia River Navigation Lk 1	1	1,550	711	989	0%	0%	.00	.00		
<b>Mississippi River</b>										
Lock And Dam 1 1 *	848	4,948	674	2,362	0%	2%	.28	.09		3
Lock And Dam 2 1 *	815	5,748	7,185	3,210	4%	25%	12.56	.85		5
Lock And Dam 3 1 *	797	10,905	7,166	4,685	3%	20%	13.42	.72		4

\* Lock data not available for all months

1 - Average Time in Hours

**LPMS SUMMARY by RIVER BASIN**  
**January - December 2010**

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Mississippi River (cont.)</b>										
Lock And Dam 4										
1 *	753	8,680	7,919	3,915	3%	23%	8.67	.68		5
Lock And Dam 5										
1 *	738	4,922	7,974	3,180	5%	21%	10.43	.80		4
Lock And Dam 6										
1 *	714	4,983	9,675	3,102	4%	21%	17.75	1.35		10
Lock And Dam 7										
1 *	702	7,278	9,733	3,951	7%	25%	23.02	.94		4
Lock And Dam 8										
1 *	679	5,011	10,442	2,987	5%	23%	23.33	1.50		9
Lock And Dam 9										
1 *	647	5,229	12,107	3,528	10%	33%	32.92	1.24		9
Lock And Dam 10										
1 *	615	5,472	13,914	3,658	6%	22%	23.55	1.16		3
Lock And Dam 11										
1 *	583	6,519	14,457	3,989	13%	42%	41.68	1.08		12
Lock And Dam 12										
1 *	556	3,801	15,300	3,462	22%	41%	50.21	1.30	0.2	94
Lock And Dam 13										
1 *	523	3,211	15,552	3,386	26%	44%	92.19	1.93		14
Lock And Dam 14										
1 *	493	2,602	17,736	3,463	43%	50%	161.25	2.27		30
Lock And Dam 14										
4 *	493	3,325	2	1,124	0%	0%	.16	.00		1
Lock And Dam 15										
1 *	483	2,628	17,852	3,440	37%	46%	118.83	2.05		165
Lock And Dam 15										
4 *	483	2,223	71	1,175	0%	3%	.15	.14		15
Lock And Dam 16										
1 *	457	3,262	18,454	3,871	36%	42%	84.70	1.65		30
Lock And Dam 17										
1 *	437	2,397	19,513	3,444	49%	53%	135.62	2.22	0.3	57
Lock And Dam 18										
1 *	411	2,506	20,471	3,645	50%	56%	98.67	1.54		68

\* Lock data not available for all months

1 - Average Time in Hours

**LPMS SUMMARY by RIVER BASIN**  
**January - December 2010**

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Mississippi River (cont.)</b>										
Lock And Dam 19										
1 *	364	2,455	21,353	2,197	40%	45%	65.32	1.29		38
Lock And Dam 20										
1 *	343	2,587	21,861	3,743	52%	59%	230.51	3.47		63
Lock And Dam 21										
1 *	325	2,626	23,431	3,904	49%	54%	102.50	1.59	0.2	37
Lock And Dam 22										
1 *	301	2,436	23,644	3,734	55%	62%	219.03	3.52		80
Lock And Dam 24										
1 *	273	2,628	24,128	3,852	48%	55%	111.38	1.84		29
Lock And Dam 25										
1 *	241	2,666	24,117	3,860	54%	62%	316.43	4.15	0.7	107
Mel Price Lock And Dam										
1 *	201	4,453	44,989	4,319	48%	50%	182.18	2.12		113
Mel Price Lock And Dam										
4	201	1,865	8,514	2,180	43%	59%	259.75	2.71		25
Chain Of Rocks Lock And Dam 27										
1	186	7,877	56,951	6,872	61%	63%	504.30	2.13	0.4	46
Chain Of Rocks Lock And Dam 27										
4 *	186	617	1,529	626	26%	27%	111.69	2.28	1.1	12
St Anthony Falls - Upper Lock										
1 *	854	4,033	664	2,618	0%	1%	.03	.02		3
St Anthony Falls - Lower Lock										
1 *	853	3,137	664	2,002	1%	2%	.28	.06		3
Lock And Dam 5a										
1 *	729	6,738	7,981	3,721	4%	20%	14.75	.89		3
<b>Mc-Kerr Arkansas Riv Nav Sys</b>										
Norrell Lock And Dam										
1	10	1,369	8,550	1,651	6%	7%	2.33	.56		5
Wilbur D Mills Lock And Dam										
1	13	1,353	8,549	1,747	11%	12%	5.62	.97		
Joe Hardin Lock And Dam										
1	50	1,336	8,238	1,720	10%	13%	7.06	1.24		2
Emmett Sanders Lock And Dam										
1	66	1,389	8,243	1,719	9%	12%	6.64	1.15	5.6	14

\* Lock data not available for all months

1 - Average Time in Hours

**LPMS SUMMARY by RIVER BASIN**  
**January - December 2010**

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures Ave Freq	
					Vessels	Tows	Vessels	Tows	Time <sup>1</sup>	Total
<b>Mc-Kerr Arkansas Riv Nav Sys (cont.)</b>										
Col Charles D Maynard										
1	86	1,347	8,018	1,747	6%	8%	3.77	.71		7
David D Terry Lock And Dam										
1	108	1,396	8,024	1,658	12%	16%	7.45	1.13		0
Murray Lock And Dam										
1	125	1,585	6,315	1,595	7%	12%	5.27	1.01		7
Toad Suck Ferry Lock And Dam										
1	156	1,272	6,384	1,581	5%	6%	2.66	.96	0.3	22
Arthur V Ormond L And D										
1	177	850	6,248	1,201	3%	3%	1.25	.79	2.1	13
Dardanelle Lk And Dam										
1	206	1,056	6,258	1,344	4%	5%	1.68	.72		20
Ozark Lock And Dam										
1	257	728	5,234	1,005	4%	5%	1.25	.75		10
James W. Trimble Lock And Dam										
1	293	860	5,253	1,072	9%	12%	4.52	1.17		18
W D Mayo Lock And Dam										
1	320	1,067	4,787	1,313	96%	100%	24.83	.69		7
Rbrt S Kerr Lk And Dam And Res										
1	336	1,071	4,871	1,294	94%	100%	21.53	.59	0.8	16
Webbers Falls Lock And Dam										
1	367	1,015	4,426	1,215	96%	99%	14.68	.44		3
Chouteau Lock And Dam										
1	401	968	3,937	1,056	92%	100%	10.78	.33	1.8	8
Newt Graham Lock And Dam										
1	422	891	3,860	1,040	99%	100%	13.54	.43		8
Montgomery Point Lock And Dam										
1	422	1,251	8,603	1,225	0%	0%	.00	.00		3
<b>Monongahela River</b>										
Lock And Dam 2										
1	11	2,731	14,669	3,006	27%	29%	35.89	1.15		23
Lock And Dam 2										
4	11	1,679	163	1,144	1%	2%	.18	.13		3
Lock And Dam 3										
1	24	3,972	10,972	3,954	33%	33%	36.54	.64		20

\* Lock data not available for all months

1 - Average Time in Hours

**LPMS SUMMARY by RIVER BASIN**  
January - December 2010

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Monongahela River (cont.)</b>										
Lock And Dam 3										
4	24	2,181	315	1,936	4%	5%	1.20	.33		15
Lock And Dam 4										
1	42	6,226	11,166	5,825	35%	37%	55.95	.60		13
Maxwell Lock And Dam										
1	61	2,181	4,973	1,945	4%	4%	.96	.29		3
Maxwell Lock And Dam										
2	61	1,613	5,268	1,464	4%	4%	.87	.23		7
Grays Landing Lock And Dam										
1	82	2,010	4,592	1,751	6%	7%	2.35	.43		4
Point Marion Lock And Dam										
1	91	1,688	4,523	1,563	7%	9%	2.57	.47		
Morgantown Lock And Dam										
1	102	1,045	236	684	0%	1%	.00	.00		
Hildebrand Lock And Dam										
1 *	108	485	0	252	0%	N/A%	.00	.00		
Opekiska Lock And Dam										
1 *	115	738	0	362	0%	N/A%	.00	.00		
<b>Ouachita And Black Rivers</b>										
Jonesville Lock And Dam										
1	25	851	1,175	898	13%	13%	3.13	.61		
Columbia Lock And Dam										
1	117	724	792	787	24%	29%	6.39	.53		
Felsenthal Lock And Dam										
1	227	682	279	609	88%	96%	1.51	.10		
Thatcher Lock And Dam										
1	282	929	257	798	70%	39%	1.32	.13		
<b>Old River</b>										
Old River Lock										
1	282	3,279	7,092	3,038	95%	95%	47.21	.38		1
<b>Ohio River</b>										
Emsworth Lock And Dam										
1	6	2,579	14,486	3,031	36%	38%	81.15	2.74	13.0	41
Emsworth Lock And Dam										
4	6	4,095	839	3,317	6%	15%	159.11	2.39		40
Dashields Lock And Dam										
1	13	2,613	16,059	3,209	31%	32%	36.83	1.07		46

\* Lock data not available for all months

1 - Average Time in Hours

# LPMS SUMMARY by RIVER BASIN

## January - December 2010

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Ohio River (cont.)</b>										
Dashields Lock And Dam 4	13	2,216	306	1,755	3%	5%	.83	.27		37
Montgomery Lock And Dam 1	32	2,975	17,764	3,654	42%	42%	76.82	1.47		47
Montgomery Lock And Dam 4	32	1,814	473	1,579	4%	5%	.87	.27		6
New Cumberland Lock And Dam 1	54	2,514	24,700	2,491	30%	30%	26.48	.84		9
New Cumberland Lock And Dam 4	54	1,909	1,589	1,545	6%	9%	2.17	.42		2
Pike Island Lock And Dam 1 *	84	2,537	23,964	2,488	31%	32%	31.34	.79		19
Pike Island Lock And Dam 4	84	2,359	6,061	2,370	23%	35%	81.93	1.36		35
Belleville Locks And Dam 2	204	3,692	43,377	3,624	46%	47%	87.65	1.23	4.1	59
Belleville Locks And Dam 4 *	204	939	1,183	713	9%	28%	32.08	1.18		19
Racine Locks And Dam 2	238	3,608	44,809	3,573	45%	45%	76.88	1.13		47
Racine Locks And Dam 4	238	1,064	801	887	3%	5%	.68	.37		16
Greenup Locks And Dam 2	341	4,088	47,602	4,059	58%	59%	226.53	2.74	4.7	340
Greenup Locks And Dam 4	341	1,880	8,841	2,226	42%	57%	833.18	13.21	2.2	76
Capt Ant Meldahl Locks And Dam 2	436	4,709	56,521	4,493	53%	56%	180.18	1.66	0.7	38
Capt Ant Meldahl Locks And Dam 4	436	2,077	1,216	1,171	4%	14%	6.03	.54		5
Robert C. Byrd Locks And Dam 2	436	3,553	43,490	3,508	46%	47%	86.29	1.24	0.5	29
Robert C. Byrd Locks And Dam 4 *	436	1,053	6,908	1,335	51%	57%	184.52	1.74		10

\* Lock data not available for all months

1 - Average Time in Hours

# LPMS SUMMARY by RIVER BASIN

## January - December 2010

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Ohio River (cont.)</b>										
Markland Locks And Dam 2 *	532	3,789	48,905	3,749	62%	63%	271.72	2.22	0.8	107
Markland Locks And Dam 4 *	532	2,373	8,690	2,092	28%	78%	341.12	4.58	9.2	75
Mcalpine Locks And Dam 1 *	607	2,028	25,196	1,891	28%	30%	32.94	.87	0.1	49
Mcalpine Locks And Dam 2	607	4,159	42,464	4,013	50%	51%	155.57	1.42		47
Lock And Dam 52 1	939	7,607	83,576	7,543	18%	18%	1,397.56	12.00	2.4	111
Lock And Dam 52 5 *	939	1,541	6,302	1,460	67%	73%	797.71	7.46	2.6	37
Lock And Dam 53 1	963	6,361	79,088	6,324	0%	0%	.02	.01		
Lock And Dam 53 3 *	963	47	540	47	2%	0%	.00	.00		
Hannibal Locks And Dam 1	126	3,371	41,330	3,346	39%	39%	53.29	.95		15
Hannibal Locks And Dam 4	126	1,318	954	870	4%	6%	1.04	.40		3
Willow Island Locks And Dam 2	162	3,630	41,231	3,462	40%	42%	69.65	1.14		12
Willow Island Locks And Dam 4 *	162	984	549	666	2%	4%	.37	.18		5
Cannelton Lock And Dam 2	721	4,785	62,953	4,768	62%	62%	248.11	2.04		44
Cannelton Lock And Dam 4	721	1,213	5,022	1,319	31%	51%	471.61	6.17	0.5	25
Newburgh Lock And Dam 2	776	5,918	77,285	5,918	64%	64%	221.18	1.38	0.1	245
Newburgh Lock And Dam 4	776	2,106	1,017	1,329	3%	5%	1.28	.41		41
John T. Myers Lock & Dam 2	846	5,098	69,290	5,096	60%	61%	278.48	2.14	0.1	180

\* Lock data not available for all months

1 - Average Time in Hours

**LPMS SUMMARY by RIVER BASIN**  
January - December 2010

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures Ave Freq	
					Vessels	Tows	Vessels	Tows	Time <sup>1</sup>	Total
<b>Ohio River (cont.)</b>										
John T. Myers Lock & Dam										
4	846	2,292	2,211	1,968	7%	25%	63.90	2.12		108
Smithland Lock And Dam										
1	919	3,710	34,371	3,411	26%	30%	54.56	1.79		302
Smithland Lock And Dam										
2	919	4,141	44,034	3,840	34%	39%	108.51	1.58		178
<b>Okeechobee Waterway</b>										
St Lucie Lock And Dam										
1	15	5,600	11	3,966	26%	30%	18.55	.21	0.5	509
Moore Haven Lock										
1	78	4,659	6	3,587	6%	3%	1.19	.01	1.4	376
Ortona Lock And Dam										
1	94	5,063	3	3,729	4%	7%	4.18	.02		361
W P Frklin Lck And Ctrl Strct										
1	122	7,727	4	5,162	22%	18%	9.84	.04		375
Port Mayaca Lock										
1	39	5,217	16	4,081	78%	35%	11.69	.05		415
<b>Red River</b>										
Lindy Claiborne Boggs Lock										
1	44	1,657	3,462	1,554	5%	5%	.92	.31		1
John H. Overton										
1	74	1,985	3,644	1,821	11%	5%	3.20	.55		
Lock And Dam 3										
1	116	1,756	1,730	1,382	6%	1%	.88	.05		
Russell B. Long										
1	116	1,796	1,501	1,364	46%	18%	4.91	.15		
Joe D. Waggoner Jr Lock										
1	116	3,178	506	1,702	35%	10%	5.82	.11		
<b>St. Marys River</b>										
Macarthur Lock										
1 *	47	4,911	14,501	4,026	13%	19%	12.34	.38	0.5	2,467
New Poe Lock										
1 *	47	3,758	58,883	3,494	26%	27%	40.04	.79	0.9	1,532
Davis Lock										
1 *	47	4	0	4	0%	0%	.00	.00	46.2	16
<b>Snake River</b>										
Ice Harbor Lock And Dam										
1	10	1,641	2,887	1,412	88%	98%	5.24	.09		1

\* Lock data not available for all months

1 - Average Time in Hours

# LPMS SUMMARY by RIVER BASIN

## January - December 2010

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Snake River (cont.)</b>										
Lower Monumental Lock And Dam										
1	42	1,044	2,554	963	93%	98%	7.79	.21	0.2	29
Little Goose Lock And Dam										
1	70	931	2,233	877	95%	98%	3.74	.09		3
Lower Granite Lock And Dam										
1	108	873	1,265	682	47%	58%	10.53	.88		2
<b>Tennessee River</b>										
Kentucky Lock										
1	22	3,269	28,400	5,079	77%	80%	559.64	5.41	1.9	122
Pickwick Landing Lock										
1	207	2,478	12,817	2,335	26%	31%	36.43	1.41	0.2	288
Pickwick Landing Lock										
5	207	508	268	472	19%	25%	3.55	.61		119
Wilson Lock										
2	259	2,593	8,168	2,547	22%	33%	34.73	1.67		64
Gen Jos Wheeler Lock										
1	275	2,657	8,165	2,656	17%	24%	20.57	1.25		42
Gen Jos Wheeler Lock										
5 *	275	33	1	27	0%	0%	.00	.00		5
Guntersville Lock										
1	349	2,066	4,640	1,878	8%	12%	6.93	1.17		43
Guntersville Lock										
5 *	349	43	2	36	0%	0%	.00	.00		
Nickajac Lock										
1	425	2,034	2,360	1,526	6%	13%	2.97	.55		233
Chickamauga Lock										
1	471	4,362	1,000	3,363	16%	106%	67.50	2.39	7.3	336
Watts Bar Lock										
1	530	2,271	621	1,934	11%	78%	22.80	2.31	4.9	364
Fort Loudon Lock										
1	602	1,630	511	1,410	11%	68%	17.14	2.21	7.7	326
<b>Tennessee Tombigbee Waterway</b>										
Howell Heflin Lock And Dam										
1	266	2,147	5,136	1,926	35%	36%	12.60	.52	110.6	7
Tom Bevill Lock And Dam										
1	307	2,182	5,143	1,963	11%	8%	5.23	.44		

\* Lock data not available for all months

1 - Average Time in Hours

**LPMS SUMMARY by RIVER BASIN**  
**January - December 2010**

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Time <sup>1</sup>	Ave Total
<b>Tennessee Tombigbee Waterway (cont.)</b>										
John C. Stennis Lock And Dam										
1	335	2,637	4,926	2,160	9%	10%	3.88	.36		
Aberdeen Lock And Dam										
1	358	2,130	4,463	1,846	7%	6%	2.36	.35		
Amory Lock										
1	371	2,108	4,511	1,799	1%	1%	1.43	.12		
Glover Wilkins Lock										
1	376	1,995	4,536	1,811	3%	2%	1.66	.40		4
Fulton Lock										
1	391	2,107	4,547	1,877	7%	6%	2.52	.46		
John Rankin Lock										
1	398	2,057	4,504	1,831	7%	7%	3.41	.47		
G.V. Sonny Montgomery Lock										
1	407	1,989	4,539	1,802	8%	7%	3.34	.34		
Jamie Whitten Lock And Dam										
1	412	2,164	4,673	1,896	13%	15%	9.01	.76		
<b>Willamette River</b>										
Willamette Falls Locks 1 - 4										
1 *	412	552	2	288	52%	81%	.27	.01		
Willamette Falls Guard Lock										
1 *	412	546	2	268	49%	76%	6.92	1.68		
<b>Lake Washington Ship Canal</b>										
Hiram M Chittenden Locks										
1	412	15,016	723	2,966	22%	68%	49.19	.43	5.6	206
Hiram M Chittenden Locks										
4	412	28,724	2	10,725	37%	34%	82.73	.14	3.3	124

\* Lock data not available for all months

1 - Average Time in Hours